



WHERE HEALTH  
AND SAFETY  
MEET



## 2 use options: elastic band and temples

Use the elastic strap so that it does not interfere with other PPE. Both methods of use guarantee protection from coarse dust particles (4 marking).

## Prevents fogging

The adaptor incorporates direct ventilation to optimise air circulation, thereby reducing fogging.

## Rotating strap/temple anchoring system

Easier and more intuitive.

## Extra soft nose bridge

It incorporates a nose bridge with an extra soft TPE surface injection, reducing pressure from the frame and improving comfort.

## Eco-friendly frame

Made with 45% BIO BASED materials.

## Sizes available

- S** 52 x 20 x 113 mm
- M** 54 x 20 x 113 mm
- L** 54 x 20 x 125 mm

RX versions are delivered with: case, cord, cleaning cloth, spectacles retainer, client card, and information leaflet.


# Technical datasheet

# Xtreme hybrid Pro

Global solution, total protection



Clear Blue



Clear Yellow




Black

## NEUTRAL (non-prescription)

Reference	Colour	Coatings	Size	Lens material	Frame marking	Lens marking	EAN 13	EAN 14	Units/ box	Units/ carton		
915106	Black	Anti-fogging Anti-scratch	S	100% polycarbonate Impact resistant (CT) Clear lenses with certified UV protection (grade 1.2)	16321 M U5 G4 CT 1-S/1-M 4 CE	M UL1.2 CT 1 KN CE	8423173899103	18423173899100	10	120		
915107			M		16321 M U5 G4 CT 1-M 4 CE		8423173899110	18423173899117	10	120		
915108			L		16321 M U5 G4 CT 1-M/1-L 4 CE		8423173899127	18423173899124	10	120		
915100	Clear/Blue		S		16321 M U1.2 CT 1-S/1-M 4 CE		8423173899042	18423173899049	10	120		
915101			M		16321 M U1.2 CT 1-M 4 CE		8423173899059	18423173899056	10	120		
915102			L		16321 M U1.2 CT 1-M/1-L 4 CE		8423173899066	18423173899063	10	120		
915103	Clear/Yellow		S		16321 M U1.2 CT 1-S/1-M 4 CE		8423173899073	18423173899070	10	120		
915104			M		16321 M U1.2 CT 1-M 4 CE		8423173899080	18423173899087	10	120		
915105			L		16321 M U1.2 CT 1-M/1-L 4 CE		8423173899097	18423173899094	10	120		
915109	Black		S		100% polycarbonate Impact resistant (CT) Solar lenses with certified UV protection (grade G3)		16321 M U5 G4 CT 1-S/1-M 4 CE	M G3 CT 1 KN CE	8423173899134	18423173899131	10	120
915110			M				16321 M U5 G4 CT 1-M 4 CE		8423173899141	18423173899148	10	120
915111			L				16321 M U5 G4 CT 1-M/1-L 4 CE		8423173899158	18423173899155	10	120
915118	Clear/Blue	Anti-scratch Blue Protect	S	Organic CR39 Protection against blue light (Blue Protect coating)	M 1 K CE	8423173899226	18423173899223	6	-			
915119			M			16321 M U1.2 CT 1-M 4 CE	8423173899233	18423173899230	6	-		
915120			L			16321 M U1.2 CT 1-M/1-L 4 CE	8423173899240	18423173899247	6	-		
915112	Black	Anti-fogging Anti-scratch Polarised	S	100% polycarbonate Impact resistant (CT) Polarised solar lenses with certified solar UV protection (grade G3)	M G3 CT 1 K CE	8423173899165	18423173899162	6	-			
915113			M			16321 M U5 G4 CT 1-M 4 CE	8423173899172	18423173899179	6	-		
915114			L			16321 M U5 G4 CT 1-M/1-L 4 CE	8423173899189	18423173899186	6	-		
915115	Black	Anti-fogging Anti-scratch Photochromic	S	100% polycarbonate Impact resistant (CT) Photochromic solar lenses with certified solar UV protection (grade G0-2)	M G0-2 CT 1 K CE	8423173899196	18423173899193	6	-			
915116			M			16321 M U5 G4 CT 1-M 4 CE	8423173899202	18423173899209	6	-		
915117			L			16321 M U5 G4 CT 1-M/1-L 4 CE	8423173899219	18423173899216	6	-		

## Sizes available (mm)



Size	A	B	C	D	E
S	137	20	37	52	113
M	142	20	37	54	113
L	147	20	38	54	125

## Frame specifications

Frame	Polyamide
Nasal bridge	TPE
Elastic strap	Polyester
Adapter	Nylon and EVA foam
Base Curve	5

## Other specifications

Silicone	No
Latex	Yes (elastic band only)

\* Although this PPE does not contain latex or silicone, it is recommended to perform tests and try out the product in the areas where it is going to be used.

## PRESCRIPTION SPECTACLES

Colour	Size	Frame marking
Black	S	16321 M U5 G4 CT 1-S/1-M 4 CE
	M	16321 M U5 G4 CT 1-M 4 CE
	L	16321 M U5 G4 CT 1-M/1-L 4 CE
Clear/Blue	S	16321 M U1.2 CT 1-S/1-M 4 CE
	M	16321 M U1.2 CT 1-M 4 CE
	L	16321 M U1.2 CT 1-M/1-L 4 CE
Clear/Yellow	S	16321 M U1.2 CT 1-S/1-M 4 CE
	M	16321 M U1.2 CT 1-M 4 CE
	L	16321 M U1.2 CT 1-M/1-L 4 CE

	Certified prescription range			Lens marking
	Monofocal	Bi-focal	Progressive	
Polycarbonate	-8.00 / +8.00	-8.00, ADD 3.00 / +6.00, ADD 3.50	-6.00 / +6.00, ADD 3.00	M UL 1.2 1 CT K
CR-39	-8.00 / +8.00	-8.00, ADD 3.00 / +7.00, ADD 4.00	-8.00 / +6.00, ADD 3.00	M 1 K
MR7	-12.00 / +10.00	-	-10.00 / +8.00, ADD 3.00	M UL 1.2 1 K
Mineral	-8.00 / +8.00	-6.00 / +6.00, ADD 3.00	-6.00 / +6.00, ADD 3.00	M 1 K

## Frame specifications

Frame	Polyamide
Nasal bridge	TPE
Elastic strap	Polyester
Adapter	Nylon and EVA foam
Base Curve	5

## Other specifications


Silicone	No
Latex	Yes (elastic band only)

\* Although this PPE does not contain latex or silicone, it is recommended to perform tests and try out the product in the areas where it is going to be used.

	Polycarbonate	CR-39	MR7	Mineral
	x	x	x	x
	x	x	x	x
	✓	✓	✓	✓
	x	x	x	x
SOLAR / TINTED <sup>1</sup>	x	✓	✓	x
PHOTOCHROMIC <sup>1</sup>	✓	✓	✓	x
POLARISED <sup>1</sup>	✓	✓	✓	x

<sup>1</sup> Only available with black frame and with Antifog coating.

## Sizes available (mm)



Size	A	B	C	D	E
S	137	20	37	52	113
M	142	20	37	54	113
L	147	20	38	54	125