

Create a safer, more efficient workplace

**Area Marking**



# About BRADY



**Once you have worked with BRADY, our name will stick with you, (just like our labels) because BRADY is one of the world's leading labelling and identification specialists.**

## Innovative

At BRADY we continue to improve. We have many customers from all industries, and we strive to be ahead of their needs by continuing to invest in research for even more performant solutions.

By developing more user-friendly and efficient concepts, we give our thousands of customers the best in the market.

## Strength

At BRADY, we believe our biggest strength is the wide range of identification and safety solutions we can offer our customers, whether it's labelling the smallest component or complete signage for an entire warehouse. We're also proud to offer many products and services - from printers, scanners and software to service contracts and on-site training - that compliment any identification job. And don't forget, our wide network of expert distributors can always offer you a tailor-made solution to meet your specific requirements.

## Trust

For over a hundred years, BRADY has been connected with quality, trust and stability. We demand the best for your products and services, because we know, better than anyone, the importance of good and reliable identification. Identification looks like a small detail, but every professional knows that this kind of detail is crucial to any business.

## Inform

We also have specialised dealers in your region, who can answer all your identification, safety and labelling questions, specific to your activity. They will be happy to provide you with all kinds of options and solutions with no obligation.

**Microsoft is a trademark of Microsoft Corporation, Bluetooth is a trademark of Bluetooth Sig, Inc., Android is a trademark of Google Inc.**



Brady products are sold on the condition that the purchaser will test them in actual use and determine for himself/herself their suitability to his/her intended purpose. Brady warrants to the purchaser that Brady products are free from defects in material and workmanship but limits its obligation under this warranty to the replacement of the product which has been shown to Brady's satisfaction to have been defective at the time of its purchase.

The warranty does not extend to any persons who have acquired the product from the purchaser. It is in lieu of any other warranty, including every warranty of sale-ability, marketability or suitability for the intended purpose, and is also in lieu of any other obligation or liability on the part of Brady.

Under no circumstances will Brady be liable for losses, damage, costs or subsequent damage of whatever nature which may arise in connection with the use of, or inability to use, Brady's products.

## Area Marking: why?

Floor marking plays an important role in creating and maintaining a safer, leaner and more efficient facility.

Creating a totally safe work environment requires several elements: clear signage and lockout tagout procedures are essential but should be complimented by clear area marking. Brady offers a complete range of additional marking methods to ensure that floor areas, steps, railings and other relevant areas can be identified as danger zones.

Brady will help you find the solution that works best for your environment!

By using a standard colour-coding for floor tape and paint, you can easily warn workers at-a-glance of hazardous areas, equipment for forklift traffic paths. Workplace safety is improved when employees are visually aware of unsafe areas that should be kept clear, items are stored in their designated areas to reduce trip hazards, safe walking paths are marked, and exit routes are clearly marked.

**Brady will help you find the solution that works best for your environment!!**




Floor marking tape



Paintstripe & floor marking area



Photoluminescent area marking



Anti-skid products



## TABLE OF CONTENTS

- 4 Compliance
- 6 ToughStripe Max
- 9 ToughStripe
- 17 ToughStripe Cold
- 18 Floor Signs
- 19 Area marking tape
- 20 Floor marking paint
- 21 PaintStripe
- 22 Photoluminescent area marking
- 26 Anti-skid products
- 27 Barricade & underground tapes
- 28 Warning posts & chains
- 30 Floor stands
- 31 Safety bumpers



Warning posts & chains



Barricade tape

## Compliance

Floor marking can support compliance with European Union laws & regulations. In EU Directive Annexes, colour codes are mentioned for a number of floor marking applications.

### Directive 92/58/EEC Minimum requirements for the provision of safety and /or health signs at work

The directive includes that employers shall provide safety and/or health signs where hazards cannot be avoided or adequately reduced by techniques for collective protection or measures, methods or procedures used in the organisation of work.

## Effective floor marking: 9 tips



1. Use as few colours as possible.



2. Colour-code work cell and equipment borders.



3. Colour-code material storage areas.




4. Colour-code non-material storage fixtures.



5. Colour-code areas to be kept clear for safety and compliance.




6. Colour-code areas in front of electrical panels.



7. Colour-code operational "keep clear" areas.




8. Colour-code hazardous areas or equipment.



9. Mark means of egress.

### ToughStripe™ Floor Tape Adhesion Rates



Request a sample to try ToughStripe in your own environment, visit [www.bradyeurope.com/ToughStripe](http://www.bradyeurope.com/ToughStripe)

## Superior durability

Spend less time replacing damaged or worn lines for a better looking, more efficient facility.

- Withstands forklift traffic without tearing or lifting
- Low profile design minimises tears and scratches from skids, pallet jacks, etc.
- Rugged polyester with ultra aggressive adhesive



## High visibility

Get the same visibility of painted floor markings – and pay less.

- High gloss surface shines like new paint
- Low-profile minimises debris build-up along the edges that occurs with thicker (extruded) floor tapes
- Surface resists marks and smudges and cleans up like new
- Available in a variety of high impact colours



## Painless Removal

Easily remove floor markings without damaging the floor or leaving adhesive residue.

- Does not chip and flake when being removed - comes off in one piece
- Clean removal without any unsightly adhesive residue or damage to the floor

## Easy application

Quickly lay down smooth, straight lines – without the help of co-workers.


- Can be easily applied by one person working alone
- Stiff polyester with liner prevents tape stretching and reduces wrinkles and wavy uneven lines
- No special floor preparation required – just clean with common detergents
- For maximum performance, apply ToughStripe Floor Marking products to flat, non-coated concrete



## Die-Cut shapes


Use different shapes, colours and sizes for more effective, durable floor markings.

- Dashes, dots, arrows, footprints, numbers, letters and corner marks (L,T and shapes)
- Longer lasting markings – Minimises the risk of damage and facilitates fast repair
- Selected dashes, dots and arrows are pre-spaced on transfer tape, making it incredibly easy to lay down straight evenly spaced lines



▶ ToughStripe is the ideal floor marking tape in a lean environment where the regular application and replacement of floor marking is crucial.

## Floor marking tapes



Best	Better	Good	Economy	Specialty
<b>ToughStripe Max</b>	<b>ToughStripe</b>	<b>GuideStripe</b>	<b>Aisle marking tape</b>	<b>ToughStripe Cold</b>
B-553	B-514	B-3	B-726	B-505
Polyester	Polyester	Vinyl	Vinyl	Polyester
1 length, 3 widths, 19 colours, 6 shapes	1 length, 3 widths, 6 colours, 12 shapes	1 length, 3 widths, 11 colours	1 length, 2 widths, 6 colours	1 length, 3 widths, 9 colours
<b>Applications</b>				
Permanent application	Permanent application	Semi-temporary application	Short term application	Refrigerator
Regular foot traffic	Regular foot traffic	Regular foot traffic	Marking out pedestrian lanes	Freezer floor marking
Heavy foot traffic	Heavy foot traffic			Light industrial traffic
Light industrial traffic	Light industrial traffic			
Industrial traffic				
<b>Key features</b>				
<ul style="list-style-type: none"> <li>Highly resistant to specific hazards</li> <li>Powerful adhesive</li> <li>Can resist light industrial vehicle traffic</li> <li>Easy application</li> <li>Long lifespan</li> <li>Extremely durable</li> </ul>	<ul style="list-style-type: none"> <li>Strong material, no stretching</li> <li>Powerful adhesive</li> <li>Can resist very light industrial traffic</li> <li>Long lifespan</li> <li>Widest range on sizes, shapes and colour</li> <li>Excellent in LEAN applications</li> <li>Easy to clean</li> </ul>	<ul style="list-style-type: none"> <li>Good permanent adhesive</li> <li>Flexible material can conform to irregular, smooth or rough surfaces</li> <li>Perfect for semi-temporary marking</li> <li>For aisle marking</li> <li>Good for LEAN/5S application</li> </ul>	<ul style="list-style-type: none"> <li>Good adhesive</li> <li>Most cost effective</li> <li>Perfect for short term marking</li> </ul>	<ul style="list-style-type: none"> <li>Suitable for cold surfaces</li> <li>Can be applied to cold surfaces as low as -25 °C</li> <li>Aggressive adhesive performance</li> <li>Easy installation and removal</li> <li>Withstands heavy foot traffic and medium vehicle traffic</li> <li>Great for organisation within large cold storage areas</li> </ul>

▶ Our **ToughStripe Applicator** shown on page 14 is compatible with all our floor marking tapes (ToughStripe, GuideStripe and Aisle Marking Tape).

## ToughStripe Max - Floor Marking Tape


### B-553 Floor marking Polyester

- 0.56 mm thickness
- Service temperature range of 10°C to 60 °C
- Application conditions: min. 10 °C, dry floor
- Not recommended for outdoor use
- Resistant to harsh chemicals
- Exceeds safety standards for clean, dry non-slip surfaces per OSHA 1910.22



Order Ref.	Width (mm)	Length (m)	Colour		Order Ref.	Width (mm)	Length (m)	Colour	
177014	76.20	30.48 m	Yellow		177038	50.80	30.48 m	Black	
177018	76.20	30.48 m	Yellow, Black		177041	50.80	30.48 m	Green, White	
177023	76.20	30.48 m	Blue		177045	50.80	30.48 m	Purple	
177026	76.20	30.48 m	White		177050	50.80	30.48 m	Blue, White	
177028	76.20	30.48 m	Red		177052	50.80	30.48 m	Red, Yellow	
177029	76.20	30.48 m	Black, Orange		177056	50.80	30.48 m	Black, Orange	
177031	76.20	30.48 m	Green		177058	50.80	30.48 m	Blue, Yellow	
177033	76.20	30.48 m	Red, White		177062	50.80	30.48 m	Grey	
177034	76.20	30.48 m	Orange		177068	50.80	30.48 m	Brown	
177040	76.20	30.48 m	Black, White		177092	50.80	30.48 m	Magenta, Yellow	
177043	76.20	30.48 m	Purple		177016	101.60	30.48 m	Yellow	
177048	76.20	30.48 m	Green, White		177024	101.60	30.48 m	Yellow, Black	
177049	76.20	30.48 m	Black		177027	101.60	30.48 m	White	
177054	76.20	30.48 m	Blue, White		177032	101.60	30.48 m	Red	
177057	76.20	30.48 m	Red, Yellow		177036	101.60	30.48 m	Green	
177070	76.20	30.48 m	Brown		177037	101.60	30.48 m	Blue	
177078	76.20	30.48 m	Grey		177042	101.60	30.48 m	Orange	
177083	76.20	30.48 m	Blue, Yellow		177046	101.60	30.48 m	Red, White	
177088	76.20	30.48 m	Magenta, Yellow		177047	101.60	30.48 m	Black, Orange	
177015	50.80	30.48 m	Yellow		177053	101.60	30.48 m	Blue, Yellow	
177017	50.80	30.48 m	Yellow, Black		177055	101.60	30.48 m	Green, White	
177019	50.80	30.48 m	Blue		177059	101.60	30.48 m	Black	
177020	50.80	30.48 m	Red		177060	101.60	30.48 m	Black, White	
177021	50.80	30.48 m	White		177063	101.60	30.48 m	Blue, White	
177022	50.80	30.48 m	Green		177069	101.60	30.48 m	Brown	
177025	50.80	30.48 m	Red, White		177074	101.60	30.48 m	Purple	
177030	50.80	30.48 m	Orange		177076	101.60	30.48 m	Magenta, Yellow	
177035	50.80	30.48 m	Black, White		177096	101.60	30.48 m	Grey	

## B-553 Dots - 20 / package




Order Ref.	Diameter (mm)	Colour
177084	88.90	Black
177089	88.90	Yellow
177097	88.90	Green
177130	88.90	Blue
177131	88.90	Red
177132	88.90	White

## B-553 Footprints 20 /package



Order Ref.	Width (mm)	Height (mm)	Colour
177044	254.00	101.60	Yellow
177071	254.00	101.60	Green
177086	254.00	101.60	White
177091	254.00	101.60	Blue
177108	254.00	101.60	Black
177133	254.00	101.60	Red

## B-553 Centre marks - “+” 20 / package



Order Ref.	Width (mm)	Height (mm)	Colour
177064	50.80	127.00	Yellow
177099	50.80	127.00	Blue
177103	50.80	127.00	Green
177104	50.80	127.00	Black
177106	50.80	127.00	White
177109	50.80	127.00	Red
177077	76.20	203.20	Green
177079	76.20	203.20	Blue
177102	76.20	203.20	White
177112	76.20	203.20	Black
177116	76.20	203.20	Red
177119	76.20	203.20	Yellow
177113	101.60	254.00	Black
177114	101.60	254.00	Blue
177115	101.60	254.00	Green
177117	101.60	254.00	Red
177118	101.60	254.00	White
177120	101.60	254.00	Yellow

## B-553 Arrows - 20 / package



Order Ref.	Width (mm)	Height (mm)	Colour
177093	50.80	127.00	Yellow
177134	50.80	127.00	Black
177137	50.80	127.00	Blue
177141	50.80	127.00	Green
177145	50.80	127.00	Red
177149	50.80	127.00	White
177111	76.20	203.20	Black
177135	76.20	203.20	Black
177138	76.20	203.20	Blue
177142	76.20	203.20	Green
177146	76.20	203.20	Red
177151	76.20	203.20	White
177072	101.60	254.00	Yellow
177136	101.60	254.00	Black
177140	101.60	254.00	Blue
177144	101.60	254.00	Green
177148	101.60	254.00	Red
177153	101.60	254.00	White

## B-553 Divider marks - “T” 20 / package



Order Ref.	Width (mm)	Height (mm)	Colour	
177066	50.80	127.00	Yellow	
177094	50.80	127.00	Blue	
177095	50.80	127.00	Green	
177105	50.80	127.00	Black	
177107	50.80	127.00	White	
177110	50.80	127.00	Red	
177073	76.20	203.20	Blue	
177085	76.20	203.20	Green	
177090	76.20	203.20	Yellow	
177121	76.20	203.20	Black	
177125	76.20	203.20	Red	
177127	76.20	203.20	White	
177122	101.60	254.00	Black	
177123	101.60	254.00	Blue	
177124	101.60	254.00	Green	
177126	101.60	254.00	Red	
177128	101.60	254.00	White	
177129	101.60	254.00	Yellow	

## B-553 Corner marks - “L” 20 / package



Order Ref.	Width (mm)	Height (mm)	Colour	
177039	50.80	127.00	Yellow	
177061	50.80	127.00	Blue	
177067	50.80	127.00	White	
177082	50.80	127.00	Green	
177098	50.80	127.00	Black	
177101	50.80	127.00	Red	
177075	76.20	203.20	White	
177080	76.20	203.20	Yellow	
177081	76.20	203.20	Blue	
177087	76.20	203.20	Black	
177100	76.20	203.20	Green	
177150	76.20	203.20	Red	
177065	101.60	254.00	Yellow	
177139	101.60	254.00	Black	
177143	101.60	254.00	Blue	
177147	101.60	254.00	Green	
177152	101.60	254.00	Red	
177154	101.60	254.00	White	

Get the Floor Marking guide



## ToughStripe - Brady B-514 Floor Marking polyester

ToughStripe floor marking products are made with Brady's B-514 polyester. ToughStripe products are ideal for marking aisles, passageways and storage locations, and pointing out important safety equipment and egress paths.

- 0.2 mm thickness
- Service temperature range of -18°C to 54°C
- Application conditions: min. 5°C, dry floor
- Recommended for indoor use and dry environment
- Resistant to harsh chemicals
- Exceeds safety standards for clean, dry non-slip surfaces per OSHA 1910.22



Order Ref.	Width (mm)	Length (m)	Colour	
104340	76.20	30.48 m	Black	
104341	76.20	30.48 m	White	
104342	76.20	30.48 m	Yellow	
104343	76.20	30.48 m	Red	
104344	76.20	30.48 m	Blue	
104345	76.20	30.48 m	Green	
104346	76.20	30.48 m	Orange	
104347	76.20	30.48 m	Black, Yellow	
104348	76.20	30.48 m	Red, White	
104349	76.20	30.48 m	Black, White	
121914	76.20	30.48 m	Black, White	
121917	76.20	30.48 m	Red, White	
132431	76.20	30.48 m	Red, Yellow	
132434	76.20	30.48 m	Black, Orange	
132437	76.20	30.48 m	Green, White	
132440	76.20	30.48 m	Blue, Yellow	
134087	76.20	30.48 m	Purple	
134090	76.20	30.48 m	Brown	
134093	76.20	30.48 m	Grey	
104310	50.80	30.48 m	Black	
104311	50.80	30.48 m	White	
104312	50.80	30.48 m	Yellow	
104313	50.80	30.48 m	Red	
104314	50.80	30.48 m	Blue	
104315	50.80	30.48 m	Green	
104316	50.80	30.48 m	Orange	
104317	50.80	30.48 m	Black, Yellow	
104318	50.80	30.48 m	Red, White	
104319	50.80	30.48 m	Black, White	

Order Ref.	Width (mm)	Length (m)	Colour	
121913	50.80	30.48 m	Black, White	
121916	50.80	30.48 m	Red, White	
132430	50.80	30.48 m	Red, Yellow	
132433	50.80	30.48 m	Black, Orange	
132436	50.80	30.48 m	Green, White	
132439	50.80	30.48 m	Blue, Yellow	
134086	50.80	30.48 m	Purple	
134089	50.80	30.48 m	Brown	
134092	50.80	30.48 m	Grey	
104370	101.60	30.48 m	Black	
104371	101.60	30.48 m	White	
104372	101.60	30.48 m	Yellow	
104373	101.60	30.48 m	Red	
104374	101.60	30.48 m	Blue	
104375	101.60	30.48 m	Green	
104376	101.60	30.48 m	Orange	
104377	101.60	30.48 m	Black, Yellow	
104378	101.60	30.48 m	Red, White	
104379	101.60	30.48 m	Black, White	
121915	101.60	30.48 m	Black, White	
121918	101.60	30.48 m	Red, White	
132432	101.60	30.48 m	Red, Yellow	
132435	101.60	30.48 m	Black, Orange	
132438	101.60	30.48 m	Green, White	
132441	101.60	30.48 m	Blue, Yellow	
134088	101.60	30.48 m	Purple	
134091	101.60	30.48 m	Brown	
134094	101.60	30.48 m	Grey	

### ▶ Custom ToughStripe tape


- Pre-printed tape with your custom message
- Die cut numbers and letters for safety, lean and other applications
- Specific die cut shape sizes
- Any colour you need, just provide a PMS number
- Striped or checkered tape available

### Caution ESD area floor marking tape




Order Ref.	Width (mm)	Length (m)	Colour	
121364	50.80	30.48	Black on Orange	
121365	76.20	30.48	Black on Orange	
121366	101.60	30.48	Black on Orange	
121367	50.80	30.48	Black on Yellow	
121368	76.20	30.48	Black on Yellow	
121369	101.60	30.48	Black on Yellow	

### Dots - 400 / roll



Order Ref.	Diameter (mm)	Colour	
104400	88.90	Red	
104401	88.90	Green	
104402	88.90	Blue	
104403	88.90	Yellow	
104404	88.90	Black	
104405	88.90	White	

### Arrows - 100 / package



Order Ref.	Width (mm)	Height (mm)	Colour	
104412	50.80	127.00	Red	
104413	50.80	127.00	Green	
104414	50.80	127.00	Blue	
104415	50.80	127.00	Yellow	
104416	50.80	127.00	Black	
104417	50.80	127.00	White	

### Centre marks - “+” 20 / package



Order Ref.	Width (mm)	Height (mm)	Colour	
104466	50.80	127.00	Red	
104467	50.80	127.00	Green	
104468	50.80	127.00	Blue	
104469	50.80	127.00	Yellow	
104470	50.80	127.00	Black	
104471	50.80	127.00	White	
104472	76.20	203.20	Red	
104473	76.20	203.20	Green	
104474	76.20	203.20	Blue	
104475	76.20	203.20	Yellow	
104476	76.20	203.20	Black	
104477	76.20	203.20	White	
104478	101.60	254.00	Red	
104479	101.60	254.00	Green	
104480	101.60	254.00	Blue	
104481	101.60	254.00	Yellow	
104482	101.60	254.00	Black	
104483	101.60	254.00	White	

▶ Watch the ToughStripe™ Floor Marking videos on [www.bradyeurope.com/toughstripe](http://www.bradyeurope.com/toughstripe)

**Use ToughStripe floor marking products to mark:**

- aisleways and traffic lanes
- work cell outlines
- equipment storage areas
- material storage areas
- QA inspection areas
- defects/scrap/rework areas
- "Keep clear" zones
- hazard areas

**Footprints - 10/package  
(5 Right - 5 Left)**




Order Ref.	Width (mm)	Height (mm)	Colour
104406	88.90	254.00	Red
104407	88.90	254.00	Green
104408	88.90	254.00	Blue
104409	88.90	254.00	Yellow
104410	88.90	254.00	Black
104411	88.90	254.00	White

**Corner marks - "L"  
20/package**



Order Ref.	Width (mm)	Height (mm)	Colour
104430	127.00	127.00	Red
104431	127.00	127.00	Green
104432	127.00	127.00	Blue
104433	127.00	127.00	Yellow
104434	127.00	127.00	Black
104435	127.00	127.00	White
104442	203.20	203.20	Red
104443	203.20	203.20	Green
104444	203.20	203.20	Blue
104445	203.20	203.20	Yellow
104446	203.20	203.20	Black
104447	203.20	203.20	White
104454	254.00	254.00	Red
104455	254.00	254.00	Green
104456	254.00	254.00	Blue
104457	254.00	254.00	Yellow
104458	254.00	254.00	Black
104459	254.00	254.00	White

**Divider marks - "T"  
20/package**



Order Ref.	Width (mm)	Height (mm)	Colour
104436	127.00	127.00	Red
104437	127.00	127.00	Green
104438	127.00	127.00	Blue
104439	127.00	127.00	Yellow
104440	127.00	127.00	Black
104441	127.00	127.00	White
104448	203.20	203.20	Red
104449	203.20	203.20	Green
104450	203.20	203.20	Blue
104451	203.20	203.20	Yellow
104452	203.20	203.20	Black
104453	203.20	203.20	White
104460	254.00	254.00	Red
104461	254.00	254.00	Green
104462	254.00	254.00	Blue
104463	254.00	254.00	Yellow
104464	254.00	254.00	Black
104465	254.00	254.00	White

## Floor marking numbers & letters

- Width: 146.05 mm
- Height: 228.60 mm

Order Ref.	Colour	
121691	Black	A
121692	White	A
121693	Red	A
121694	Green	A
121695	Blue	A
121696	Yellow	A
121697	Black	B
121698	White	B
121699	Red	B
121700	Green	B
121701	Blue	B
121702	Yellow	B
121703	Black	C
121704	White	C
121705	Red	C
121706	Green	C
121707	Blue	C
121708	Yellow	C
121709	Black	D
121710	White	D
121711	Red	D
121712	Green	D
121713	Blue	D
121714	Yellow	D
121715	Black	E
121716	White	E
121717	Red	E
121718	Green	E
121719	Blue	E
121720	Yellow	E
121721	Black	F
121722	White	F
121723	Red	F
121724	Green	F
121725	Blue	F
121726	Yellow	F
121727	Black	G
121728	White	G
121729	Red	G
121730	Green	G
121731	Blue	G
121732	Yellow	G
121733	Black	H
121734	White	H
121735	Red	H
121736	Green	H
121737	Blue	H
121738	Yellow	H

Order Ref.	Colour	
121739	Black	I
121740	White	I
121741	Red	I
121742	Green	I
121743	Blue	I
121744	Yellow	I
121745	Black	J
121746	White	J
121747	Red	J
121748	Green	J
121749	Blue	J
121750	Yellow	J
121751	Black	K
121752	White	K
121753	Red	K
121754	Green	K
121755	Blue	K
121756	Yellow	K
121757	Black	L
121758	White	L
121759	Red	L
121760	Green	L
121761	Blue	L
121762	Yellow	L
121763	Black	M
121764	White	M
121765	Red	M
121766	Green	M
121767	Blue	M
121768	Yellow	M
121769	Black	N
121770	White	N
121771	Red	N
121772	Green	N
121773	Blue	N
121774	Yellow	N
121775	Black	O
121776	White	O
121777	Red	O
121778	Green	O
121779	Blue	O
121780	Yellow	O
121781	Black	P
121782	White	P
121783	Red	P
121784	Green	P
121785	Blue	P
121786	Yellow	P

Order Ref.	Colour	
121787	Black	Q
121788	White	Q
121789	Red	Q
121790	Green	Q
121791	Blue	Q
121792	Yellow	Q
121793	Black	R
121794	White	R
121795	Red	R
121796	Green	R
121797	Blue	R
121798	Yellow	R
121799	Black	S
121800	White	S
121801	Red	S
121802	Green	S
121803	Blue	S
121804	Yellow	S
121805	Black	T
121806	White	T
121807	Red	T
121808	Green	T
121809	Blue	T
121810	Yellow	T
121811	Black	U
121812	White	U
121813	Red	U
121814	Green	U
121815	Blue	U
121816	Yellow	U
121817	Black	V
121818	White	V
121819	Red	V
121820	Green	V
121821	Blue	V
121822	Yellow	V
121823	Black	W
121824	White	W
121825	Red	W
121826	Green	W
121827	Blue	W
121828	Yellow	W
121829	Black	X
121830	White	X
121831	Red	X
121832	Green	X
121833	Blue	X
121834	Yellow	X

Order Ref.	Colour	
121835	Black	Y
121836	White	Y
121837	Red	Y
121838	Green	Y
121839	Blue	Y
121840	Yellow	Y
121841	Black	Z
121842	White	Z
121843	Red	Z
121844	Green	Z
121845	Blue	Z
121846	Yellow	Z

## Floor marking numbers & letters


- Width: 146.05 mm
- Height: 228.60 mm

Order Ref.	Colour	
121847	Black	○
121848	White	○
121849	Red	○
121850	Green	○
121851	Blue	○
121852	Yellow	○
121853	Black	1
121854	White	1
121855	Red	1
121856	Green	1
121857	Blue	1
121858	Yellow	1
121859	Black	2
121860	White	2
121861	Red	2
121862	Green	2
121863	Blue	2
121864	Yellow	2
121865	Black	3
121866	White	3
121867	Red	3
121868	Green	3
121869	Blue	3
121870	Yellow	3

Order Ref.	Colour	
121871	Black	4
121872	White	4
121873	Red	4
121874	Green	4
121875	Blue	4
121876	Yellow	4
121877	Black	5
121878	White	5
121879	Red	5
121880	Green	5
121881	Blue	5
121882	Yellow	5
121883	Black	6
121884	White	6
121885	Red	6
121886	Green	6
121887	Blue	6
121888	Yellow	6
121889	Black	7
121890	White	7
121891	Red	7
121892	Green	7
121893	Blue	7
121894	Yellow	7

Order Ref.	Colour	
121895	Black	8
121896	White	8
121897	Red	8
121898	Green	8
121899	Blue	8
121900	Yellow	8
121901	Black	9
121902	White	9
121903	Red	9
121904	Green	9
121905	Blue	9
121906	Yellow	9
121907	Black	FUNC
121908	White	FUNC
121909	Red	FUNC
121910	Green	FUNC
121911	Blue	FUNC
121912	Yellow	FUNC

## Pre-spaced Shapes



Order Ref.	Diameter (mm)	Width (mm)	Height (mm)	Packaging	Colour	
Packaged on a roll and spaced 457.20 mm apart on a continuous liner						
104520	88.90	-	-	80	Green	●●●
104521	88.90	-	-	80	Red	●●●
104522	88.90	-	-	80	White	○●○
104523	88.90	-	-	80	Yellow	●●●
104524	88.90	-	-	80	Blue	●●●
104525	88.90	-	-	80	Black	●●●
104526	-	50.80	127.00	52	Red	➡➡➡
104527	-	50.80	127.00	52	Green	➡➡➡
104528	-	50.80	127.00	52	Blue	➡➡➡
104529	-	50.80	127.00	52	Yellow	➡➡➡
104554	-	50.80	127.00	52	Black	➡➡➡
104555	-	50.80	127.00	52	White	➡➡➡
Packaged on a roll and spaced 431.80 mm apart on a continuous liner						
104556	-	50.80	203.20	65	Yellow	■ ■ ■
142177	-	50.80	203.20	65	White	□ □ □
142178	-	50.80	203.20	65	Black	■ ■ ■
142180	-	50.80	203.20	65	Blue	■ ■ ■
142181	-	50.80	203.20	65	Green	■ ■ ■

## Pre-printed floor signs

ToughStripe floor signs communicate important safety and warning messages to your employees in areas with foot traffic

- B-534 Polyester with Anti-skid Polyester Overlaminat

Order Ref.	Diameter (mm)	Width (mm)	Height (mm)	Packaging	Colour
104501	431.80	-	-	1	Black on Yellow
104508	431.80	-	-	1	Black, Blue on White
104511	431.80	-	-	1	Black, Red on White
104512	431.80	-	-	1	Black on Yellow



## ToughStripe Floor Tape Applicator

Comfortably lay straighter lines in less time with the ToughStripe® Floor Tape Applicator. Save stress and strain with the removable cartridge and other easy-apply features.

- Removable cartridge, patent pending: Simply pop it out, load tape and snap back in to effortlessly load tape at a comfortable height
- Optimised for single-person use: Easy-to-use, lightweight design means one person can do the work of two or three
- Stable, three-wheel design: Ensures consistently straight, professional-grade lines with superior control and stability
- Tightening disc, patent pending: Provides secure tape handling and consistent dispensing, ensuring a smooth, straight and jam-free application from start to finish
- Integrated liner rewriter: Rewinder with rubber grip (patent pending) automatically collects spent tape liner

Article No.	Description	Quantity
178687	ToughStripe Floor Tape Applicator	1



## ToughStripe for use with the M710 Label Printer

Ideal for marking aisles, passageways and storage locations.

- Create custom-printed floor labels, with easy 3-step process: print label, position on floor, apply overlamine
- Each kit includes 1 roll of B-483 tape and 1 roll of B-634 overlamine

Order Reference	Colour	Finish	Width (mm)	Length (m)	Recommended Ribbon
B-483A/B-634: Polyester with Polyester Overlamine					
M7-1000-483-YL-KT	Yellow	Gloss	25.40	15.24	R6000HF, R4400
M7-2000-483-YL-KT	Yellow	Gloss	50.80	15.24	R6000HF, R4400
M7-1000-483-WT-KT	White	Gloss	25.40	15.24	R6000HF
M7-2000-483-WT-KT	White	Gloss	50.80	15.24	R4400-WT
M7-1000-483-RD-KT	Red	Gloss	25.40	15.24	R6000HF, R4400
M7-2000-483-RD-KT	Red	Gloss	50.80	15.24	R6000HF, R4400
M7-1000-483-OR-KT	Orange	Gloss	25.40	15.24	R6000HF, R4400
M7-2000-483-OR-KT	Orange	Gloss	50.80	15.24	R6000HF, R4400
M7-1000-483-GN-KT	Green	Gloss	25.40	15.24	R6000HF, R4400
M7-2000-483-GN-KT	Green	Gloss	50.80	15.24	R6000HF, R4400
M7-1000-483-BL-KT	Blue	Gloss	25.40	15.24	R6000HF, R4400
M7-2000-483-BL-KT	Blue	Gloss	50.80	15.24	R6000HF, R4400
M7-1000-483-BK-KT	Black	Gloss	25.40	15.24	R4400-WT, R6000HF
M7-2000-483-BK-KT	Black	Gloss	50.80	15.24	R4400-WT, R6000HF



## ToughStripe for use with the BRADY label printer for BBP35/37, I3300, S3000, S3100, S3700

- Create custom-printed floor labels, with easy 3-step process: print label, position on floor, apply overlamine
- Each kit includes 1 roll of B-483 tape and 1 roll of B-634 overlamine

Order Reference	Colour	Finish	Width (mm)	Length (m)	Recommended Ribbon
B-483A/B-634: Polyester with Polyester Overlamine					
B30C-1125-483YL-KT	Yellow	Gloss	28.58	30.48	B30-R6000HF
B30C-2250-483YL-KT	Yellow	Gloss	57.15	30.48	B30-R6000HF
B30C-3000-483YL-KT	Yellow	Gloss	76.20	30.48	B30-R6000HF
B30C-4000-483YL-KT	Yellow	Gloss	101.60	30.48	B30-R6000HF
B30C-1125-483WT-KT	White	Gloss	28.58	30.48	B30-R6000HF
B30C-2250-483WT-KT	White	Gloss	57.15	30.48	B30-R6000HF
B30C-3000-483WT-KT	White	Gloss	76.20	30.48	B30-R6000HF
B30C-4000-483WT-KT	White	Gloss	101.60	30.48	B30-R6000HF
B30C-1125-483RD-KT	Red	Gloss	28.58	30.48	B30-R4400
B30C-2250-483RD-KT	Red	Gloss	57.15	30.48	B30-R4400
B30C-4000-483RD-KT	Red	Gloss	101.60	30.48	B30-R4400
B30C-1125-483OR-KT	Orange	Gloss	28.58	30.48	B30-R6000HF
B30C-2250-483OR-KT	Orange	Gloss	57.15	30.48	B30-R6000HF
B30C-4000-483OR-KT	Orange	Gloss	101.60	30.48	B30-R6000HF
B30C-1125-483GN-KT	Green	Gloss	28.58	30.48	B30-R4400
B30C-2250-483GN-KT	Green	Gloss	57.15	30.48	B30-R4400
B30C-4000-483GN-KT	Green	Gloss	101.60	30.48	B30-R4400
B30C-1125-483BL-KT	Blue	Gloss	28.58	30.48	B30-R4400
B30C-2250-483BL-KT	Blue	Gloss	57.15	30.48	B30-R4400
B30C-4000-483BL-KT	Blue	Gloss	101.60	30.48	B30-R4400
B30C-1125-483BK-KT	Black	Gloss	28.58	30.48	B30-R4400
B30C-2250-483BK-KT	Black	Gloss	57.15	30.48	B30-R4400
B30C-4000-483BK-KT	Black	Gloss	101.60	30.48	B30-R4400



## Printer compatibility



**BradyPrinter S3100**  
SIGN & LABEL PRINTER

[Scan or click the QR-code](#)



**BradyPrinter S3700**  
SIGN & LABEL PRINTER


[Scan or click the QR-code](#)



**BradyPrinter i3300**  
INDUSTRIAL LABEL PRINTER

[Scan or click the QR-code](#)






## GuideStripe floor marking tape

Identify indoor zones and safe distances with this colourful, GuideStripe Floor Tape. It can be easily applied and removed so it's the perfect choice for temporary applications. Ideal for areas with regular foot traffic.

- Vinyl material is easy to apply in straight lines
- Stronger acrylic adhesive makes it ideal for marking areas within facilities
- Resists chemicals, oil and water
- Thickness: 0.1016 mm
- Service temperature range of -40 °C to 82 °C
- Application conditions: min. -18 °C, dry floor

Order Ref.	Width (mm)	Length (m)	Colour
170618	50.80	30.48 m	Black
170619	76.20	30.48 m	Black
170620	101.60	30.48 m	Black
170621	50.80	30.48 m	Blue
170622	76.20	30.48 m	Blue
170623	101.60	30.48 m	Blue
170624	50.80	30.48 m	Brown
170625	76.20	30.48 m	Brown
170626	101.60	30.48 m	Brown
170633	50.80	30.48 m	Green
170634	76.20	30.48 m	Green
170635	101.60	30.48 m	Green
170630	50.80	30.48 m	Grey
170631	76.20	30.48 m	Grey
170632	101.60	30.48 m	Grey
170636	50.80	30.48 m	Orange
170637	76.20	30.48 m	Orange
170638	101.60	30.48 m	Orange
170639	50.80	30.48 m	Purple
170640	76.20	30.48 m	Purple
170641	101.60	30.48 m	Purple
170642	50.80	30.48 m	Red
170643	76.20	30.48 m	Red
170644	101.60	30.48 m	Red
170627	50.80	30.48 m	Transparent
170628	76.20	30.48 m	Transparent
170629	101.60	30.48 m	Transparent
170645	50.80	30.48 m	White
170646	76.20	30.48 m	White
170647	101.60	30.48 m	White
170648	50.80	30.48 m	Yellow
170649	76.20	30.48 m	Yellow
170650	101.60	30.48 m	Yellow



## ToughStripe™ Cold Floor Marking Tape

Easily increase efficiency and safety with ToughStripe Cold floor marking while limiting spoiling risks for temperature-sensitive products. The ToughStripe Cold floor marking tape enables users to organise areas and walkways in cold storage. It can be applied to the floor at a temperature of  $-25^{\circ}\text{C}$ .

- Ideal for cold room and cold chain process applications
- Efficiently organise areas and walkways
- Promote safe practices to limit risks, prevent accidents and avoid injuries or worse.
- Can be applied down to a temperature of  $-25^{\circ}\text{C}$
- Service Temperature range  $-25^{\circ}\text{C} - 15^{\circ}\text{C}$

Order Ref.	Width (mm)	Length (m)	Colour
152118	76.20	30.48 m	Yellow
152734	76.20	30.48 m	White
152737	76.20	30.48 m	Black
152740	76.20	30.48 m	Blue
152743	76.20	30.48 m	Green
152746	76.20	30.48 m	Orange
152749	76.20	30.48 m	Red
152752	76.20	30.48 m	Black, White
152755	76.20	30.48 m	Black, Yellow
152117	50.80	30.48 m	Yellow
152733	50.80	30.48 m	White
152736	50.80	30.48 m	Black
152739	50.80	30.48 m	Blue
152742	50.80	30.48 m	Green
152745	50.80	30.48 m	Orange
152748	50.80	30.48 m	Red
152751	50.80	30.48 m	Black, White
152754	50.80	30.48 m	Black, Yellow
152119	101.60	30.48 m	Yellow
152735	101.60	30.48 m	White
152738	101.60	30.48 m	Black
152741	101.60	30.48 m	Blue
152744	101.60	30.48 m	Green
152747	101.60	30.48 m	Orange
152750	101.60	30.48 m	Red
152753	101.60	30.48 m	Black, White
152756	101.60	30.48 m	Black, Yellow





### 3D Signs

Make your social distancing identification stand out with a 3D floor sign. This eye-catching design keeps everyone informed of proper spacing for social distancing. Made from a removable, repositionable vinyl can be moved and re-applied, quickly and easily, without leaving any marks.



Order Ref.	Width (mm)	Height (mm)	Colour
307918	435.00	435.00	White on Blue
307919	435.00	435.00	White on Blue
307911	500.00	500.00	White on Green
307912	500.00	500.00	White on Blue
307913	500.00	500.00	White on Red
307914	500.00	500.00	White on Green
307915	500.00	500.00	White on Blue
307916	500.00	500.00	White on Green
307917	500.00	500.00	White on Blue



828394




311849


### ISO Safety Sign

- Warning Floor Sign; Fork lift trucks and other industrial vehicles
- ISO 7010 compliant
- Anti-skid laminated polyester
- 1 Sign / Card

Order Ref.	Description	Width (mm)	Height (mm)	Colour
311849	ISO Safety Sign - Ventilate before and during entering	750.00	150.00	White on Blue
828394	ISO Safety Sign - Warning; Fork lift trucks and other industrial vehicles	500.00	433.00	Black on Yellow



311299



311303

### Safety Sign

- Floor Sign
- Polyester with Anti-skid Polyester Overlaminated
- 1 Sign / Card



311231



311291

Order Ref.	Legend	Width (mm)	Height (mm)	Colour
311231	CAUTION; KEEP AREA CLEAR	750.00	150.00	Black on Yellow
311299	EMERGENCY EXIT - DO NOT OBSTRUCT	700.00	350.00	White on Green
311303	EMERGENCY EXIT - DO NOT OBSTRUCT	700.00	350.00	White on Red
311291	DOOR SWING AREA	1500.00	750.00	Black on Yellow

▶ There are more Safety Signs on [www.bradyeurope/signs](http://www.bradyeurope/signs)

## Aisle marking tapes

- Long lasting, sticks fast to surfaces
- Material: Self-adhesive Vinyl (B-726)
- Length: 32.92 m
- Packaging: 1



Article No.	Width (mm)	Colour	
058200	50.80	Yellow	
058250	76.20	Yellow	
058203	50.80	White	
058253	76.20	White	
058201	50.80	Red	
058251	76.20	Red	
058202	50.80	Green	
058252	76.20	Green	
058220	50.80	Blue	
058221	76.20	Blue	
058222	50.80	Black	
058223	76.20	Black	



## Warning panels

Can be used wherever there are potential dangers to the work force.

Designed to give early warning about trucks, loading platforms, posts and fork-lift trucks.

- Material: B-7541 - Laminated Polyester

Article No.	Height (mm) x Width (mm)	Colour	Packaging
255322	286.00 x 428.00	Red, White	10



## Reflective stripes & solid colour tapes

These tapes give an extra margin of safety during blackouts, at night, or in low light conditions.


- Material: Reflective Adhesive Material (B-957)
- Length: 4.5 m
- Standard Package: 1 roll



Article No.	Width (mm)	Colour	
<b>Reflective Solid Colour Tape</b>			
078989	50.80	Orange	
078990	76.20	Orange	
078985	50.80	White	
078987	76.20	White	

Article No.	Width (mm)	Colour	
<b>Reflective Stripes Tape</b>			
076310	50.80	Black, White	
076309	50.80	Red, White	
076313	76.20	Red, White	





## Warning tapes

- Self-adhesive warning film for marking pillars, pylons, the edges of walls, gate arches and lifts
- Extremely durable (0.138 mm thick)
- Waterproof, oil, alkali and acid resistant
- Material: Self-adhesive PVC
- Roll length: 33.00 m
- Packaging: 1 roll

Article No.	Width (mm)	Colour	
255311	38.00	Black, Yellow	
255312	50.00	Black, Yellow	
255313	75.00	Black, Yellow	
255295	38.00	Red, White	
255296	50.00	Red, White	
255297	75.00	Red, White	

▶ Anti-skid Laminated Polyester (B-7538)  
custom tapes available on request.



## Easyline™ Floor marking paint for industrial marking

- For permanent use
- Supplied in 750 ml aerosol cans which are CFC free
- Does not contain lead or chlorinated solvents
- Produces lines up to 100 metres long, depending on the surface and the width
- Resistant to oil, petrol, grease, water, etc
- Packaging: Sold in packs of 6

Article No.	Colour	Description
225005	Blue	Permanent Easyline Paint - Blue
225006	Green	Permanent Easyline Paint - Green
225007	Orange	Permanent Easyline Paint - Orange
225008	Black	Permanent Easyline Paint - Black
225009	Grey	Permanent Easyline Paint - Grey
255353	Yellow	Permanent Easyline Paint - Yellow
255354	White	Permanent Easyline Paint - White
255355	Red	Permanent Easyline Paint - Red



## ROCOL® EASYLINE® Edge Line Marking System II

Easy to use wheeled Rocol® EASYLINE® Edge Line Marking System II. Line width gradually adjustable from 50 to 100 mm (width setting accuracy +/- 3mm). Ensures clean, precise lines. Total visibility of line marking during application. Rear wheels are adjustable to allow for line marking close to walls and racks.

Article No.	Description
310233	Easyline Precision Paint Applicator

# PaintStripe

## Fast and easy floor marking with PaintStripe

Brady now offers line-painting stencils for floor-marking applications. These stencils offer a convenient and precise solution wherever painted lines are preferred to help create a safe, organised, and productive work environment. PaintStripe Floor Marking Stencils are available in both continuous and dashed line formats; line widths of 50.80 mm, 76.20 mm or 101.60 mm; and two adhesive types to suit a range of floor surface types and conditions.

Brady's PaintStripe is available with two adhesive types to suit a range of floor surface types. Painted floor marking using PaintStripe stencils is ideal to increase efficiency:

- in outdoor applications and also on high traffic factory floors
- in heavy manufacturing facilities
- in facilities with wet floors, harsh washdown or floor cleaning protocols and on floors frequently exposed to chemicals



## B-518 for clean, polished floors

Article No.	Description	Width (mm)	Length (m)
148820	PaintStripe Stencil - Continuous Line	50.80	30.50
148815	PaintStripe Stencil - Dashed Line	50.80	30.50
148808	PaintStripe Stencil - Continuous Line	50.80	152.40
148823	PaintStripe Stencil - Dashed Line	50.80	152.40
148814	PaintStripe Stencil - Continuous Line	76.20	30.50
148819	PaintStripe Stencil - Continuous Line	76.20	152.40
148806	PaintStripe Stencil - Continuous Line	101.60	30.50
148816	PaintStripe Stencil - Continuous Line	101.60	152.40




## B-519 for dull, worn surfaces and rough or textured floor applications

Article No.	Description	Width (mm)	Length (m)
148813	PaintStripe Stencil - Continuous Line	50.80	30.50
148812	PaintStripe Stencil - Dashed Line	50.80	30.50
148822	PaintStripe Stencil - Continuous Line	50.80	152.40
148818	PaintStripe Stencil - Dashed Line	50.80	152.40
148809	PaintStripe Stencil - Continuous Line	76.20	30.50
148821	PaintStripe Stencil - Continuous Line	76.20	152.40
148810	PaintStripe Stencil - Continuous Line	101.60	30.50
148807	PaintStripe Stencil - Continuous Line	101.60	152.40

Brady recommends that users should perform a test of the stencil/paint combination on the actual floor surface when planning floor-painting projects. Brady offers no-charge sample rolls of B-518 and B-519 stencils for this purpose.






▶ Brady offers a wide range of photoluminescent products. These indicate danger zones, even in complete darkness. In case of an emergency, these products will help your employees to find their way out of a dark room.

#### PSPA Material Classification Minimum Luminance

Class	After 10 minutes	After 60 minutes
A	25 mcd/m <sup>2</sup>	3 mcd/m <sup>2</sup>
B	50 mcd/m <sup>2</sup>	7 mcd/m <sup>2</sup>
C	140 mcd/m <sup>2</sup>	20 mcd/m <sup>2</sup>
D*	260 mcd/m <sup>2</sup>	35 mcd/m <sup>2</sup>

mcd = Millicandela


\*Available via custom order process



### Glow-in-the-dark warning tapes

- Material: Self-adhesive photoluminescent polyester
- Standard Package: 1 roll


Article No.	Width (mm)	Length (m)	PSPA Photoluminescence Class
224071	25.40	9.14	Class A
224072	50.80	9.14	Class A
836795	40.00	10.00	Class B
836796	50.00	10.00	Class B
836797	80.00	10.00	Class B
836798	50.00	10.00	Class C
836802	50.00	1.00	Class B
836803	50.00	1.00	Class C



### Glow-in-the-dark warning tapes with legend

- Material: Self-adhesive photoluminescent polyester
- Standard Package: 1 roll (10.00 m)

Article No.	Width (mm)	Description	Legend	PSPA Photoluminescence Class
836788	40.00	Emergency exit (left)	–	Class B
836793	40.00	Emergency exit (left)	Fire exit	Class B
836789	80.00	Emergency exit (left)	–	Class B
836792	80.00	Emergency exit (left)	Fire exit	Class B
836790	40.00	Emergency exit (right)	–	Class B
836786	40.00	Emergency exit (right)	Fire exit	Class B
836791	80.00	Emergency exit (right)	–	Class B
836787	80.00	Emergency exit (right)	Fire exit	Class B




### ▶ Safety Signage

Contact your Brady distributor for the Safety Signage catalogue.

## Glow-in-the-dark shapes

Article No.	Height (mm) x Width (mm)	Diameter (mm)	Description	Packaging	PSPA Photoluminescence Class
<b>B-7568 : Class B Photoluminescent Polyester</b>					
836824	90.00 x 240.00		Glow-in-the-dark footprints	20	Class B
836821	100.00 x 100.00		Glow-in-the-dark arrows	6	Class B
836823		75.00	Glow-in-the-dark dots	20	Class B
<b>B-7524 : Rigid Photoluminescent Aluminium</b>					
224073	210.00 x 85.00		Glow-in-the-dark anti-skid footprint - right foot	1	Class C
224074	210.00 x 85.00		Glow-in-the-dark anti-skid footprint - left foot	1	Class C
224077		50.00	Glow-in-the-dark anti-skid floor marking dots	10	Class C




## Door handle backgrounds

- Material: Photoluminescent Polyester (B-324)

Article No.	Height (mm) x Width (mm)	Description	Packaging	PSPA Photoluminescence Class
224075	255.00 x 100.00	Door handle background - Left turn	1	Class A
224076	255.00 x 100.00	Door handle background - Right turn	1	Class A




## Photoluminescent individual dots (self-adhesive)




Article No.	Diameter (mm)	Description	Packaging	PSPA Photoluminescence Class
263382	16.00	Photoluminescent individual dots (Self-adhesive)	40	Class A
263383	25.00	Photoluminescent individual dots (Self-adhesive)	15	Class A




## Photoluminescent individual arrows (self-adhesive)



Article No.	Height (mm) x Width (mm)	Description	Packaging	PSPA Photoluminescence Class
263384	18.00 x 27.00	Photoluminescent individual arrows - Narrow	20	Class A
263385	18.00 x 27.00	Photoluminescent individual arrows - Wide	20	Class A





### Anti-skid photoluminescent floor marking arrows (self-adhesive)

Article No.	Diameter (mm)	Description	Packaging	PSPA Photoluminescence Class
263387	95.00	Photoluminescent arrow with anti-skid top	10	Class A



### Anti-skid photoluminescent arrows – rectangular (self-adhesive)

Article No.	Height (mm) x Width (mm)	Description	Packaging	PSPA Photoluminescence Class
251920	175.00 x 110.00	Photoluminescent arrow with anti-skid top	10	Class A



### Anti-skid photoluminescent L-Shape

These pre-cut “L”-shaped markers have an anti-skid coating and indicate clearly the edges of stairs in the dark.

Article No.	Height (mm) x Width (mm)	Description	Packaging	PSPA Photoluminescence Class
836799	225.00 x 75.00	Glow-in-the-dark Warning Tape	200	Class C



### Glow-sticks

Translucent plastic tube containing substance making light through chemiluminescence. 12 hours light source without any external energy source. The light cannot be turned off and can be used only once.

Article No.	Height (mm)	Colour	Description	Packaging
836826	150.00	Photoluminescent	Glow-in-the-dark Accessories	10

Note: Glow-sticks are photoluminescent yellow. Other colours available on request.

## Warning tape: standard luminous intensity

Article No.	Colour	Width (mm)	Length (m)	Packaging	PSPA Photoluminescence Class
836813	Black, Photoluminescent	40.00	10.00	1	Class B
836814	Black, Photoluminescent	80.00	10.00	1	Class B
836817	Photoluminescent Green	40.00	10.00	1	Class B
836818	Photoluminescent Green	80.00	10.00	1	Class B
836819	Red, Photoluminescent	40.00	10.00	1	Class B
836820	Red, Photoluminescent	80.00	10.00	1	Class B



## Glow-in-the-dark arrow tape


Article No.	Colour	Width (mm)	Length (m)	Packaging	PSPA Photoluminescence Class	
Glow-in-the-dark arrow tape - Arrow-style						
836815	Green on Photoluminescent	40.00	10.00	1	Class B	Arrow
836816	Green on Photoluminescent	80.00	10.00	1	Class B	Arrow
090973	Green on Photoluminescent	50.80	4.57	1	Class A	Arrow
090974	Green on Photoluminescent	76.20	4.57	1	Class A	Arrow
Glow-in-the-dark arrow tape - V-Style						
090971	Green on Photoluminescent	50.80	4.57	1	Class A	Chevron
090972	Green on Photoluminescent	76.20	4.57	1	Class A	Chevron



## Photoluminescent anti-skid strips

These self-adhesive aluminium anti-skid strips are ideal for marking the edges of stairs and doorways. They are available in a standard luminous intensity version and a high luminous intensity version.

Article No.	Colour	Width (mm)	Length (m)	Packaging	PSPA Photoluminescence Class
Photoluminescent Anti-skid Strips - Aluminium High intensity / Striped					
251930	Black, Photoluminescent	30.00	0.80	1	Class C
251932	Black, Photoluminescent	50.00	0.80	1	Class C
Photoluminescent Anti-skid Strips - Aluminium High intensity					
251925	Photoluminescent	30.00	0.80	1	Class B
251928	Photoluminescent	50.00	0.80	1	Class C



## Roll-mounted anti-skid tape

Anti-Skid tape helps to prevent slipping and falling on wet or slippery floors. The rugged polyester tape is adhesive backed and coated with thousands of particles of durable aluminium oxide grit.



- Bonds permanently to clean, dry floors
- Works indoors or outdoors
- Withstands grease and oil
- Eliminates masking clean-up and drying time



Article No.	Colour	Length (m)	Packaging
<b>Tape width: 25.00 mm</b>			
078189	Black	18.00	1
<b>Tape width: 50.00 mm</b>			
078190	Black	18.00	1
078184	Orange	18.00	1
078198	Red	18.00	1
078187	White	18.00	1
078183	Yellow	18.00	1
<b>Tape width: 100.00 mm</b>			
078191	Black	18.00	1
078199	Red	18.00	1
078092	Yellow	18.00	1
<b>Tape width: 150.00 mm</b>			
078193	Black	18.00	1
<b>Tape width: 300.00 mm</b>			
078194	Black	18.00	1



### Anti-skid Tape die-cut cleats

Installation is easy, just peel off the protective liner and press in place.

- Material: Adhesive backed plastic cleat

Article No.	Colour	Dimensions	Packaging
078177	Red	140.00 mm (W) x 140.00 mm (H)	50
078192	Black	600.00 mm (W) x 19.00 mm (H)	50
078195	Black	150.00 mm (W) x 600.00 mm (L)	50
078196	Black	140.00 mm (W) x 140.00 mm (H)	50



### Anti-skid reflective & glow-in-the-dark die-cut cleats

Provides an extra margin of safety at night, during blackouts or in low light conditions.

Article No.	Description	Height (mm) x Width (mm)	Packaging
078162	Glow-in-the-Dark Die-Cut Cleats - Black	152.40 x 60.96	24



### Anti-skid tape/hazard marking die-cut cleats

The Anti-skid tape provides traction on slick floors, while the printed message signals a visual warning.

Article No.	Height (mm) x Width (mm)	Legend	Packaging
078160	152.40 x 60.96	Caution	24
078163	152.40 x 60.96	Watch your step	24



### Striped anti-skid tape

This bright yellow and black striped Anti-skid Tape aids visibility.

- Material: Adhesive backed plastic tape, oxide grit coated
- Colour: Black, Yellow

Article No.	Width (mm)	Length (m)	Packaging
078146	25.40	18.29	1
078147	50.80	18.29	1
078148	76.20	18.29	1
078149	101.60	18.29	1
078150	152.40	18.29	1

## Barricade tapes

Visual barricading provides fast on-the-spot warning of potential dangers.

The non-adhesive tape can be used for temporary outdoor or permanent indoor applications. This tape can be tied, stapled or nailed to posts, fences or metal barricades.

- Material: Polyethylene
- Thickness: 0.075 mm
- Size: 75.00 mm x 250 m
- Packaging: 1 roll



Article No.	Legend	Article No.	Legend
256654		256860	
256660		309076	
256858			

### ▶ Custom products available on request:

- Standard dimensions: 50mm x 250m and 75mm x 250m
- Background colours: Green, Orange, Red, Yellow, Blue, White
- Print of text and/or logo
- From 24 rolls

## Striped Barricade Tape

- Thickness: 0.03 mm
- Size: 75.00 mm x 500.00 m

Article No.	Colour
291425	
291426	

## Reinforced Barricade Tape

- Thickness: 0.1016 mm
- Size: 75.00 mm x 100 m
- Super strong

Article No.	Colour
091104	

## Underground warning tape

Underground tape is buried 30 to 45 cm below ground level. Digging crews receive warning of buried lines and cables, allowing a margin of safety between the tape and the buried line.

- Available in 2 versions: detectable and undetectable
- Easily Seen
- Easily Identified - by means of colour coding
- Convenient - Handy dispensing reel
- Strong - Heavy duty polyethylene material resists acid, alkalis and other soil substances.
- Long Lasting - Coated graphics provide long lasting legibility and hold colour values
- Economical - Compared to the potential cost of line damage, this tape is cost-effective for use over the entire length of the line
- Standard dimensions: 75mm x 250m and 150mm x 250m
- Minimum order quantity: 50 rolls of 75mm x 250m or 25 rolls of 150mm x 250m
- Black print on any background colour



▶ Contact us to get an offer for your project.



## Warning posts

Ideal for controlling and directing foot traffic. Suitable for warehouses, factories, offices, etc.

Chains and ribbons can be attached to the sturdy 90 cm high posts. The posts are available in one-colour or two-colour versions (stripes of 10 cm wide).

- Material: polyethylene
- Non-conductive: the posts can be used for barricading electrically hazardous installations
- Built-in ultraviolet inhibitors: block out ultraviolet rays to prevent colours from fading
- Colours: they stay bright and eye-catching, even after years of use
- Sizes: height: 900.00 mm, outside diameter: 40.00 mm

Article No.	Colour	Height (mm)	Quantity / Package
<b>Triangular plastic base only (empty - no cement) (29 x 9 cm)</b>			
292245	Black		1
<b>Rubber base only (27 x 5 cm)</b>			
256728	Black		1
<b>Post &amp; triangular plastic base (no cement)</b>			
292240	Black & Yellow	900.00	4
292233	Red	900.00	4
292238	Red & White	900.00	4
292235	White	900.00	4
<b>Post &amp; top (no base)</b>			
292241	Black & Yellow	900.00	1
292244	Red	900.00	1
292242	Red & White	900.00	1
292243	White	900.00	1
<b>Post &amp; rubber base (1,6 kg)</b>			
256724	Black & Yellow	900.00	4
256730	Red	900.00	4
256723	Red & White	900.00	4
256726	White	900.00	4
<b>Post &amp; fillable base (3,7 l)</b>			
256722	Black & Yellow	900.00	4
256729	Red	900.00	4
256721	Red & White	900.00	4
256725	White	900.00	4
<b>Post &amp; cement base (3,5 kg)</b>			
292236	Black & Yellow	900.00	4
292234	Red	900.00	4
292237	Red & White	900.00	4
292239	White	900.00	4
<b>Fillable base only (25 x 6 cm)</b>			
256727	Black		1
<b>Cement base only (29 x 9 cm)</b>			
292246	Black		1
<b>BradyPost Top</b>			
292247	Black		1
292248	Red		1
292249	White		1



## Message sign


Create an even safer work environment by using these universal signs. The plastic frame simply clips to the Brady posts.

- Kit contains: frame + 2 attachment clips + 1 chain (black, 20 cm)
- Colour: Black
- Packaging: 1
- Signs not included in kit

Article No.	Width (mm)	Height (mm)	Description
292250	210.00	297.00	Message Sign Kit A4

## Brady warning chain

- Material: Polyethylene
- Standard Package: 25 m (2.7 kg)



### Dimensions

A:	50.00 mm
B:	34.00 mm
C:	12.00 mm
D:	28.00 mm
E:	8.00 mm

Article No.	Width (mm)	Height (mm)	Colour
278271	28.00	50.00	Yellow
278268	28.00	50.00	White
278269	28.00	50.00	Red, White
278270	28.00	50.00	Black, Yellow

## Brady connecting hooks

- Material: Moulded Polyethylene
- Packaging: 36
- Usage: attaching lengths of chains



Article No.	Width (mm)	Colour
078257	50.80	Yellow
078258	50.80	White
078259	50.80	Black

## Brady connecting links

- Material: Moulded Polyethylene
- Packaging: 36
- Usage: for a more permanent application or repairing chain links, these connecting links can be used



Article No.	Width (mm)	Colour
078248	50.80	Black
078247	50.80	White
078246	50.80	Yellow

## BradyLink® warning post & chain

Barricade potentially hazardous areas indoors or outdoors with portable plastic posts and chains. Their lightweight yet tough construction stands up to years of use in temporary or permanent applications.

The components of the posts and chains are made of polyethylene with the following features:

- Built-in Ultraviolet Inhibitors: Screen out the sun's rays to prevent colours from fading during outdoor use
- Light-weight: chain is lighter than similar metal parts – chain weights 2.7 kg per 25 metres
- Non-rusting: Unlike metal posts and chain BradyLink, plastic parts cannot rust
- Fillable Base: Hollow base can be filled with water or sand for more stable application
- C-hook: Large C-hook holds chain in place. Use open, or closed for greater security
- Post Diameter: 76.20 mm
- Base Diameter: 400.00 mm
- Height: 1041.40 mm



## Brady warning posts

- Post Diameter: 75.00 mm
- Base Diameter: 400.00 mm
- Height: 1040.00 mm

Article No.	Colour	Packaging
092116	Black	1
092119	Black	6
092122	Black, Yellow	1
092118	Yellow	1
092121	Yellow	6



## Heavy duty floor stands

Easily transportable, these stands are very useful to carry with and clearly indicate substantial dangers such as slippery zones. They are ideal for hospitals or public halls for example.

- Heavy duty yellow high density polypropylene
- Height (closed): 660.00 mm
- Maintenance free : will not dent or corrode
- Large message area is visible from over 9 metres
- Available with a range of standard messages or as a blank stand



### Order Reference

092110

256700

256701

256702

256704



### Order Reference

256705

256706

256708

256709

## Economy floor stands

- Printed on both sides –inside and out- offering two stands for the price of one
- Lightweight corrugated polypropylene material
- Packaging: 1 piece
- Height (closed): 500.00 mm - Width: 300.00 mm



Contact your Brady Specialist for more information on customised Floor Stands



### Order Reference

092284

256711


256712

## Polyurethane safety bumpers

Clearly visible, made from polyurethane foam rubber, flexible and sturdy material, optimal shock-absorber.

- 3 colours: black; yellow on black; photoluminescent on black
- 3 models available + 2 corner connecting pieces
- The photoluminescent strips are coated with a film that protects against physical and chemical actions. In the dark, these products give off the light they have absorbed during the day
- Non-toxic and non-radioactive
- Length: 1m.
- Secured with adhesive
- Packaging: 1

Article No.	Type	Colour	Packaging
225012	Type A	Black, Photoluminescent	1
225020	2-dimensional corner piece	Black	1
324729	Type C	Black, Yellow	1
324900	Type A	Black/Yellow	1



2-dimensional corner piece



## Self-adhesive safety bumpers

Protect corners and edges with these shock-absorbers.

- Shock-absorber made from cellular thermoplastic
- Dual function: indicates hazardous situations and softens any impacts
- Increases safety in the workplace
- Highly resistant against hydrocarbons
- Double-sided adhesive, can be attached to any clean surface
- Choice out of 3 models
- Packaging: 10

Order Ref.	Type	Height (mm)	Length (m)	Colour	Packaging
225022	Corner (a)	110.00	0.68	Black, Yellow	10
225023	Sleeve (b)	28.00	0.66	Black, Yellow	10
225024	Cover (c)	151.00	0.75	Yellow	10

\* not adhesive





**Belgium & Luxembourg**

+32 (0) 52 45 78 11  
benelux@bradycorp.com

**Czech Republic**

+420 776 302 229  
czechrepublic@bradycorp.com

**Denmark**

+45 66 14 44 00  
denmark@bradycorp.com

**France**

+33 (0) 3 20 76 94 48  
france@bradycorp.com

**Germany, Austria & Switzerland**

+49 (0) 6103 7598 660  
germany@bradycorp.com

**Hungary**

+36 23 500 275  
hungary@bradycorp.com

**Italy**

+39 02 26 00 00 22  
italy@bradycorp.com

**Netherlands**

+31 (0)70 323 62 98  
benelux@bradycorp.com

**Norway**

+47 70 13 40 00  
norway@bradycorp.com

**Poland**

+48 22 104 6262  
poland@bradycorp.com

**Qatar, Saudi Arabia & UAE**

+971 4881 2524  
me@bradycorp.com

**Slovakia**

+421 902 939 406  
slovakia@bradycorp.com

**South Africa**

+27 11 704 3295  
africa@bradycorp.com

**Spain & Portugal**

+34 900 902 993  
spain@bradycorp.com  
portugal@bradycorp.com

**Sweden, Finland, Estonia, Latvia,  
Lithuania**

+46 (0) 8 590 057 30  
sweden@bradycorp.com

**Turkey**

+90 212 264 02 20  
turkey@bradycorp.com

**UK & Ireland**

+44 (0) 1295 228 288  
uk@bradycorp.com

We make products that make the world a safer and smarter place. From the depths of the ocean to outer space, from the factory floor to the delivery room - **we're just about everywhere you look.**



To help minimise our impact on the environment, Brady limits its number of reprints.

Updated versions are always available for download on [bradyeurope.com/downloads](http://bradyeurope.com/downloads).



Search for: EUR-M-423-EN



Y3369027

Your distributor