



M610 M611

Label Printer

Label Printer

Advanced handheld label printing

About BRADY



Once you have worked with BRADY, our name will stick with you, (just like our labels) because BRADY is one of the world's leading labelling and identification specialists.

Innovative

At BRADY we continue to improve. We have many customers from all industries, and we strive to be ahead of their needs by continuing to invest in research for even more performant solutions. By developing more user-friendly and efficient concepts, we give our thousands of customers the best in the market.

Strength

At BRADY, we believe our biggest strength is the wide range of identification and safety solutions we can offer our customers, whether it's labelling the smallest component or complete signage for an entire warehouse. We're also proud to offer many products and services - from printers, scanners and software to service contracts and on-site training - that compliment any identification job. And don't forget, our wide network of expert distributors can always offer you a tailor-made solution to meet your specific requirements.

Trust

For over a hundred years, BRADY has been connected with quality, trust and stability. We demand the best for your products and services, because we know, better than anyone, the importance of good and reliable identification. Identification looks like a small detail, but every professional knows that this kind of detail is crucial to any business.

Inform

We also have specialised dealers in your region, who can answer all your identification, safety and labelling questions, specific to your activity. They will be happy to provide you with all kinds of options and solutions with no obligation.

Microsoft is a trademark of Microsoft Corporation, Bluetooth is a trademark of Bluetooth Sig, Inc., Android is a trademark of Google Inc.



Brady products are sold on the condition that the purchaser will test them in actual use and determine for himself/herself their suitability to his/her intended purpose. Brady warrants to the purchaser that Brady products are free from defects in material and workmanship but limits its obligation under this warranty to the replacement of the product which has been shown to Brady's satisfaction to have been defective at the time of its purchase.

The warranty does not extend to any persons who have acquired the product from the purchaser. It is in lieu of any other warranty, including every warranty of sale-ability, marketability or suitability for the intended purpose, and is also in lieu of any other obligation or liability on the part of Brady.

Under no circumstances will Brady be liable for losses, damage, costs or subsequent damage of whatever nature which may arise in connection with the use of, or inability to use, Brady's products.

M610 Label Printer & M611 Label Printer

The Brady Advantage

When it comes to identification, safety and compliance, there's a clear advantage to working with Brady. We put our customers first in everything we do.

Our goal is to give you an unrivalled customer experience. We are relentlessly committed to performance and excellence - in our products, services and people.

Our products and solutions perform in ways that others simply can't match. Our people perform in ways that regularly exceed your expectations. And our focus and discipline work toward solid, long-term performance for our customers.

In short, Brady is the company you trust when performance matters most.

Learn more about the Brady Advantage at:
www.bradyeurope.com

Contents

4	M610 Label Printer introduction
6	M610 Label Printer at a glance
7	Brady Authentic labels
8	M611 Label Printer introduction
10	M611 Label Printer at a glance
11	Purpose built materials
12	Labels
13	Ribbons
14	Font sizes & symbol library
15	Electrical, voice/datacom identification
34	General & industrial identification
39	Safety & facility identification
41	Electronics identification
44	Laboratory identification
55	Master material index
60	Brady Workstation software
62	M610 and M611 Label Printer software
64	M610 Label Printer specifications
65	M611 Label Printer specifications
66	M610 Label Printer, kits and accessories
67	M611 Label Printer, kits and accessories
68	Complete portable RFID track & trace kits
70	Complete portable HF kits



The M610 Portable just got more powerful

Get the job done right! In the facility or in the field.



Get advanced performance in the field with a labeller that's durable to the core, the M610 Label Printer. It handles your toughest industrial applications - wire, cable, component ID - fast and efficiently. Rugged for the field. Dependable in the shop. With the M610, you can manage label data more ways. Save and store labels on board. Print with ease on demand. For a trusted and reliable partner in the field, choose the M610.

Get more with these time-saving features:

- ▶ 50.8mm per second print speed
- ▶ Enhanced Gen3 li-ion battery
- ▶ Store and import data files from USB-thumb drive
- ▶ Import and save files, lists and graphics
- ▶ Design and print labels using the keypad, the mobile app or the desktop software
- ▶ Prints text, barcodes, shapes and images

Do more with enhanced capabilities:



1.8m drop military standard shock resistance



Print 4,500 labels on a full charge



Wider (-18° to 46°C) operating temp. range



▶ Scan to watch the overview video



PRINTER KEYPAD



MOBILE APP



DESKTOP SOFTWARE

Advanced performance in the facility or the field

Do more every day with the rugged M610. Choose how you work, entering data multiple ways, whenever and wherever your work takes you.

The durability your work demands



Rugged, industrial design - withstands 1.8m drops and military grade shocks



Operates in extreme temps - use for applications in -18° to 46°C range



Advanced battery technology - prints 4,500 labels on a single charge.

The widest range of data entry options



Stay connected wherever your work happens with enhanced Bluetooth technology



Easily import and export label files any way you choose



Upload lists and graphics to the printer through USB 2.0 port (Type A and B) or USB flash drive



Save and store labels on board. Easily print from wherever your work takes you



Design and print labels with text, barcodes, shapes and images using the printer keypad, mobile device keyboard or desktop software.



► Learn more at
bradyeurope.com/M610



A

Prints up to 50.8mm per second



B

Easy material loading including bulk roll options



C

Rechargeable Li-ION battery prints up to 4,500 labels on a single charge



D

USB 2.0 port to import and save files, lists and graphics

The right label from the right partner

Durability meets versatility

The M610 works hard behind scenes so you can maintain high performance and work seamlessly. Driven by smart technology, it communicates with label materials and software for smoother label setup and printing. It recognizes and adjusts to material size, type, color, quantity and compatibility, plus sets up proper burn settings and print speed. Simple and intuitive, the M610 system practically runs itself.

Your time- and cost-saving benefits include:



**DECREASED
SETUP TIME**



**FEWER LABEL
ERRORS**



**COMPLIANT
LABEL CREATION**



**REDUCED MATERIAL
WASTE**

Get the job done right on any jobsite

The durability your work demands



SMALL ROLLS

Get the job done with over 50 high-performance materials and 800+ label options.



BULK ROLLS

Save more - buy in bulk: more than 14 materials and 150+ label options.



CUSTOM OPTIONS

Have specific needs? Enjoy unlimited custom label options in 70+ different materials.



Enjoy a more premium labelling experience with optimised Brady Authentic materials

Authentic materials work seamlessly with Brady printers to produce enhanced performance and reliability you just don't get with materials from the others. We've got you covered with the widest range of colours, finishes and targeted applications in the industry. Get authentic. Get better with Brady.

Flexibility at work with the M611 to design and print

Design. Preview. Print. Any way you choose.



Design and print labels your way - anytime, from anywhere - with the M611 Label Printer. It lets you connect to your work faster using an intuitive app and software. Access files in emails. Share label data with team members in different locations. Print on demand. With the M611, your work options are just about endless.

Get more with these time-saving features:

- ▶ 50.8mm per second print speed
- ▶ Share label files in multiple locations
- ▶ Store and import data files from USB-thumb drive
- ▶ 50.8mm print width
- ▶ Compact and lightweight
- ▶ Connect to computer using Wi-Fi or USB cable
- ▶ Connect to a mobile device using Bluetooth.



▶ Scan to watch
the overview
video

Modernise workflows in multiple ways



Create labels in office or shop. Save for easy sharing



Share via email to field, print right from the printer touch screen or phone



Connect up to 5 devices via Bluetooth, save time & hassle labelling on-site



MOBILE APP



PRINTER TOUCHSCREEN



DESKTOP SOFTWARE

Design. Preview. Print

Any way you choose.

With the M611, mobile printing is simple. Just use your phone and the Express Labels app. Driven by advanced, touchscreen technology, it's easy to resize labels, design and edit - the familiar keyboard on your mobile device. Plus, the intuitive software auto saves your work, making data entry and editing seamless.



Compact design. Big capabilities.

The M611 works where you do - in the field, shop or office. With it, you choose how you design and print. Anywhere. Anytime.

Its internal Li-ION battery is designed to withstand harsh conditions in the field, lasting longer, until your work gets done. Use the M611's Bluetooth and Wi-Fi connectivity to modernize workflows ... import data, share it or store it on board. Then print and label when you're ready.



Software to make label creation easy

See page 60 for more information on Brady software solutions.



A

Automatic label formatting with smart-cell technology



B

Easy material loading with bulk roll options



C

Rechargeable Li-ION battery prints up to 2,500 labels on a single charge



D

USB 2.0 port for reserve phone charging - USB cord and USB ports 2.0 types A & B

Hundreds of purpose-built materials.

The highly specialized labels you need.

Brady has you covered with the widest range of colours, finishes and targeted applications in the industry.



All-Weather

Get extra durability outdoors and in tough, industrial workspaces. Choose labels that are reflective or resist UV light, chemicals, salt spray and cleaners.



Paper

Use low cost, smear-resistant paper labels for identifying just about anything in labs or industrial settings.



Electrostatic Dissipative

Use high performance, low profile labels with static dissipative adhesive for machine readable applications, circuit boards and electronic components.



Tamper Evident

Ensure product and sample integrity with tamper-evident labels. Choose from labels that fracture easily, leave a VOID footprint or destruct upon removal.



Flags

Create easy-to-read, permanent identification for wires and cables or to track assets in labs and manufacturing environments.



Unique Materials

From labels adhering to VELCRO® to durable, EPREP identification for switches—Brady has you covered.



Heat Shrink

Choose industrial grade, heat-shrinkable sleeve labels for long lasting wire and cable identification. Built to industry-specific standards.



Wrap Around

Protect important wire and cable ID using labels with a clear laminating barrier. The clear vinyl resists abrasions and chemicals while keeping the white printable area intact.



Laboratory

Ensure lab samples remain legible, scannable and trackable in every extreme process: cryogenic, staining, solvents and processing fluids.



Inserts and Carriers

The construction of the DuraSleeve wire marking system provides a durable legend onto inserts that can easily be slid into a wire carrier. The legend can be changed before or after termination.



Metallized

Use professional metallic-looking labels for rating plates, name plates and general identification of industrial products.



RFID

Track assets and manage inventories more efficiently in complex industrial environments with fully customisable RFID labels that can fit any surface.



Multi-Purpose

Rely on white or clear labels for just about any industrial application involving high and low temperatures, harsh environments or regulatory specifications, including low-halide. Choose from various adhesion types: standard, high adhesion, ultra high adhesion or repositionable.



Tags

Get added durability from tags engineered for extreme temperatures and abrasion. The markers are tough, imperishable and with a very high degree of mark permanence in almost any environment. These markers are mounted on the wire with two cable ties.

We continuously try to improve & extend our label material offering, therefore make sure to check for firmware upgrades regularly, in order to make sure you always have access to the newest materials.

Material	
B-109	Polyethylene
B-342	Heat-shrink Polyolefin
B-345	High Temperature Heat-shrink Polyvinylidene Fluoride
B-348	Polyolefin
B-362	Tamper-resistant Metallised Vinyl
B-390	Rigid Insert
B-403	Water Soluble Paper
B-412	Polypropylene
B-422	Polyester
B-422/B-966B	Polyester
B-423	Polyester
B-424	Paper
B-424/B-966B	Paper with Polyester Overlamine
B-425A	Polypropylene
B-427	Self-laminating Vinyl
B-428	Metallised Polyester
B-428/B-966B	Metallised Polyester with Polyester Overlamine
B-430	Polyester
B-432	Polyester
B-435A	Metallised Polyester
B-437	Polyvinylfluoride
B-439	Vinyl
B-449	Polypropylene
B-459	Polyester
B-461	Self-laminating Polyester
B-473	Static Dissipative Polyester
B-481	StainerBondz™ Polyester

Material	
B-483A	Polyester
B-486B	Metallised Polyester
B-488	Polyester
B-489A	Polyester
B-490	FreezerBondz™ Polyester
B-494	Polyester
B-498	Vinyl Cloth
B-499	Nylon Cloth
B-581	Vinyl
B-584	Reflective Tape
B-595	Vinyl
B-642	Polyvinylfluoride
B-719	Static Dissipative Polyimide
B-724	Polyimide
B-7351	Tamper-resistant Vinyl
B-7425	Polypropylene
B-7546	Tamper-evident Polyester
B-7551	Polyester
B-7576	Tamper-evident Metallised Polyester
B-7593	Polyethylene Foam Laminate Polyester
B-7597	Polyethylene
B-7598	Polyester
B-7599	Polyethylene
B-7643	Thermoplastic Polyether Polyurethane
B-7644	Polypropylene with Polyester Overlamine
B-7649	Metal Detectable Polyethylene
B-7696	Vinyl

Bulk packaging for high volume printing

Bulk label printing requires the media feeder and smart cell spool which are included in the bulk label material packaging.



Get a custom label that perfectly fits your needs!

- custom shapes and dimensions
- custom colours
- custom materials with specific resistance
- custom print or layout

www.bradyeurope.com/customlabels



All materials in the printers work with a series of M61 ribbons that easily fit into the printers. It is recommended to insert the ribbon before loading the label material.



Order Reference	Colour	Roll Width (mm)	Roll Length (m)	Notes / Details
M61-R10010	Black	50.00	22.86	BMP61/M611 R10000 Series : high performing, scratch and solvent resistant black ribbon
M61-R10010-BL	Blue	50.00	22.86	BMP61/M611 R10000 Series : high performing, scratch and solvent resistant blue ribbon
M61-R10010-GN	Green	50.00	22.86	BMP61/M611 R10000 Series : high performing, scratch and solvent resistant Green ribbon
M61-R10010-RD	Red	50.00	22.86	BMP61/M611 R10000 Series : high performing, scratch and solvent resistant red ribbon
M61-R10010-WT	White	50.00	22.86	BMP61/M611 R10000 Series : high performing, scratch and solvent resistant white ribbon
M61-R10010-YL	Yellow	50.00	22.86	BMP61/M611 R10000 Series : high performing, scratch and solvent resistant Yellow ribbon
M61-R4310	Black	50.00	22.86	BMP61/M611 R4300 Series : chemical, environmental and smear resistant black ribbon
M61-R4410-BL	Blue	50.00	22.86	BMP61/M611 R4400 Series : high heat, scratch and solvent resistant blue ribbon
M61-R4410-RD	Red	50.00	22.86	BMP61/M611 R4400 Series : high heat, scratch and solvent resistant red ribbon
M61-R4410-WT	White	50.00	22.86	BMP61/M611 R4400 Series : high heat, scratch and solvent resistant white ribbon
M61-R6010	Black	50.00	22.86	BMP61/M611 R6000 Series : high heat, scratch and solvent resistant black ribbon
M61-R6210	Black	50.00	22.86	BMP61/M611 R6200 Series : chemical, heat, scratch and smear resistant black ribbon
M61-R6310	Black	50.80	22.86	M61 R6300 Series : friction and solvent resistant black ribbon
M61-R6410	Black	50.00	22.86	BMP61/M611 R6400 Series : abrasion and chemical resistant black ribbon
M61-R6610	Black	50.00	22.86	BMP61/M611 R6600 Series : friction and solvent resistant black ribbon
M61-R6710-WT	White	50.00	22.86	BMP61/M611 R6700 Series : chemical resistant white ribbon
M61-R6810-WT	White	50.00	22.86	BMP61/M611 R6800 Series : scratch, smudge and solvent resistant white ribbon

Enjoy a more premium labelling experience with optimised Brady Authentic materials

Authentic materials work seamlessly with Brady printers to produce enhanced performance and reliability you just don't get with materials from the "others". We've got you covered with the widest range of colours, finishes and targeted applications in the industry. Get authentic. Get better with Brady.



Variable font sizes

Font sizes range from 4 to 174 point.

The maximum font size available depends on factors such as label size, number of characters, number of lines, as well as font sizes in other lines.

Point Size	Print Sample
4	ABC 12345
6	ABC 12345
7	ABC 12345
9	ABC 12345
10	ABC 12345
14	ABC 12345
16	ABC 12345
20	ABC 12345
26	ABC 12345
32	ABC 12345
40	ABC 12345
45	ABC 1234
51	ABC 123
55	ABC 123
60	ABC 123
65	ABC 12
70	ABC 12
76	ABC 12
102	ABC 1


The M610 and M611 fonts and symbols are featured in the Express Labels app. For more information about the Express Labels app, see page 61.



Barcode types



QR Code



Data Matrix Code

- Choose between 9 barcode symbologies
- Other barcodes supported

Symbol library

- Standard electrical and datacom symbols
- Over 500 built in graphics




H&S equipment



Alarms



PPE



Arrows



Datacom



Electrical




Exit




Fire



First aid



GHS



Home electrical



International



Mandatory




Packaging



Prohibition



Public info



Warning



WHMIS

...and many more

ELECTRICAL, VOICE/DATACOM IDENTIFICATION : WIRE & CABLE MARKING



PermaSleeve Heat-shrink sleeve markers

- These heat-shrink sleeves are the ultimate in marker identification, protection, durability and aesthetic appearance.
- Fast shrink rate saves time and costs during installation.




Diagram	Order Reference	Shrink Ratio	Colour	Label Width A (mm)	Label Height B (mm)	Vertical Repeat D (mm)	Min. Wire Diameter (mm)	Max. Wire Diameter (mm)	Sleeves per roll	Printer Ribbon Series	Printer Compatibility
B-342: Heat-shrink Polyolefin											
V	M6-094-1-342-WT-2	3:1	White	12.70	4.62	12.70	0.58	2.03	200	R4300, R6600	M610, M611
V	BM-094-1-342-2	3:1	White	12.70	4.62	12.70	0.58	2.03	5000	R4300, R6600	M610, M611, M710
V	BM-094-175-342-2	3:1	White	22.23	4.62	12.70	0.58	2.03	5000	R4300, R6600	M610, M611, M710
V	M6-094-1-342-BL	3:1	Blue	25.40	4.62	12.70	0.58	2.03	100	R4300, R6600, R6700	M610, M611
V	M6-094-1-342-GR	3:1	Green	25.40	4.62	12.70	0.58	2.03	100	R4300, R6600, R6700	M610, M611
V	M6-094-1-342-OR	3:1	Orange	25.40	4.62	12.70	0.58	2.03	100	R4300, R6600, R6700	M610, M611
V	M6-094-1-342-RD	3:1	Red	25.40	4.62	12.70	0.58	2.03	100	R4300, R6600, R6700	M610, M611
V	M6-094-1-342-WT	3:1	White	25.40	4.62	12.70	0.58	2.03	100	R4300, R6600	M610, M611
V	BM-094-1-342	3:1	White	25.40	4.62	12.70	0.58	2.03	2500	R4300, R6600	M610, M611, M710
V	M6-094-1-342-YL	3:1	Yellow	25.40	4.62	12.70	0.58	2.03	100	R4300, R6600, R6700	M610, M611
V	BM-094-1-342-YL	3:1	Yellow	25.40	4.62	12.70	0.58	2.03	2500	R4300, R6600, R6700	M610, M611, M710
V	M6-094-175-342-BL	3:1	Blue	44.45	4.62	12.70	0.58	2.03	100	R4300, R6600, R6700	M610, M611
V	M6-094-175-342-OR	3:1	Orange	44.45	4.62	12.70	0.58	2.03	100	R4300, R6600, R6700	M610, M611
V	M6-094-175-342-WT	3:1	White	44.45	4.62	12.70	0.58	2.03	100	R4300, R6600	M610, M611
V	BM-094-175-342	3:1	White	44.45	4.62	12.70	0.58	2.03	2500	R4300, R6600	M610, M611, M710
V	M6-094-175-342-YL	3:1	Yellow	44.45	4.62	12.70	0.58	2.03	100	R4300, R6600, R6700	M610, M611
V	BM-094-175-342-YL	3:1	Yellow	44.45	4.62	12.70	0.58	2.03	2500	R4300, R6600, R6700	M610, M611, M710
O	M6-094-2-342-BK-R	3:1	Black	50.80	4.62	12.70	0.58	2.03	70	R6700	M610, M611
O	M6-094-2-342-WT-R	3:1	White	50.80	4.62	12.70	0.58	2.03	70	R4300, R6600	M610, M611
O	M6-094-2-342-YL-R	3:1	Yellow	50.80	4.62	12.70	0.58	2.03	70	R4300, R6600, R6700	M610, M611
V	M6-125-1-342-WT-2	3:1	White	12.70	5.97	12.70	1.17	2.79	200	R4300, R6600	M610, M611
V	BM-125-1-342-2	3:1	White	12.70	5.97	19.05	1.17	2.79	2000	R4300, R6600	M610, M611, M710
V	M6-125-175-342-WT-3	3:1	White	14.81	5.97	12.70	1.17	2.79	300	R4300, R6600	M610, M611
V	BM-125-175-342-3	3:1	White	14.81	5.97	19.05	1.17	2.79	3000	R4300, R6600	M610, M611, M710
V	BM-125-175-342-2	3:1	White	22.23	5.97	19.05	1.17	2.79	2000	R4300, R6600	M610, M611, M710
V	M6-125-1-342-BK	3:1	Black	25.40	5.97	19.05	1.17	2.79	100	R6700	M610, M611
V	M6-125-1-342-BL	3:1	Blue	25.40	5.97	19.05	1.17	2.79	100	R4300, R6600, R6700	M610, M611
V	M6-125-1-342-RD	3:1	Red	25.40	5.97	19.05	1.17	2.79	100	R4300, R6600, R6700	M610, M611
V	M6-125-1-342-WT	3:1	White	25.40	5.97	19.05	1.17	2.79	100	R4300, R6600	M610, M611
V	BM-125-1-342	3:1	White	25.40	5.97	19.05	1.17	2.79	1000	R4300, R6600	M610, M611, M710
V	M6-125-1-342-YL	3:1	Yellow	25.40	5.97	19.05	1.17	2.79	100	R4300, R6600, R6700	M610, M611
V	BM-125-1-342-YL	3:1	Yellow	25.40	5.97	19.05	1.17	2.79	1000	R4300, R6600, R6700	M610, M611, M710
V	M6-125-175-342-GR	3:1	Green	44.45	5.97	19.05	1.17	2.79	100	R4300, R6600, R6700	M610, M611
V	M6-125-175-342-OR	3:1	Orange	44.45	5.97	19.05	1.17	2.79	100	R4300, R6600, R6700	M610, M611
V	M6-125-175-342-WT	3:1	White	44.45	5.97	19.05	1.17	2.79	100	R4300, R6600	M610, M611
V	BM-125-175-342	3:1	White	44.45	5.97	19.05	1.17	2.79	1000	R4300, R6600	M610, M611, M710
V	M6-125-175-342-YL	3:1	Yellow	44.45	5.97	19.05	1.17	2.79	100	R4300, R6600, R6700	M610, M611
V	BM-125-175-342-YL	3:1	Yellow	44.45	5.97	19.05	1.17	2.79	1000	R4300, R6600, R6700	M610, M611, M710
O	M6-125-2-342-BK-R	3:1	Black	50.80	5.97	19.05	1.17	2.79	70	R6700	M610, M611
O	M6-125-2-342-WT-R	3:1	White	50.80	5.97	19.05	1.17	2.79	70	R4300, R6600	M610, M611
O	M6-125-2-342-YL-R	3:1	Yellow	50.80	5.97	19.05	1.17	2.79	70	R4300, R6600, R6700	M610, M611
V	M6-187-1-342-WT-3	3:1	White	8.38	8.51	15.88	1.57	3.81	300	R4300, R6600	M610, M611
V	BM-187-175-342-4	3:1	White	11.10	8.51	19.05	1.57	3.81	4000	R4300, R6600	M610, M611, M710
V	M6-187-175-342-WT-4	3:1	White	11.18	8.51	15.88	1.57	3.81	400	R4300, R6600	M610, M611
V	M6-187-1-342-WT-2	3:1	White	12.70	8.51	15.88	1.57	3.81	200	R4300, R6600	M610, M611
V	BM-187-1-342-2	3:1	White	13.08	8.51	19.05	1.57	3.81	2000	R4300, R6600	M610, M611, M710
V	M6-187-175-342-WT-3	3:1	White	14.81	8.51	15.88	1.57	3.81	300	R4300, R6600	M610, M611
V	BM-187-175-342-3	3:1	White	14.81	8.51	19.05	1.57	3.81	3000	R4300, R6600	M610, M611, M710
V	M6-187-175-342-WT-2	3:1	White	22.23	8.51	15.88	1.57	3.81	200	R4300, R6600	M610, M611
V	BM-187-175-342-2	3:1	White	22.23	8.51	19.05	1.57	3.81	2000	R4300, R6600	M610, M611, M710

Order references beginning with "B" indicate bulk rolls. Order reference ending with "R" indicate that the sleeve is rotated on the liner.
The M710 printer works with a different set of dedicated ribbons. For more information, visit www.bradyeurope.com/M710

>>

ELECTRICAL, VOICE/DATACOM IDENTIFICATION : WIRE & CABLE MARKING



PermaSleeve Heat-shrink sleeve markers (continued)




Diagram	Order Reference	Shrink Ratio	Colour	Label Width A (mm)	Label Height B (mm)	Vertical Repeat D (mm)	Min. Wire Diameter (mm)	Max. Wire Diameter (mm)	Sleeves per roll	Printer Ribbon Series	Printer Compatibility
V	M6-187-1-342-BK	3:1	Black	25.40	8.51	15.88	1.57	3.81	100	R6700	M610, M611
V	M6-187-1-342-BL	3:1	Blue	25.40	8.51	15.88	1.57	3.81	100	R4300, R6600, R6700	M610, M611
V	M6-187-1-342-GR	3:1	Green	25.40	8.51	15.88	1.57	3.81	100	R4300, R6600, R6700	M610, M611
V	M6-187-1-342-RD	3:1	Red	25.40	8.51	15.88	1.57	3.81	100	R4300, R6600, R6700	M610, M611
V	M6-187-1-342-VT	3:1	Violet	25.40	8.51	15.88	1.57	3.81	100	R4300, R6600, R6700	M610, M611
V	M6-187-1-342-WT	3:1	White	25.40	8.51	15.88	1.57	3.81	100	R4300, R6600	M610, M611
V	BM-187-1-342	3:1	White	25.40	8.51	19.05	1.57	3.81	1000	R4300, R6600	M610, M611, M710
V	M6-187-1-342-YL	3:1	Yellow	25.40	8.51	15.88	1.57	3.81	100	R4300, R6600, R6700	M610, M611
V	BM-187-1-342-YL	3:1	Yellow	25.40	8.51	19.05	1.57	3.81	1000	R4300, R6600, R6700	M610, M611, M710
V	M6-187-175-342-BK	3:1	Black	44.45	8.51	15.88	1.57	3.81	100	R6700	M610, M611
V	M6-187-175-342-GR	3:1	Green	44.45	8.51	15.88	1.57	3.81	100	R4300, R6600, R6700	M610, M611
V	M6-187-175-342-OR	3:1	Orange	44.45	8.51	15.88	1.57	3.81	100	R4300, R6600, R6700	M610, M611
V	BM-187-175-342-OR	3:1	Orange	44.45	8.51	19.05	1.57	3.81	1000	R4300, R6600, R6700	M610, M611, M710
V	M6-187-175-342-RD	3:1	Red	44.45	8.51	15.88	1.57	3.81	100	R4300, R6600, R6700	M610, M611
V	BM-187-175-342-RD	3:1	Red	44.45	8.51	19.05	1.57	3.81	1000	R4300, R6600, R6700	M610, M611, M710
V	M6-187-175-342-WT	3:1	White	44.45	8.51	15.88	1.57	3.81	100	R4300, R6600	M610, M611
V	BM-187-175-342	3:1	White	44.45	8.51	19.05	1.57	3.81	1000	R4300, R6600	M610, M611, M710
V	M6-187-175-342-YL	3:1	Yellow	44.45	8.51	15.88	1.57	3.81	100	R4300, R6600, R6700	M610, M611
V	BM-187-175-342-YL	3:1	Yellow	44.45	8.51	19.05	1.57	3.81	1000	R4300, R6600, R6700	M610, M611, M710
O	M6-187-2-342-WT-R	3:1	White	50.80	8.51	12.70	1.57	3.81	70	R4300, R6600	M610, M611
O	M6-187-2-342-YL-R	3:1	Yellow	50.80	8.51	12.70	1.57	3.81	70	R4300, R6600, R6700	M610, M611
V	M6-250-1-342-WT-2	3:1	White	12.70	11.15	22.23	2.39	5.46	200	R4300, R6600	M610, M611
V	M6-250-175-342-WT-3	3:1	White	14.81	11.15	22.23	2.39	5.46	300	R4300, R6600	M610, M611
V	M6-250-175-342-YL-2	3:1	Yellow	22.23	11.15	22.23	2.39	5.46	200	R4300, R6600, R6700	M610, M611
V	M6-250-1-342-BK	3:1	Black	25.40	11.15	22.23	2.39	5.46	100	R6700	M610, M611
V	M6-250-1-342-OR	3:1	Orange	25.40	11.15	22.23	2.39	5.46	100	R4300, R6600, R6700	M610, M611
V	M6-250-1-342-PK	3:1	Pink	25.40	11.15	22.23	2.39	5.46	100	R4300, R6600, R6700	M610, M611
V	M6-250-1-342-RD	3:1	Red	25.40	11.15	22.23	2.39	5.46	100	R4300, R6600, R6700	M610, M611
V	M6-250-1-342-WT	3:1	White	25.40	11.15	22.23	2.39	5.46	100	R4300, R6600	M610, M611
V	BM-250-1-342	3:1	White	25.40	11.15	22.23	2.39	5.46	1000	R4300, R6600	M610, M611, M710
V	M6-250-1-342-YL	3:1	Yellow	25.40	11.15	22.23	2.39	5.46	100	R4300, R6600, R6700	M610, M611
V	BM-250-1-342-YL	3:1	Yellow	25.40	11.15	22.23	2.39	5.46	1000	R4300, R6600, R6700	M610, M611, M710
V	M6-250-175-342-GR	3:1	Green	44.45	11.15	22.23	2.39	5.46	100	R4300, R6600, R6700	M610, M611
V	M6-250-175-342-OR	3:1	Orange	44.45	11.15	22.23	2.39	5.46	100	R4300, R6600, R6700	M610, M611
V	M6-250-175-342-RD	3:1	Red	44.45	11.15	22.23	2.39	5.46	100	R4300, R6600, R6700	M610, M611
V	M6-250-175-342-WT	3:1	White	44.45	11.15	22.23	2.39	5.46	100	R4300, R6600	M610, M611
V	BM-250-175-342	3:1	White	44.45	11.15	22.23	2.39	5.46	1000	R4300, R6600	M610, M611, M710
V	M6-250-175-342-YL	3:1	Yellow	44.45	11.15	22.23	2.39	5.46	100	R4300, R6600, R6700	M610, M611
V	BM-250-175-342-YL	3:1	Yellow	44.45	11.15	22.23	2.39	5.46	1000	R4300, R6600, R6700	M610, M611, M710
O	M6-250-2-342-BK-R	3:1	Black	50.80	11.15	12.70	2.39	5.46	70	R6700	M610, M611
O	M6-250-2-342-WT-R	3:1	White	50.80	11.15	12.70	2.39	5.46	70	R4300, R6600	M610, M611
O	M6-250-2-342-YL-R	3:1	Yellow	50.80	11.15	12.70	2.39	5.46	70	R4300, R6600, R6700	M610, M611
V	M6-375-1-342-WT-2	3:1	White	12.70	16.38	25.40	3.18	8.13	200	R4300, R6600	M610, M611
V	BM-375-1-342-2	3:1	White	12.70	16.38	25.40	3.18	8.13	2000	R4300, R6600	M610, M611, M710
V	BM-375-175-342-2	3:1	White	22.23	16.38	25.40	3.18	8.13	2000	R4300, R6600	M610, M611, M710
V	M6-375-1-342-BL	3:1	Blue	25.40	16.38	25.40	3.18	8.13	100	R4300, R6600, R6700	M610, M611
V	M6-375-1-342-GY	3:1	Grey	25.40	16.38	25.40	3.18	8.13	100	R4300, R6600, R6700	M610, M611
V	M6-375-1-342-OR	3:1	Orange	25.40	16.38	25.40	3.18	8.13	100	R4300, R6600, R6700	M610, M611
V	M6-375-1-342-RD	3:1	Red	25.40	16.38	25.40	3.18	8.13	100	R4300, R6600, R6700	M610, M611
V	M6-375-1-342-WT	3:1	White	25.40	16.38	25.40	3.18	8.13	100	R4300, R6600	M610, M611

Order references beginning with "B" indicate bulk rolls. Order reference ending with "R" indicate that the sleeve is rotated on the liner.

The M710 printer works with a different set of dedicated ribbons. For more information, visit www.bradyeurope.com/M710

>>

▶ See pages 55-59 for a detailed material index.

ELECTRICAL, VOICE/DATACOM IDENTIFICATION : WIRE & CABLE MARKING



PermaSleeve Heat-shrink sleeve markers (continued)




Diagram	Order Reference	Shrink Ratio	Colour	Label Width A (mm)	Label Height B (mm)	Vertical Repeat D (mm)	Min. Wire Diameter (mm)	Max. Wire Diameter (mm)	Sleeves per roll	Printer Ribbon Series	Printer Compatibility
V	BM-375-1-342	3:1	White	25.40	16.38	25.40	3.18	8.13	1000	R4300, R6600	M610, M611, M710
V	M6-375-1-342-YL	3:1	Yellow	25.40	16.38	25.40	3.18	8.13	100	R4300, R6600, R6700	M610, M611
V	BM-375-1-342-YL	3:1	Yellow	25.40	16.38	25.40	3.18	8.13	1000	R4300, R6600, R6700	M610, M611, M710
V	M6-375-175-342-BL	3:1	Blue	44.45	16.38	25.40	3.18	8.13	100	R4300, R6600, R6700	M610, M611
V	M6-375-175-342-GR	3:1	Green	44.45	16.38	25.40	3.18	8.13	100	R4300, R6600, R6700	M610, M611
V	M6-375-175-342-OR	3:1	Orange	44.45	16.38	25.40	3.18	8.13	100	R4300, R6600, R6700	M610, M611
V	M6-375-175-342-PK	3:1	Pink	44.45	16.38	25.40	3.18	8.13	100	R4300, R6600, R6700	M610, M611
V	M6-375-175-342-RD	3:1	Red	44.45	16.38	25.40	3.18	8.13	100	R4300, R6600, R6700	M610, M611
V	M6-375-175-342-WT	3:1	White	44.45	16.38	25.40	3.18	8.13	100	R4300, R6600	M610, M611
V	BM-375-175-342	3:1	White	44.45	16.38	25.40	3.18	8.13	1000	R4300, R6600	M610, M611, M710
V	M6-375-175-342-YL	3:1	Yellow	44.45	16.38	25.40	3.18	8.13	100	R4300, R6600, R6700	M610, M611
V	BM-375-175-342-YL	3:1	Yellow	44.45	16.38	25.40	3.18	8.13	1000	R4300, R6600, R6700	M610, M611, M710
O	M6-375-2-342-BK-R	3:1	Black	50.80	16.38	12.70	3.18	8.13	70	R6700	M610, M611
O	M6-375-2-342-WT-R	3:1	White	50.80	16.38	12.70	3.18	8.13	70	R4300, R6600	M610, M611
O	M6-375-2-342-YL-R	3:1	Yellow	50.80	16.38	12.70	3.18	8.13	70	R4300, R6600, R6700	M610, M611
V	BM-500-175-342-YL-3	3:1	Yellow	14.81	21.62	31.75	4.75	11.43	3000	R4300, R6600, R6700	M610, M611, M710
V	M6-500-1-342-OR	3:1	Orange	25.40	21.62	31.75	4.75	11.43	100	R4300, R6600, R6700	M610, M611
V	M6-500-1-342-WT	3:1	White	25.40	21.62	31.75	4.75	11.43	100	R4300, R6600	M610, M611
V	BM-500-1-342	3:1	White	25.40	21.62	31.75	4.75	11.43	1000	R4300, R6600	M610, M611, M710
V	M6-500-1-342-YL	3:1	Yellow	25.40	21.62	31.75	4.75	11.43	100	R4300, R6600, R6700	M610, M611
V	BM-500-1-342-YL	3:1	Yellow	25.40	21.62	31.75	4.75	11.43	1000	R4300, R6600, R6700	M610, M611, M710
V	M6-500-175-342-BK	3:1	Black	44.45	21.62	31.75	4.75	11.43	100	R6700	M610, M611
V	M6-500-175-342-BL	3:1	Blue	44.45	21.62	31.75	4.75	11.43	100	R4300, R6600, R6700	M610, M611
V	M6-500-175-342-GR	3:1	Green	44.45	21.62	31.75	4.75	11.43	100	R4300, R6600, R6700	M610, M611
V	M6-500-175-342-RD	3:1	Red	44.45	21.62	31.75	4.75	11.43	100	R4300, R6600, R6700	M610, M611
V	M6-500-175-342-WT	3:1	White	44.45	21.62	31.75	4.75	11.43	100	R4300, R6600	M610, M611
V	BM-500-175-342	3:1	White	44.45	21.62	31.75	4.75	11.43	1000	R4300, R6600	M610, M611, M710
V	M6-500-175-342-YL	3:1	Yellow	44.45	21.62	31.75	4.75	11.43	100	R4300, R6600, R6700	M610, M611
V	BM-500-175-342-YL	3:1	Yellow	44.45	21.62	31.75	4.75	11.43	1000	R4300, R6600, R6700	M610, M611, M710
O	M6-500-2-342-BK-R	3:1	Black	50.80	21.62	12.70	4.75	11.43	70	R6700	M610, M611
O	M6-500-2-342-WT-R	3:1	White	50.80	21.62	12.70	4.75	11.43	70	R4300, R6600	M610, M611
O	M6-500-2-342-YL-R	3:1	Yellow	50.80	21.62	12.70	4.75	11.43	70	R4300, R6600, R6700	M610, M611
V	M6-750-1-342-WT	3:1	White	25.40	31.75	41.28	6.35	17.78	100	R4300, R6600	M610, M611
V	M6-750-1-342-YL	3:1	Yellow	25.40	31.75	41.28	6.35	17.78	100	R4300, R6600, R6700	M610, M611
V	M6-750-175-342-WT	3:1	White	44.45	31.75	41.28	6.35	17.78	100	R4300, R6600	M610, M611
V	M6-750-175-342-YL	3:1	Yellow	44.45	31.75	41.28	6.35	17.78	100	R4300, R6600, R6700	M610, M611
O	M6-750-2-342-BK-R	3:1	Black	50.80	31.75	12.70	6.35	17.78	70	R6700	M610, M611
O	M6-750-2-342-WT-R	3:1	White	50.80	31.75	12.70	6.35	17.78	70	R4300, R6600	M610, M611
O	M6-750-2-342-YL-R	3:1	Yellow	50.80	31.75	12.70	6.35	17.78	70	R4300, R6600, R6700	M610, M611
V	BM-1000-175-342	3:1	White	44.45	42.16	50.80	8.46	24.13	500	R4300, R6600	M610, M611, M710
V	M6-1000-1-342-WT	3:1	White	25.40	42.34	50.80	8.46	24.13	50	R4300, R6600	M610, M611
V	M6-1000-1-342-YL	3:1	Yellow	25.40	42.34	50.80	8.46	24.13	50	R4300, R6600, R6700	M610, M611
V	M6-1000-175-342-BK	3:1	Black	44.45	42.34	50.80	8.46	24.13	50	R6700	M610, M611
V	M6-1000-175-342-BL	3:1	Blue	44.45	42.34	50.80	8.46	24.13	50	R4300, R6600, R6700	M610, M611
V	M6-1000-175-342-GR	3:1	Green	44.45	42.34	50.80	8.46	24.13	50	R4300, R6600, R6700	M610, M611
V	M6-1000-175-342-OR	3:1	Orange	44.45	42.34	50.80	8.46	24.13	50	R4300, R6600, R6700	M610, M611
V	M6-1000-175-342-PK	3:1	Pink	44.45	42.34	50.80	8.46	24.13	50	R4300, R6600, R6700	M610, M611
V	M6-1000-175-342-RD	3:1	Red	44.45	42.34	50.80	8.46	24.13	50	R4300, R6600, R6700	M610, M611
V	M6-1000-175-342-WT	3:1	White	44.45	42.34	50.80	8.46	24.13	50	R4300, R6600	M610, M611
V	M6-1000-175-342-YL	3:1	Yellow	44.45	42.34	50.80	8.46	24.13	50	R4300, R6600, R6700	M610, M611

Order references beginning with "B" indicate bulk rolls. Order reference ending with "R" indicate that the sleeve is rotated on the liner.

The M710 printer works with a different set of dedicated ribbons. For more information, visit www.bradyeurope.com/M710

>>>



See pages 55-59 for a detailed material index.

ELECTRICAL, VOICE/DATACOM IDENTIFICATION : WIRE & CABLE MARKING



PermaSleeve Heat-shrink sleeve markers (continued)




Diagram	Order Reference	Shrink Ratio	Colour	Label Width A (mm)	Label Height B (mm)	Vertical Repeat D (mm)	Min. Wire Diameter (mm)	Max. Wire Diameter (mm)	Sleeves per roll	Printer Ribbon Series	Printer Compatibility
	M6-1000-2-342-BK-R	3:1	Black	50.80	42.34	12.70	8.46	24.13	70	R6700	M610, M611
	M6-1000-2-342-WT-R	3:1	White	50.80	42.34	12.70	8.46	24.13	70	R4300, R6600	M610, M611
B-345: High Temperature Heat-shrink Polyvinylidene Fluoride											
	M6-94-1-345-YL	2:1 (3:1 for 2.39 mm Dia)	Yellow	25.40	4.62	12.70	0.80	2.03	100	R6000HF, R6600	M610, M611
	M6-94-175-345-WT	2:1 (3:1 for 2.39 mm Dia)	White	44.45	4.62	12.70	0.80	2.03	100	R6000HF, R6600	M610, M611
	M6-94-175-345-YL	2:1 (3:1 for 2.39 mm Dia)	Yellow	44.45	4.62	12.70	0.80	2.03	100	R6000HF, R6600	M610, M611
	M6-125-1-345-BK	2:1 (3:1 for 2.39 mm Dia)	Black	25.40	5.97	19.05	1.60	2.79	100	R6800	M610, M611
	M6-125-1-345-WT	2:1 (3:1 for 2.39 mm Dia)	White	25.40	5.97	19.05	1.60	2.79	100	R6000HF, R6600	M610, M611
	M6-125-1-345-YL	2:1 (3:1 for 2.39 mm Dia)	Yellow	25.40	5.97	19.05	1.60	2.79	100	R6000HF, R6600	M610, M611
	M6-125-175-345-WT	2:1 (3:1 for 2.39 mm Dia)	White	44.45	5.97	19.05	1.60	2.79	100	R6000HF, R6600	M610, M611
	M6-125-175-345-YL	2:1 (3:1 for 2.39 mm Dia)	Yellow	44.45	5.97	19.05	1.60	2.79	100	R6000HF, R6600	M610, M611
	M6-187-1-345-WT	2:1 (3:1 for 2.39 mm Dia)	White	25.40	8.51	19.05	2.39	3.81	100	R6000HF, R6600	M610, M611
	M6-187-1-345-YL	2:1 (3:1 for 2.39 mm Dia)	Yellow	25.40	8.51	19.05	2.39	3.81	100	R6000HF, R6600	M610, M611
	M6-187-175-345-WT	2:1 (3:1 for 2.39 mm Dia)	White	44.45	8.51	19.05	2.39	3.81	100	R6000HF, R6600	M610, M611
	M6-187-175-345-YL	2:1 (3:1 for 2.39 mm Dia)	Yellow	44.45	8.51	19.05	2.39	3.81	100	R6000HF, R6600	M610, M611
	M6-250-1-345-WT	2:1 (3:1 for 2.39 mm Dia)	White	25.40	11.15	22.23	3.18	5.46	100	R6000HF, R6600	M610, M611
	M6-250-1-345-YL	2:1 (3:1 for 2.39 mm Dia)	Yellow	25.40	11.15	22.23	3.18	5.46	100	R6000HF, R6600	M610, M611
	M6-250-175-345-WT	2:1 (3:1 for 2.39 mm Dia)	White	44.45	11.15	22.23	3.18	5.46	100	R6000HF, R6600	M610, M611
	M6-250-175-345-YL	2:1 (3:1 for 2.39 mm Dia)	Yellow	44.45	11.15	22.23	3.18	5.46	100	R6000HF, R6600	M610, M611
	M6-375-1-345-WT	2:1 (3:1 for 2.39 mm Dia)	White	25.40	16.38	25.40	4.75	8.13	100	R6000HF, R6600	M610, M611
	M6-375-1-345-YL	2:1 (3:1 for 2.39 mm Dia)	Yellow	25.40	16.38	25.40	4.75	8.13	100	R6000HF, R6600	M610, M611
	M6-375-175-345-WT	2:1 (3:1 for 2.39 mm Dia)	White	44.45	16.38	25.40	4.75	8.13	100	R6000HF, R6600	M610, M611
	M6-375-175-345-YL	2:1 (3:1 for 2.39 mm Dia)	Yellow	44.45	16.38	25.40	4.75	8.13	100	R6000HF, R6600	M610, M611
	M6-500-1-345-YL	2:1 (3:1 for 2.39 mm Dia)	Yellow	25.40	21.62	31.75	6.35	11.43	100	R6000HF, R6600	M610, M611
	M6-500-175-345-WT	2:1 (3:1 for 2.39 mm Dia)	White	44.45	21.62	31.75	6.35	11.43	100	R6000HF, R6600	M610, M611
	M6-500-175-345-YL	2:1 (3:1 for 2.39 mm Dia)	Yellow	44.45	21.62	31.75	6.35	11.43	100	R6000HF, R6600	M610, M611
	M6-750-1-345-YL	2:1 (3:1 for 2.39 mm Dia)	Yellow	25.40	31.75	41.28	9.53	17.78	100	R6000HF, R6600	M610, M611
	M6-750-175-345-YL	2:1 (3:1 for 2.39 mm Dia)	Yellow	44.45	31.75	41.28	9.53	17.78	100	R6000HF, R6600	M610, M611
	M6-1000-1-345-YL	2:1 (3:1 for 2.39 mm Dia)	Yellow	25.40	42.34	50.80	11.40	24.13	50	R6000HF, R6600	M610, M611
	M6-1000-175-345-YL	2:1 (3:1 for 2.39 mm Dia)	Yellow	44.45	42.34	50.80	11.40	24.13	50	R6000HF, R6600	M610, M611

The M710 printer works with a different set of dedicated ribbons. For more information, visit www.bradyeurope.com/M710

Easily and quickly apply reliable cable sleeves

Cable sleeves are a reliable and sturdy solution to identify cables. Applying a cable sleeve is not always easy, especially when you want to identify thin cables using tiny sleeves. With our QuickSleeve handheld sleeve applicator, applying sleeves becomes a lot faster and easier.

For more information, visit www.bradyeurope.com/QuickSleeve



ELECTRICAL, VOICE/DATACOM IDENTIFICATION : WIRE & CABLE MARKING



Self-laminating labels

- Features a clear, non-printable area that wraps around the cable and serves as an overlaminate to the printed text.
- Offers superior resistance to abrasion, dirt, oils, solvents and water.




Diagram	Order Reference	Colour	Label Width A (mm)	Label Height B (mm)	Printable Area Width PW (mm)	Printable Area Height PH (mm)	Vertical Repeat D (mm)	Min. Wire Diameter (mm)	Max. Wire Diameter (mm)	Labels per Roll	Printer Ribbon Series	Printer Compatibility
B-417: Self-laminating Vinyl												
▶	M6-11-417	White	12.70	19.05	12.70	9.53	15.88	2.01	3.00	500	R4300	M610, M611
▶	M6-17-417	White	12.70	25.40	12.70	9.53	15.88	3.05	3.81	500	R4300	M610, M611
▶	M6-29-417	White	12.70	38.10	12.70	12.70	15.88	3.99	8.10	500	R4300	M610, M611
▶	M6-18-417	White	19.05	25.40	19.05	9.53	22.23	3.99	8.10	250	R4300	M610, M611
▶	M6-19-417	White	25.40	25.40	25.40	9.53	28.58	2.69	5.11	250	R4300	M610, M611
▶	M6-31-417	White	25.40	38.10	25.40	12.70	28.58	3.99	8.10	250	R4300	M610, M611
▶	M6-21-417	White	25.40	63.50	25.40	19.05	66.68	6.71	14.20	100	R4300	M610, M611
▶	M6-23-417	White	25.40	101.60	25.40	25.40	104.78	10.80	24.31	100	R4300	M610, M611
▶	M6-32-417	White	38.10	38.10	38.10	12.70	41.28	3.99	8.10	250	R4300	M610, M611
▶	M6-33-417	White	38.10	101.60	38.10	25.40	104.78	10.80	24.31	100	R4300	M610, M611
B-427: Self-laminating Vinyl												
▶	M6-10-427	White	6.35	19.05	6.35	9.53	9.53	2.01	3.00	750	R4300	M610, M611
▶	M6-10-427-YL	Yellow	6.35	19.05	6.35	9.53	9.53	2.01	3.00	750	R4300, R6700	M610, M611
▶	M6-28-427	White	6.35	38.10	6.35	12.70	9.53	3.99	8.10	750	R4300	M610, M611
▶	M6-28-427-BL	Blue	6.35	38.10	6.35	12.70	9.53	3.99	8.10	750	R4300, R6700	M610, M611
▶	M6-28-427-BR	Brown	6.35	38.10	6.35	12.70	9.53	3.99	8.10	750	R4300, R6700	M610, M611
▶	M6-28-427-GR	Green	6.35	38.10	6.35	12.70	9.53	3.99	8.10	750	R4300, R6700	M610, M611
▶	M6-28-427-GY	Grey	6.35	38.10	6.35	12.70	9.53	3.99	8.10	750	R4300, R6700	M610, M611
▶	M6-28-427-OR	Orange	6.35	38.10	6.35	12.70	9.53	3.99	8.10	750	R4300, R6700	M610, M611
▶	M6-28-427-PL	Purple	6.35	38.10	6.35	12.70	9.53	3.99	8.10	750	R4300, R6700	M610, M611
▶	M6-28-427-RD	Red	6.35	38.10	6.35	12.70	9.53	3.99	8.10	750	R4300, R6700	M610, M611
▶	M6-28-427-YL	Yellow	6.35	38.10	6.35	12.70	9.53	3.99	8.10	750	R4300, R6700	M610, M611
▶	BM-11-427	White	12.70	19.05	12.70	9.53	15.88	2.01	3.00	5000	R4300	M610, M611, M710
▶	M6-11-427	White	12.70	19.05	12.70	9.53	15.88	1.52	3.02	500	R4300	M610, M611
▶	M6-11-427-YL	Yellow	12.70	19.05	12.70	9.53	15.88	1.52	3.02	500	R4300, R6700	M610, M611
▶	M6-17-427-YL	Yellow	12.70	25.40	12.70	9.53	15.88	3.05	5.05	500	R4300, R6700	M610, M611
▶	M6-17-427	White	12.70	25.40	12.70	9.53	15.88	3.05	5.05	500	R4300	M610, M611
▶	BM-17-427	White	12.70	25.40	12.70	9.53	15.88	3.05	5.05	5000	R4300	M610, M611, M710
▶	M6-102-427	White	12.70	31.75	12.70	9.53	34.93	3.40	7.12	250	R4300	M610, M611
▶	M6-29-427-BL	Blue	12.70	38.10	12.70	12.70	15.88	3.99	8.10	500	R4300, R6700	M610, M611
▶	M6-29-427-BR	Brown	12.70	38.10	12.70	12.70	15.88	3.99	8.10	500	R4300, R6700	M610, M611
▶	M6-29-427-GR	Green	12.70	38.10	12.70	12.70	15.88	3.99	8.10	500	R4300, R6700	M610, M611
▶	M6-29-427-GY	Grey	12.70	38.10	12.70	12.70	15.88	3.99	8.10	500	R4300, R6700	M610, M611
▶	M6-29-427-OR	Orange	12.70	38.10	12.70	12.70	15.88	3.99	8.10	500	R4300, R6700	M610, M611
▶	M6-29-427-PL	Purple	12.70	38.10	12.70	12.70	15.88	3.99	8.10	500	R4300, R6700	M610, M611
▶	M6-29-427-RD	Red	12.70	38.10	12.70	12.70	15.88	3.99	8.10	500	R4300, R6700	M610, M611
▶	M6-29-427-YL	Yellow	12.70	38.10	12.70	12.70	15.88	3.99	8.10	500	R4300, R6700	M610, M611
▶	M6-29-427	White	12.70	38.10	12.70	12.70	15.88	3.99	8.10	500	R4300	M610, M611
▶	BM-29-427	White	12.70	38.10	12.70	12.70	15.88	3.99	8.10	5000	R4300	M610, M611, M710
▶	M6-74-427	White	12.70	55.88	12.70	19.05	60.33	5.89	11.71	100	R4300	M610, M611
▶	BM-18-427	White	19.05	25.40	19.05	9.53	22.23	2.69	5.11	2500	R4300	M610, M611, M710
▶	M6-18-427-YL	Yellow	19.05	25.40	19.05	9.53	22.23	2.69	5.05	250	R4300, R6700	M610, M611
▶	M6-18-427	White	19.05	25.40	19.05	9.53	22.23	3.99	9.40	250	R4300	M610, M611

The M710 printer works with a different set of dedicated ribbons. For more information, visit www.bradyeurope.com/M710

>>



Apply the printed area to your wire.



Wrap the clear area around the wire, covering the printed area.



Once applied the clear laminate will protect your legend for years to come.

ELECTRICAL, VOICE/DATACOM IDENTIFICATION : WIRE & CABLE MARKING



Self-laminating labels (continued)





Diagram	Order Reference	Colour	Label Width A (mm)	Label Height B (mm)	Printable Area Width PW (mm)	Printable Area Height PH (mm)	Vertical Repeat D (mm)	Min. Wire Diameter (mm)	Max. Wire Diameter (mm)	Labels per Roll	Printer Ribbon Series	Printer Compatibility
▶	BM-30-427	White	19.05	38.10	19.05	12.70	22.23	3.99	8.10	2500	R4300	M610, M611, M710
▶	M6-30-427-BL	Blue	19.05	38.10	19.05	12.70	22.23	3.99	8.10	250	R4300, R6700	M610, M611
▶	M6-30-427-BR	Brown	19.05	38.10	19.05	12.70	22.23	3.99	8.10	250	R4300, R6700	M610, M611
▶	M6-30-427-GR	Green	19.05	38.10	19.05	12.70	22.23	3.99	8.10	250	R4300, R6700	M610, M611
▶	M6-30-427-GY	Grey	19.05	38.10	19.05	12.70	22.23	3.99	8.10	250	R4300, R6700	M610, M611
▶	M6-30-427-OR	Orange	19.05	38.10	19.05	12.70	22.23	3.99	8.10	250	R4300, R6700	M610, M611
▶	M6-30-427-PL	Purple	19.05	38.10	19.05	12.70	22.23	3.99	8.10	250	R4300, R6700	M610, M611
▶	M6-30-427-RD	Red	19.05	38.10	19.05	12.70	22.23	3.99	8.10	250	R4300, R6700	M610, M611
▶	M6-30-427-YL	Yellow	19.05	38.10	19.05	12.70	22.23	3.99	8.10	250	R4300, R6700	M610, M611
▶	M6-30-427	White	19.05	38.10	19.05	12.70	22.23	3.99	8.10	250	R4300	M610, M611
▶	M6-96-427	White	25.40	19.05	25.40	9.53	22.23	2.69	5.11	250	R4300	M610, M611
▶	BM-19-427	White	25.40	25.40	25.40	9.53	28.58	2.69	5.11	2500	R4300	M610, M611, M710
▶	M6-19-427-BL	Blue	25.40	25.40	25.40	9.53	28.58	3.00	5.05	250	R4300, R6700	M610, M611
▶	M6-19-427-BR	Brown	25.40	25.40	25.40	9.53	28.58	3.00	5.05	250	R4300, R6700	M610, M611
▶	M6-19-427-GR	Green	25.40	25.40	25.40	9.53	28.58	3.00	5.05	250	R4300, R6700	M610, M611
▶	M6-19-427-GY	Grey	25.40	25.40	25.40	9.53	28.58	3.00	5.05	250	R4300, R6700	M610, M611
▶	M6-19-427-OR	Orange	25.40	25.40	25.40	9.53	28.58	3.00	5.05	250	R4300, R6700	M610, M611
▶	M6-19-427-PL	Purple	25.40	25.40	25.40	9.53	28.58	3.00	5.05	250	R4300, R6700	M610, M611
▶	M6-19-427-RD	Red	25.40	25.40	25.40	9.53	28.58	3.00	5.05	250	R4300, R6700	M610, M611
▶	M6-19-427-YL	Yellow	25.40	25.40	25.40	9.53	28.58	3.00	5.05	250	R4300, R6700	M610, M611
▶	M6-19-427	White	25.40	25.40	25.40	9.53	28.58	3.00	5.05	250	R4300	M610, M611
▶	M6-103-427	White	25.40	31.75	25.40	12.70	34.93	3.40	6.10	250	R4300	M610, M611
▶	BM-31-427	White	25.40	38.10	25.40	12.70	28.58	3.99	8.10	2500	R4300	M610, M611, M710
▶	M6-31-427-BL	Blue	25.40	38.10	25.40	12.70	28.58	3.99	8.10	250	R4300, R6700	M610, M611
▶	M6-31-427-BR	Brown	25.40	38.10	25.40	12.70	28.58	3.99	8.10	250	R4300, R6700	M610, M611
▶	M6-31-427-GR	Green	25.40	38.10	25.40	12.70	28.58	3.99	8.10	250	R4300, R6700	M610, M611
▶	M6-31-427-GY	Grey	25.40	38.10	25.40	12.70	28.58	3.99	8.10	250	R4300, R6700	M610, M611
▶	M6-31-427-OR	Orange	25.40	38.10	25.40	12.70	28.58	3.99	8.10	250	R4300, R6700	M610, M611
▶	M6-31-427-PL	Purple	25.40	38.10	25.40	12.70	28.58	3.99	8.10	250	R4300, R6700	M610, M611
▶	M6-31-427-RD	Red	25.40	38.10	25.40	12.70	28.58	3.99	8.10	250	R4300, R6700	M610, M611
▶	M6-31-427	White	25.40	38.10	25.40	12.70	28.58	3.99	8.10	250	R4300	M610, M611
▶	M6-31-427-YL	Yellow	25.40	38.10	25.40	12.70	28.58	3.99	8.10	250	R4300, R6700	M610, M611
▶	BM-21-427	White	25.40	63.50	25.40	19.05	66.68	6.71	14.20	1000	R4300	M610, M611, M710
▶	M6-21-427-BL	Blue	25.40	63.50	25.40	19.05	66.68	6.71	14.20	100	R4300, R6700	M610, M611
▶	M6-21-427-BR	Brown	25.40	63.50	25.40	19.05	66.68	6.71	14.20	100	R4300, R6700	M610, M611
▶	M6-21-427-GR	Green	25.40	63.50	25.40	19.05	66.68	6.71	14.20	100	R4300, R6700	M610, M611
▶	M6-21-427-GY	Grey	25.40	63.50	25.40	19.05	66.68	6.71	14.20	100	R4300, R6700	M610, M611
▶	M6-21-427-OR	Orange	25.40	63.50	25.40	19.05	66.68	6.71	14.20	100	R4300, R6700	M610, M611
▶	M6-21-427-PL	Purple	25.40	63.50	25.40	19.05	66.68	6.71	14.20	100	R4300, R6700	M610, M611
▶	M6-21-427-RD	Red	25.40	63.50	25.40	19.05	66.68	6.71	14.20	100	R4300, R6700	M610, M611
▶	M6-21-427-YL	Yellow	25.40	63.50	25.40	19.05	66.68	6.71	14.20	100	R4300, R6700	M610, M611
▶	M6-21-427	White	25.40	63.50	25.40	19.05	66.68	6.71	14.20	100	R4300	M610, M611
▶	M6-75-427	White	25.40	66.68	25.40	25.40	69.85	7.11	13.11	100	R4300	M610, M611
★	M6-64-427	White	25.40	85.73	25.40	28.58	88.90	9.09	18.21	100	R4300	M610, M611
★	BM-64-427	White	25.40	85.73	25.40	28.58	88.90	9.09	18.21	1000	R4300	M610, M611, M710
▶	BM-23-427	White	25.40	101.60	25.40	25.40	104.78	10.80	24.31	1000	R4300	M610, M611, M710
▶	M6-23-427-BL	Blue	25.40	101.60	25.40	25.40	104.78	10.80	24.31	100	R4300, R6700	M610, M611
▶	M6-23-427-BR	Brown	25.40	101.60	25.40	25.40	104.78	10.80	24.31	100	R4300, R6700	M610, M611
▶	M6-23-427-GR	Green	25.40	101.60	25.40	25.40	104.78	10.80	24.31	100	R4300, R6700	M610, M611
▶	M6-23-427-GY	Grey	25.40	101.60	25.40	25.40	104.78	10.80	24.31	100	R4300, R6700	M610, M611
▶	M6-23-427-OR	Orange	25.40	101.60	25.40	25.40	104.78	10.80	24.31	100	R4300, R6700	M610, M611

The M710 printer works with a different set of dedicated ribbons. For more information, visit www.bradyeurope.com/M710

>>

ELECTRICAL, VOICE/DATACOM IDENTIFICATION : WIRE & CABLE MARKING



Self-laminating labels (continued)




Diagram	Order Reference	Colour	Label Width A (mm)	Label Height B (mm)	Printable Area Width PW (mm)	Printable Area Height PH (mm)	Vertical Repeat D (mm)	Min. Wire Diameter (mm)	Max. Wire Diameter (mm)	Labels per Roll	Printer Ribbon Series	Printer Compatibility
▶	M6-23-427-PL	Purple	25.40	101.60	25.40	25.40	104.78	10.80	24.31	100	R4300, R6700	M610, M611
▶	M6-23-427-RD	Red	25.40	101.60	25.40	25.40	104.78	10.80	24.31	100	R4300, R6700	M610, M611
▶	M6-23-427-YL	Yellow	25.40	101.60	25.40	25.40	104.78	10.80	24.31	100	R4300, R6700	M610, M611
▶	M6-23-427	White	25.40	101.60	25.40	25.40	104.78	10.80	24.31	100	R4300	M610, M611
▲	M6-105-427-AW	White	27.94	6.35	-	-	9.53	-	-	750	R4300	M610, M611
▲	M6C-106-427	White	38.10	**	-	12.70	-	-	-	1	R4300	M610, M611
▲	M6-30-427-AW	White	38.10	19.05	-	-	22.23	3.99	8.00	250	R4300	M610, M611
▶	M6-104-427	White	38.10	25.40	38.10	9.53	28.58	2.69	5.11	250	R4300	M610, M611
▶	BM-32-427	White	38.10	38.10	38.10	12.70	41.28	3.99	8.10	1000	R4300	M610, M611, M710
▶	M6-32-427-BL	Blue	38.10	38.10	38.10	12.70	41.28	3.99	8.10	250	R4300, R6700	M610, M611
▶	M6-32-427-BR	Brown	38.10	38.10	38.10	12.70	41.28	3.99	8.10	250	R4300, R6700	M610, M611
▶	M6-32-427-GR	Green	38.10	38.10	38.10	12.70	41.28	3.99	8.10	250	R4300, R6700	M610, M611
▶	M6-32-427-GY	Grey	38.10	38.10	38.10	12.70	41.28	3.99	8.10	250	R4300, R6700	M610, M611
▶	M6-32-427-OR	Orange	38.10	38.10	38.10	12.70	41.28	3.99	8.10	250	R4300, R6700	M610, M611
▶	M6-32-427-PL	Purple	38.10	38.10	38.10	12.70	41.28	3.99	8.10	250	R4300, R6700	M610, M611
▶	M6-32-427-RD	Red	38.10	38.10	38.10	12.70	41.28	3.99	8.10	250	R4300, R6700	M610, M611
▶	M6-32-427-YL	Yellow	38.10	38.10	38.10	12.70	41.28	3.99	8.10	250	R4300, R6700	M610, M611
▶	M6-32-427	White	38.10	38.10	38.10	12.70	41.28	3.99	9.40	250	R4300	M610, M611
▶	BM-33-427	White	38.10	101.60	38.10	25.40	104.78	10.80	24.31	500	R4300	M610, M611, M710
▶	M6-109-427	White	38.10	101.60	38.10	38.10	104.78	12.12	20.19	100	R4300	M610, M611
▶	M6-33-427-BL	Blue	38.10	101.60	38.10	25.40	104.78	10.80	24.31	100	R4300, R6700	M610, M611
▶	M6-33-427-BR	Brown	38.10	101.60	38.10	25.40	104.78	10.80	24.31	100	R4300, R6700	M610, M611
▶	M6-33-427-GR	Green	38.10	101.60	38.10	25.40	104.78	10.80	24.31	100	R4300, R6700	M610, M611
▶	M6-33-427-GY	Grey	38.10	101.60	38.10	25.40	104.78	10.80	24.31	100	R4300, R6700	M610, M611
▶	M6-33-427-OR	Orange	38.10	101.60	38.10	25.40	104.78	10.80	24.31	100	R4300, R6700	M610, M611
▶	M6-33-427-PL	Purple	38.10	101.60	38.10	25.40	104.78	10.80	24.31	100	R4300, R6700	M610, M611
▶	M6-33-427-RD	Red	38.10	101.60	38.10	25.40	104.78	10.80	24.31	100	R4300, R6700	M610, M611
▶	M6-33-427	White	38.10	101.60	38.10	25.40	104.78	10.80	24.31	100	R4300	M610, M611
▶	M6-33-427-YL	Yellow	38.10	101.60	38.10	25.40	104.78	10.80	24.31	100	R4300, R6700	M610, M611
▶	BM-109-427	White	38.10	101.60	38.10	38.10	104.78	10.80	20.19	500	R4300	M610, M611, M710
▶	BM-34-427	White	38.10	152.40	38.10	38.10	155.58	16.21	36.40	500	R4300	M610, M611, M710
▶	M6-34-427-BL	Blue	38.10	152.40	38.10	38.10	155.58	16.21	36.40	50	R4300, R6700	M610, M611
▶	M6-34-427-BR	Brown	38.10	152.40	38.10	38.10	155.58	16.21	36.40	50	R4300, R6700	M610, M611
▶	M6-34-427-GR	Green	38.10	152.40	38.10	38.10	155.58	16.21	36.40	50	R4300, R6700	M610, M611
▶	M6-34-427-GY	Grey	38.10	152.40	38.10	38.10	155.58	16.21	36.40	50	R4300, R6700	M610, M611
▶	M6-34-427-OR	Orange	38.10	152.40	38.10	38.10	155.58	16.21	36.40	50	R4300, R6700	M610, M611
▶	M6-34-427-PL	Purple	38.10	152.40	38.10	38.10	155.58	16.21	36.40	50	R4300, R6700	M610, M611
▶	M6-34-427-RD	Red	38.10	152.40	38.10	38.10	155.58	16.21	36.40	50	R4300, R6700	M610, M611
▶	M6-34-427-YL	Yellow	38.10	152.40	38.10	38.10	155.58	16.21	36.40	50	R4300, R6700	M610, M611
▶	M6-34-427	White	38.10	152.40	38.10	38.10	155.58	16.21	36.40	50	R4300	M610, M611
▶	M6-87-427	White	44.45	25.40	44.45	9.53	28.58	2.69	5.11	250	R4300	M610, M611
▶	M6-88-427	White	44.45	38.10	44.45	12.70	41.28	3.99	8.10	250	R4300	M610, M611
▲	M6-78-427-AW	White	48.26	25.40	-	-	28.58	-	-	250	R4300	M610, M611
▶	M6-66-427	White	49.23	80.00	49.23	25.40	83.57	8.50	17.40	100	R4300	M611, M610
▶	M6-107-427	White	50.80	38.10	50.80	12.70	53.98	3.99	8.10	100	R4300	M610, M611
▶	BM-107-427	White	50.80	38.10	50.80	12.70	53.98	3.99	8.10	1000	R4300	M610, M611, M710
▶	M6-235-427	White	50.80	57.15	50.80	19.05	60.33	6.10	12.19	100	R4300	M610, M611
B-642: Polyvinylfluoride												
▶	M6-19-642	White, Transparent	25.40	25.40	25.40	9.53	28.58	3.00	5.05	250	R4300, R6200	M610, M611
▶	M6-31-642	White, Transparent	25.40	38.10	25.40	12.70	28.58	3.99	8.10	250	R4300, R6200	M610, M611
▶	M6-21-642	White, Transparent	25.40	63.50	25.40	19.05	66.68	6.71	14.20	100	R4300, R6200	M610, M611

The M710 printer works with a different set of dedicated ribbons. For more information, visit www.bradyeurope.com/M710

ELECTRICAL, VOICE/DATACOM IDENTIFICATION : WIRE & CABLE MARKING



Wrap around labels

- These durable cloth wrap around labels are available with either an adhesive that allows the markers to be removed cleanly and reapplied if necessary (B-498) or with a permanent adhesive (B-437, B-499).
- A 3 mm overlap is recommended with these materials for an ideal, long lasting solution.




Diagram	Order Reference	Colour	Label Width A (mm)	Label Height B (mm)	Label Length B (m)	Vertical Repeat D (mm)	Max. Wire Diameter (mm)	Labels per Roll	Printer Ribbon Series	Printer Compatibility
B-437: Polyvinylfluoride										
▲	M6-9-437	White	16.51	5.08	-	8.26	4.29	750	R4300, R6200	M610, M611
▲	M6-10-437	White	19.05	6.35	-	9.53	5.11	750	R4300, R6200	M610, M611
▲	M6-15-437	White	25.40	6.99	-	10.16	7.12	750	R4300, R6200	M610, M611
⊙	M6-41-437-WT-CM	White	38.10	-	15.24	-	-	1	R4300, R6200	M610, M611
⊙	M6-41-437-YL-CM	Yellow	38.10	-	15.24	-	-	400	R4300, R6200	M610, M611
▲	M6-29-437	White	38.10	12.70	-	15.88	11.18	500	R4300, R6200	M610, M611
B-439: Vinyl										
∞	M6C-500-439-BK	Black	12.70	-	15.24	-	-	1	R4400	M610, M611
B-498: Vinyl Cloth										
⊙	M6C-240-498	White	6.10	-	9.14	-	-	1	R4300, R6200, R6600	M610, M611
▲	M6-10-498	White	6.35	19.05	-	9.53	5.11	750	R4300, R6200, R6600	M610, M611
⊙	M6C-318-498	White	8.08	-	9.14	-	-	1	R4300, R6200, R6600	M610, M611
∞	BMC-375-498	White	9.53	-	83.82	-	-	1	R4300, R6200, R6600	M610, M611, M710
⊙	M6C-375-498	White	9.53	-	9.14	-	-	1	R4300, R6200, R6600	M610, M611
∞	M6C-500-498	White	12.70	-	9.14	-	-	1	R4300, R6200, R6600	M610, M611
▲	M6-7-498	White	12.70	12.70	-	15.88	3.10	500	R4300, R6200, R6600	M610, M611
▲	BM-29-498	White	12.70	38.10	-	15.88	9.09	5000	R4300, R6200, R6600	M610, M611, M710
▲	M6-11-498	White	19.05	12.70	-	15.88	5.11	500	R4300, R6200, R6600	M610, M611
▲	BM-11-498	White	19.05	12.70	-	15.88	4.55	5000	R4300, R6200, R6600	M610, M611, M710
▲	M6-18-498	White	19.05	25.40	-	22.23	7.14	250	R4300, R6200, R6600	M610, M611
▲	BM-18-498	White	19.05	25.40	-	22.23	6.07	2500	R4300, R6200, R6600	M610, M611, M710
▲	M6-30-498	White	19.05	38.10	-	22.23	11.18	250	R4300, R6200, R6600	M610, M611
▲	M6-23-498	White	25.40	101.60	-	104.78	31.37	100	R4300, R6200, R6600	M610, M611
▲	M6-17-498	White	25.40	12.70	-	15.88	3.10	500	R4300, R6200, R6600	M610, M611
▲	M6-19-498	White	25.40	25.40	-	28.58	7.14	250	R4300, R6200, R6600	M610, M611
▲	BM-19-498	White	25.40	25.40	-	28.58	6.07	2500	R4300, R6200, R6600	M610, M611, M710
▲	M6-103-498	White	25.40	31.75	-	34.93	-	250	R4300, R6200, R6600	M610, M611
▲	M6-15-498	White	25.40	6.99	-	10.16	7.12	750	R4300, R6200, R6600	M610, M611
▲	M6-21-498	White	25.40	63.50	-	66.68	19.25	100	R4300, R6200, R6600	M610, M611
▲	M6-16-498	White	25.40	9.53	-	12.70	7.14	500	R4300, R6200, R6600	M610, M611
▲	M6-33-498	White	38.10	101.60	-	104.78	24.31	100	R4300, R6200, R6600	M610, M611
▲	M6-34-498	White	38.10	152.40	-	155.58	47.53	50	R4300, R6200, R6600	M610, M611
▲	M6-31-498	White	38.10	25.40	-	28.58	11.18	250	R4300, R6200, R6600	M610, M611
▲	M6-32-498	White	38.10	38.10	-	41.28	11.18	250	R4300, R6200, R6600	M610, M611
▲	M6-28-498	White	38.10	6.35	-	9.53	11.18	750	R4300, R6200, R6600	M610, M611


Order references beginning with "B" indicate bulk rolls.

The M710 printer works with a different set of dedicated ribbons. For more information, visit www.bradyeurope.com/M710



See pages 55-59 for a detailed material index.

ELECTRICAL, VOICE/DATACOM IDENTIFICATION : WIRE & CABLE MARKING



Fibre optic labels/flags

- These fibre optic flags allow more legible information to be printed on smaller diameter wires and permit you to handle and view labels without touching the wires.





Diagram	Order Reference	Colour	Label Width A (mm)	Label Height B (mm)	Vertical Repeat D (mm)	Labels per Roll	Printer Ribbon Series	Printer Compatibility
B-425A: Polypropylene								
	M6-1-425-FP	White	29.97	20.02	23.50	250	R4300, R6200	M610, M611
	M6-1-425-FT	White	29.97	20.02	43.56	250	R4300, R6200	M610, M611
	M6-2-425-FP	White	44.45	25.40	66.68	100	R4300, R6200	M610, M611
B-483A: Polyester								
	M6-214-483	White	25.40	50.80	53.98	250	R4300, R6000HF	M610, M611
	M6-218-483-HF	White	25.40	50.80	53.98	100	R4300, R6000HF	M610, M611

* HF enabled QuickFlag labels for M710, M610 and M611 label printers. These HF labels are equipped with an NFC chip limited to short range use for security reasons.



RAPIDO plastic wiremarkers

- Yellow coated polyethylene tag suitable for durable wire marking for electrical devices and fibre installations.




Diagram	Order Reference	Colour	Label Width A (mm)	Label Height B (mm)	Max. Lines of Text	Max. Characters per Line	Vertical Repeat D (mm)	Labels per Roll	Printer Ribbon Series	Printer Compatibility
B-7599: Polyethylene										
	BM-1-7599-YL-R	Yellow	23.00	5.20	1	11	8.38	2500	R6200	M610, M611, M710
	BM-2-7599-YL-R	Yellow	23.00	5.20	1	8	8.38	2500	R6200	M610, M611, M710
	BM-3-7599-YL-R	Yellow	25.00	5.70	2	7	8.89	2500	R6200	M610, M611, M710
	BM-4-7599-YL-R	Yellow	26.00	7.00	2	7	12.01	2500	R6200	M610, M611, M710
	BM-5-7599-YL-R	Yellow	41.00	11.00	3	17	14.20	2500	R6200	M610, M611, M710

Order references beginning with "B" indicate bulk rolls. The M710 printer works with a different set of dedicated ribbons. For more information, visit www.bradyeurope.com/M710



Metal detectable tags

- Suitable for harsh environments, including use in Food and Beverage processing industries
- Detectable by commercially available metal detectors
- The premium format allows to easily remove tags from within a strip of printed series without breaking the liner




Diagram	Order Reference	Colour	Label Width A (mm)	Label Height B (mm)	Vertical Repeat D (mm)	Labels per Roll	Printer Ribbon Series	Printer Compatibility
B-7649: Metal Detectable Polyethylene								
	M6-10X60-7649-BL	Blue	10.00	60.00	65.09	50	R6700, R6800	M610, M611
	M6-10X75-7649-BL	Blue	10.00	75.00	80.43	50	R6700, R6800	M610, M611
	M6-15X75-7649-BL	Blue	15.00	75.00	80.43	50	R6700, R6800	M610, M611
	M6-25X75-7649-BL	Blue	25.00	75.00	80.43	50	R6700, R6800	M610, M611

ELECTRICAL, VOICE/DATACOM IDENTIFICATION : WIRE & CABLE MARKING



B-7643 Halogen-free cable tag

- These cable markers are made of halogen-free polyurethane material.
- The markers are tough, imperishable and with a very high degree of mark permanence in almost any environment.
- This new dual-tag roll design revolutionizes printing efficiency. Customers will experience optimized ribbon consumption and the ability to rapidly print larger volumes, directly translating to significant time and cost savings.




Diagram	Order Reference	Colour	Label Width A (mm)	Label Height B (mm)	Vertical Repeat D (mm)	Labels per Roll	Printer Ribbon Series	Printer Compatibility
B-7643: Thermoplastic Polyether Polyurethane								
◇	BM-10x60-7643-BK	Black	10.00	60.00	65.09	250	R4400	M610, M611, M710
◇	BM-10x60-7643-BL	Blue	10.00	60.00	65.09	250	R4400, R6000HF	M610, M611, M710
◇	BM-10x60-7643-GN	Green	10.00	60.00	65.09	250	R4400, R6000HF	M610, M611, M710
◇	BM-10x60-7643-OR	Orange	10.00	60.00	65.09	250	R4400, R6000HF	M610, M611, M710
◇	BM-10x60-7643-RD	Red	10.00	60.00	65.09	250	R4400, R6000HF	M610, M611, M710
◇	BM-10x60-7643-WT	White	10.00	60.00	65.09	250	R6000HF	M610, M611, M710
◇	BM-10x60-7643-YL	Yellow	10.00	60.00	65.09	250	R4400, R6000HF	M610, M611, M710
▽	BM-10x60-7643-WT-L	White	10.00	60.00	65.88	250	R6000HF	M610, M611, M710
▽	BM-10x60-7643-YL-L	Yellow	10.00	60.00	65.88	250	R4400, R6000HF	M610, M611, M710
◇	M6-10x60-7643-WT	White	10.00	60.00	65.09	50	R6000HF	M610, M611
◇	M6-10x60-7643-YL	Yellow	10.00	60.00	65.09	50	R4400, R6000HF	M610, M611
+	M6-10x60-2-7643-WT	White	10.00	60.00	65.09	100	R6000HF	M610, M611, M710
+	M6-10x60-2-7643-YL	Yellow	10.00	60.00	65.09	100	R4400, R6000HF	M610, M611, M710
+	BM-10x60-2-7643-WT	White	10.00	60.00	65.09	500	R6000HF	M610, M611, M710
+	BM-10x60-2-7643-YL	Yellow	10.00	60.00	65.09	500	R4400, R6000HF	M610, M611, M710
◇	BM-10x75-7643-BK	Black	10.00	75.00	80.43	250	R4400	M610, M611, M710
◇	BM-10x75-7643-BL	Blue	10.00	75.00	80.43	250	R4400, R6000HF	M610, M611, M710
◇	BM-10x75-7643-GN	Green	10.00	75.00	80.43	250	R4400, R6000HF	M610, M611, M710
◇	BM-10x75-7643-OR	Orange	10.00	75.00	80.43	250	R4400, R6000HF	M610, M611, M710
◇	BM-10x75-7643-RD	Red	10.00	75.00	80.43	250	R4400, R6000HF	M610, M611, M710
◇	BM-10x75-7643-WT	White	10.00	75.00	80.43	250	R6000HF	M610, M611, M710
◇	BM-10x75-7643-YL	Yellow	10.00	75.00	80.43	250	R4400, R6000HF	M610, M611, M710
▽	BM-10x75-7643-WT-L	White	10.00	75.00	81.17	250	R6000HF	M610, M611, M710
▽	BM-10x75-7643-YL-L	Yellow	10.00	75.00	81.17	250	R4400, R6000HF	M610, M611, M710
◇	M6-10x75-7643-WT	White	10.00	75.00	80.43	50	R6000HF	M610, M611
◇	M6-10x75-7643-YL	Yellow	10.00	75.00	80.43	50	R4400, R6000HF	M610, M611
+	M6-10x75-2-7643-WT	White	10.00	75.00	80.43	100	R6000HF	M610, M611, M710
+	M6-10x75-2-7643-YL	Yellow	10.00	75.00	80.43	100	R4400, R6000HF	M610, M611, M710
+	BM-10x75-2-7643-WT	White	10.00	75.00	80.43	500	R6000HF	M610, M611, M710
+	BM-10x75-2-7643-YL	Yellow	10.00	75.00	80.43	500	R4400, R6000HF	M610, M611, M710
◇	M6-15x75-7643-WT	White	15.00	75.00	80.43	50	R6000HF	M610, M611
◇	M6-15x75-7643-YL	Yellow	15.00	75.00	80.43	50	R4400, R6000HF	M610, M611
◇	BM-15x75-7643-BK	Black	15.00	75.00	80.43	250	R4400	M610, M611, M710
◇	BM-15x75-7643-BL	Blue	15.00	75.00	80.43	250	R4400, R6000HF	M610, M611, M710
◇	BM-15x75-7643-GN	Green	15.00	75.00	80.43	250	R4400, R6000HF	M610, M611, M710
◇	BM-15x75-7643-OR	Orange	15.00	75.00	80.43	250	R4400, R6000HF	M610, M611, M710
◇	BM-15x75-7643-RD	Red	15.00	75.00	80.43	250	R4400, R6000HF	M610, M611, M710
◇	BM-15x75-7643-WT	White	15.00	75.00	80.43	250	R6000HF	M610, M611, M710
◇	BM-15x75-7643-YL	Yellow	15.00	75.00	80.43	250	R4400, R6000HF	M610, M611, M710
+	M6-15x75-2-7643-WT	White	15.00	75.00	80.43	100	R6000HF	M610, M611, M710

>>

ELECTRICAL, VOICE/DATACOM IDENTIFICATION : WIRE & CABLE MARKING



B-7643 Halogen-free cable tag (continued)




Diagram	Order Reference	Colour	Label Width A (mm)	Label Height B (mm)	Vertical Repeat D (mm)	Labels per Roll	Printer Ribbon Series	Printer Compatibility
+	M6-15X75-2-7643-YL	Yellow	15.00	75.00	80.43	100	R4400, R6000HF	M610, M611, M710
+	BM-15X75-2-7643-WT	White	15.00	75.00	80.43	500	R6000HF	M610, M611, M710
+	BM-15X75-2-7643-YL	Yellow	15.00	75.00	80.43	500	R4400, R6000HF	M610, M611, M710
◇	M6-25x75-7643-BK	Black	25.00	75.00	80.43	50	R4400	M610, M611
◇	M6-25x75-7643-BL	Blue	25.00	75.00	80.43	50	R4400, R6000HF	M610, M611
◇	M6-25x75-7643-GN	Green	25.00	75.00	80.43	50	R4400, R6000HF	M610, M611
◇	M6-25x75-7643-OR	Orange	25.00	75.00	80.43	50	R4400, R6000HF	M610, M611
◇	M6-25x75-7643-RD	Red	25.00	75.00	80.43	50	R4400, R6000HF	M610, M611
◇	M6-25x75-7643-WT	White	25.00	75.00	80.43	50	R6000HF	M610, M611
◇	M6-25x75-7643-YL	Yellow	25.00	75.00	80.43	50	R4400, R6000HF	M610, M611
◇	BM-25x75-7643-BK	Black	25.00	75.00	80.43	250	R4400	M610, M611, M710
◇	BM-25x75-7643-BL	Blue	25.00	75.00	80.43	250	R4400, R6000HF	M610, M611, M710
◇	BM-25x75-7643-GN	Green	25.00	75.00	80.43	250	R4400, R6000HF	M610, M611, M710
◇	BM-25x75-7643-OR	Orange	25.00	75.00	80.43	250	R4400, R6000HF	M610, M611, M710
◇	BM-25x75-7643-RD	Red	25.00	75.00	80.43	250	R4400, R6000HF	M610, M611, M710
◇	BM-25x75-7643-WT	White	25.00	75.00	80.43	250	R6000HF	M610, M611, M710
◇	BM-25x75-7643-YL	Yellow	25.00	75.00	80.43	250	R4400, R6000HF	M610, M611, M710
▽	BM-25x75-7643-WT-L	White	25.00	75.00	82.55	250	R6000HF	M610, M611, M710
▽	BM-25x75-7643-YL-L	Yellow	25.00	75.00	82.55	250	R4400, R6000HF	M610, M611, M710



B-348 Hypertags

- Brady's B-348 High Performance Industry approved Tag guarantees long term outdoor use for wire bundle and cable identification in harsh environments
- Save time and cost as this design makes the application easier and faster. No need for cable ties.




Diagram	Order Reference	Colour	Label Width A (mm)	Label Height B (mm)	Vertical Repeat D (mm)	Labels per Roll	Printer Ribbon Series	Printer Compatibility
B-348: Polyolefin								
W	M6-227-348-YL	Yellow	25.00	78.00	83.20	55	R4400, R6000HF	M610, M611
W	M6-227-348-WT	White	25.00	78.00	83.20	55	R6000HF	M610, M611

Coloured Nylon Ties

- Perfect for colour coded applications.

Order Reference	Colour	Width (mm)	Length (mm)	Quantity
196283	Black	3.50	200.00	100
196311	Transparent	3.50	200.00	100
196352	Yellow	3.50	200.00	100
325498	Blue	3.50	200.00	100
196349	Blue	3.60	200.00	100
196350	Green	3.60	200.00	100
196351	Red	3.60	200.00	100
325500	Blue	4.50	360.00	100



ELECTRICAL, VOICE/DATACOM IDENTIFICATION : WIRE & CABLE MARKING



B-348 Mass transit tag

- The B-348 Mass Transit Tag complies with minimal smoke and halogen emission requirements of the most strict underground norms for mass transit vehicles.
- Printable both on-site and in the field, the tag is a practical solution for mass transit manufacturers to identify thick cables and cable bundles.




Diagram	Order Reference	Colour	Label Width A (mm)	Label Height B (mm)	Vertical Repeat D (mm)	Labels per Roll	Printer Ribbon Series	Printer Compatibility
B-348: Polyolefin								
◇	BM-10x60-348-WT	White	10.00	60.00	65.09	250	R6000HF	M610, M611, M710
◇	BM-10x60-348-YL	Yellow	10.00	60.00	65.09	250	R4400, R6000HF	M610, M611, M710
◇	BM-10x75-348-WT	White	10.00	75.00	80.43	250	R6000HF	M610, M611, M710
◇	BM-10x75-348-YL	Yellow	10.00	75.00	80.43	250	R4400, R6000HF	M610, M611, M710
◇	BM-15x75-348-WT	White	15.00	75.00	80.43	250	R6000HF	M610, M611, M710
◇	BM-15x75-348-YL	Yellow	15.00	75.00	80.43	250	R4400, R6000HF	M610, M611, M710
◇	BM-25x75-348-WT	White	25.00	75.00	80.43	250	R6000HF	M610, M611, M710
◇	BM-25x75-348-YL	Yellow	25.00	75.00	80.43	250	R4400, R6000HF	M610, M611, M710
◇	M6-231-348-YL	Yellow	65.00	11.00	70.53	75	R4400, R6000HF	M610, M611
◇	M6-231-348-WT	White	65.00	11.00	70.53	75	R6000HF	M610, M611
◇	M6-231-348-BL	Blue	65.00	11.00	70.53	75	R4400, R6000HF	M610, M611
◇	M6-231-348-RD	Red	65.00	11.00	70.53	75	R4400, R6000HF	M610, M611
◇	M6-231-348-GN	Green	65.00	11.00	70.53	75	R4400, R6000HF	M610, M611
◇	M6-231-348-BR	Brown	65.00	11.00	70.53	75	R4400, R6000HF	M610, M611
◇	M6-231-348-GY	Grey	65.00	11.00	70.53	75	R4400, R6000HF	M610, M611
◇	M6-231-348-PL	Purple	65.00	11.00	70.53	75	R4400, R6000HF	M610, M611

Order references beginning with "B" indicate bulk rolls.

The M710 printer works with a different set of dedicated ribbons. For more information, visit www.bradyeurope.com/M710



Tear resistant cable markers

- These extremely tear resistant cable markers can be used for a variety of applications including identification of multiconductor cables, inventory and equipment.




Diagram	Order Reference	Colour	Label Width A (mm)	Label Height B (mm)	Printable Area Width PW (mm)	Printable Area Height PH (mm)	Vertical Repeat D (mm)	Labels per Roll	Printer Ribbon Series	Printer Compatibility
B-109: Polyethylene										
⊕	M6-60-109	White	12.00	50.00	12.00	33.00	50.00	100	R4300, R6200	M610, M611
⊕	BM-60-109	White	12.00	50.00	12.00	33.00	50.17	1000	R4300, R6200	M610, M611, M710
⊕	BM-12-109	White	19.05	76.20	12.45	52.07	76.20	1000	R4300, R6200	M610, M611, M710
⊕	M6-12-109	White	19.05	76.20	12.45	57.91	76.20	100	R4300, R6200	M610, M611
⊕	M6-12-109-YL	Yellow	19.05	76.20	17.78	52.07	76.20	100	R4300, R6200	M610, M611
⊕	M6-36-109	White	44.45	28.58	32.26	28.58	28.58	250	R4300, R6200	M610, M611

Order references beginning with "B" indicate bulk rolls.

The M710 printer works with a different set of dedicated ribbons. For more information, visit www.bradyeurope.com/M710

▶ See pages 55-59 for a detailed material index.

ELECTRICAL, VOICE/DATACOM IDENTIFICATION : WIRE & CABLE MARKING



B-7598 Polyester cable tag

The B-7598 polyester tag is a general identification tag for cables exposed to extreme conditions. It requires cable ties to apply to cables with various diameters.

Common applications for this cable tag material are:

- Identification of multi-conductor cables
- Identification of cables in mobile phone towers
- Identification of datacom or telecom cables in general
- General cable identification that must be extremely resistant




Diagram	Order Reference	Colour	Label Width A (mm)	Label Height B (mm)	Vertical Repeat D (mm)	Labels per Roll	Printer Ribbon Series	Printer Compatibility
B-7598: Polyester								
◇	BM-10X60-7598-BK	Black	10.00	60.00	65.09	500	R4400	M610, M611, M710
◇	BM-10X75-7598-BK	Black	10.00	75.00	80.43	250	R4400	M610, M611, M710
◇	BM-10X60-7598-BL	Blue	10.00	60.00	65.09	500	R4400, R6000HF	M610, M611, M710
◇	BM-10X75-7598-BL	Blue	10.00	75.00	80.43	250	R4400, R6000HF	M610, M611, M710
◇	BM-10X60-7598-GN	Green	10.00	60.00	65.09	500	R4400, R6000HF	M610, M611, M710
◇	BM-10X75-7598-GN	Green	10.00	75.00	80.43	250	R4400, R6000HF	M610, M611, M710
◇	BM-10X60-7598-RD	Red	10.00	60.00	65.09	500	R4400, R6000HF	M610, M611, M710
◇	BM-10X75-7598-RD	Red	10.00	75.00	80.43	250	R4400, R6000HF	M610, M611, M710
◇	BM-10X60-7598-SV	Silver	10.00	60.00	65.09	500	R4400, R6000HF	M610, M611, M710
◇	BM-10X75-7598-SV	Silver	10.00	75.00	80.43	250	R4400, R6000HF	M610, M611, M710
◇	M6-10x60-7598-WT	White	10.00	60.00	65.09	100	R4400, R6000HF	M610, M611
◇	M6-10x75-7598-WT	White	10.00	75.00	80.43	100	R4400, R6000HF	M610, M611
◇	BM-10X60-7598-WT	White	10.00	60.00	65.09	500	R4400, R6000HF	M610, M611, M710
◇	BM-10X75-7598-WT	White	10.00	75.00	80.43	250	R4400, R6000HF	M610, M611, M710
◇	M6-10x60-7598-YL	Yellow	10.00	60.00	65.09	100	R4400, R6000HF	M610, M611
◇	M6-10x75-7598-YL	Yellow	10.00	75.00	80.43	100	R4400, R6000HF	M610, M611
◇	BM-10X60-7598-YL	Yellow	10.00	60.00	65.09	500	R4400, R6000HF	M610, M610, M710
◇	BM-10X75-7598-YL	Yellow	10.00	75.00	80.43	250	R4400, R6000HF	M610, M611, M710
◇	BM-15X75-7598-BK	Black	15.00	75.00	80.43	250	R4400	M610, M611, M710
◇	BM-15X75-7598-BL	Blue	15.00	75.00	80.43	250	R4400, R6000HF	M610, M611, M710
◇	BM-15X75-7598-GN	Green	15.00	75.00	80.43	250	R4400, R6000HF	M610, M611, M710
◇	BM-15X75-7598-RD	Red	15.00	75.00	80.43	250	R4400, R6000HF	M610, M611, M710
◇	BM-15X75-7598-SV	Silver	15.00	75.00	80.43	250	R4400, R6000HF	M610, M611, M710
◇	M6-15x75-7598-WT	White	15.00	75.00	80.43	100	R4400, R6000HF	M610, M611
◇	BM-15X75-7598-WT	White	15.00	75.00	80.43	250	R4400, R6000HF	M610, M611, M710
◇	M6-15x75-7598-YL	Yellow	15.00	75.00	80.43	100	R4400, R6000HF	M610, M611
◇	BM-15X75-7598-YL	Yellow	15.00	75.00	80.43	250	R4400, R6000HF	M610, M611, M710
◇	M6-25x75-B7598-BK	Black	25.00	75.00	80.43	100	R4400	M610, M611
◇	BM-25X75-7598-BK	Black	25.00	75.00	80.43	250	R4400	M610, M611, M710
◇	M6-25x75-B7598-BL	Blue	25.00	75.00	80.43	100	R4400, R6000HF	M610, M611
◇	BM-25X75-7598-BL	Blue	25.00	75.00	80.43	250	R4400, R6000HF	M610, M611, M710
◇	M6-25x75-B7598-GN	Green	25.00	75.00	80.43	100	R4400, R6000HF	M610, M611
◇	BM-25X75-7598-GN	Green	25.00	75.00	80.43	250	R4400, R6000HF	M610, M610, M710
◇	M6-25x75-B7598-RD	Red	25.00	75.00	80.43	100	R4400, R6000HF	M610, M611
◇	BM-25X75-7598-RD	Red	25.00	75.00	80.43	250	R4400, R6000HF	M610, M611, M710
◇	M6-25x75-B7598-SV	Silver	25.00	75.00	80.43	100	R4400, R6000HF	M610, M611
◇	BM-25X75-7598-SV	Silver	25.00	75.00	80.43	250	R4400, R6000HF	M610, M611, M710
◇	M6-25x75-B7598-WT	White	25.00	75.00	80.43	100	R4400, R6000HF	M610, M611
◇	BM-25X75-7598-WT	White	25.00	75.00	80.43	250	R4400, R6000HF	M610, M611, M710
◇	M6-25x75-B7598-YL	Yellow	25.00	75.00	80.43	100	R4400, R6000HF	M610, M611
◇	BM-25X75-7598-YL	Yellow	25.00	75.00	80.43	250	R4400, R6000HF	M610, M611, M710

Order references beginning with "B" indicate bulk rolls.


The M710 printer works with a different set of dedicated ribbons. For more information, visit www.bradyeurope.com/M710

ELECTRICAL, VOICE/DATACOM IDENTIFICATION : WIRE & CABLE MARKING



LAMINAT cable marking carriers

- LAMINAT carriers come with a strip to laminate text labels.
- Carriers are fixed with two cable ties on the cables and wires for permanent identification.
- The LAMINAT carriers can be used for any type of cable identification where permanency of the legend is crucial.



Pull the protective film backwards.



Place the label in the middle leaving space for sealing on all four sides of the label.



Seal the carrier by placing a finger on the film and pushing forward, thus rolling over the film and rolling off the silicon liner.



Always feed the cable ties from the top, thus bending down the LAMINAT carrier along the cable.

Diagram	Order Reference	Colour	Label Width A (mm)	Label Height B (mm)	Overlamine Dimensions - Width (mm)	Overlamine Dimensions - Height (mm)	Labels/Tapes Recommended	Printer Ribbon Series	Labels per Roll
B-430: Polyester									
▲	M6-1-430-TL	Transparent	11.00	74.00	-	-	-	R4400, R6000HF, R6200	100
▲	M6-6-430-TL	Transparent	11.00	49.00	-	-	-	R4400, R6000HF, R6200	150
▲	M6-5-430-TL	Transparent	39.00	5.08	-	-	-	R4400, R6000HF, R6200	300
B-7644: Polypropylene Tag with Polyester Overlamine									
○	LC-71X9-B7644-0.1	Yellow	70.99	9.00	45.00	9.00	M6-5-430-TL	-	100
○	LC-103X15-B7644-0.1	Yellow	103.00	15.00	55.00	15.00	M6-6-430-TL	-	100
○	LC-128X15-B7644	Yellow	128.00	15.00	80.00	15.00	M6-1-430-TL	-	100



LAMINAT Tags

- The LAMINAT tags (Manilla tags) are ideal for identification in tough environments including valves, instruments, motors and other industrial components.




Diagram	Order Reference	Colour	Label Width A (mm)	Label Height B (mm)	Overlamine Dimensions - Width (mm)	Overlamine Dimensions - Height (mm)	Labels/Tapes Recommended	Labels per Roll
B-7644: Polypropylene Tag with Polyester Overlamine								
▼	LT-59X25-B7644-0.05	Yellow	59.00	25.00	43.00	25.00	M6-4-430-TL	50
B-7645: Polypropylene Tag with Polyester Overlamine								
▼	LT-59X25-B7645-WR-0.05	Yellow	59.00	25.00	43.00	25.00	M6-4-430-TL	50



Recommended labels for LAMINAT cable marking carriers

- Clear Polyester labels specifically designed to fit the LAMINAT cable marking carriers.




Diagram	Order Reference	Colour	Label Width A (mm)	Label Height B (mm)	Additional Features	Labels per Roll	Printer Ribbon Series	Printer Compatibility
B-430: Polyester								
▲	M6-6-430-TL	Transparent	11.00	49.00	High Adhesion; Translucent; To be used in combination with LC-103x15-B7644	150	R4400, R6000HF, R6200	M610, M611
▲	M6-1-430-TL	Transparent	11.00	74.00	High Adhesion; Translucent; To be used in combination with LC-128x150-B7644	100	R4400, R6000HF, R6200	M610, M611
▲	M6-4-430-TL	Transparent	37.00	21.00	High Adhesion; Translucent; To be used in combination with LT-59x25-B7645	300	R4400, R6000HF, R6200	M610, M611
▲	M6-5-430-TL	Transparent	39.00	5.08	High Adhesion; Translucent; To be used in combination with LC-65x13-B7644 and/or LC-71x9-B7644	300	R4400, R6000HF, R6200	M610, M611

ELECTRICAL, VOICE/DATACOM IDENTIFICATION : WIRE & CABLE MARKING



DuraSleeve inserts

- Brady DuraSleeve printable inserts create a durable legend.
- Tags and inserts easily slide into the clear carriers.
- The legend can be changed before or after termination.




Diagram	Order Reference	Colour	Label Width A (mm)	Label Height B (mm)	Vertical Repeat D (mm)	Labels per Roll	Printer Ribbon Series	Printer Compatibility
B-390: Polypropylene								
	BM-15-390	White	15.00	4.14	10.11	3000	R6000HF, R6200, R6600	M610, M611, M710
	M6-15-390	White	15.00	4.14	10.10	300	R6000HF, R6200, R6600	M610, M611
	BM-30-390	White	29.97	4.14	10.11	3000	R6000HF, R6200, R6600	M610, M611, M710
	M6-30-390	White	29.97	4.14	4.06	300	R6000HF, R6200, R6600	M610, M611
B-7597: Polyethylene								
	M6-10x4.2-7597-WT	White	10.00	4.20	4.20	1500	R4300	M610, M611
	M6-10x4.2-7597-YL	Yellow	10.00	4.20	4.20	1500	R6000HF, R6200, R6600	M610, M611
	M6-15x4.2-7597-WT	White	15.00	4.20	8.02	1500	R4300	M610, M611
	M6-15x4.2-7597-YL	Yellow	15.00	4.20	4.20	1500	R6000HF, R6200, R6600	M610, M611
	M6-30x4.2-7597-WT	White	30.00	4.20	4.20	1500	R4300	M610, M611
	M6-30x4.2-7597-YL	Yellow	30.00	4.20	4.20	1500	R6000HF, R6200, R6600	M610, M611
B-7696: Vinyl								
	BM-10x4.4-7696-WT	White	10.00	4.40	7.56	2500	R6000HF, R6200	M610, M611, M710
	BM-10x4.4-7696-YL	Yellow	10.00	4.40	7.56	2500	R6000HF, R6200	M610, M611, M710
	M6-12x4.4-7696-WT	White	12.00	4.40	7.56	250	R6000HF, R6200	M610, M611
	BM-12x4.4-7696-WT	White	12.00	4.40	7.56	2500	R6000HF, R6200	M610, M611, M710
	BM-12x4.4-7696-YL	Yellow	12.00	4.40	7.56	2500	R6000HF, R6200	M610, M611, M710
	M6-16x4.4-7696-WT	White	16.00	4.40	7.56	250	R6000HF, R6200	M610, M611
	M6-16x4.4-7696-YL	Yellow	16.00	4.40	7.56	250	R6000HF, R6200	M610, M611
	BM-16x4.4-7696-WT	White	16.00	4.40	7.56	2500	R6000HF, R6200	M610, M611, M710
	BM-16x4.4-7696-YL	Yellow	16.00	4.40	7.56	5000	R6000HF, R6200	M610, M611, M710
	M6-23x4.4-7696-WT	White	23.00	4.40	7.56	250	R6000HF, R6200	M610, M611
	BM-23x4.4-7696-WT	White	23.00	4.40	7.56	2500	R6000HF, R6200	M610, M611, M710
	BM-23x4.4-7696-YL	Yellow	23.00	4.40	7.56	2500	R6000HF, R6200	M610, M611, M710
	M6-30x4.4-7696-YL	Yellow	30.00	4.40	7.56	250	R6000HF, R6200	M610, M611
	M6-30x4.4-7696-WT	White	30.00	4.40	7.56	250	R6000HF, R6200	M610, M611
	BM-30x4.4-7696-WT	White	30.00	4.40	7.56	2500	R6000HF, R6200	M610, M611, M710
	BM-30x4.4-7696-YL	Yellow	30.00	4.40	7.56	5000	R6000HF, R6200	M610, M611, M710

Order references beginning with "B" indicate bulk rolls.

The M710 printer works with a different set of dedicated ribbons. For more information, visit www.bradyeurope.com/M710

DuraSleeve tag carrier

DuraSleeve tag carriers are produced in transparent PVC. The special shape of the carrier allows it to adapt to cables of various diameters. There are several sizes of carriers which cater for cables with external diameters from 1.50 mm up to 14 mm.



Order Ref.	Width (mm)	Quantity	Article No.
Wire Diameter: 1.50 mm to 2.50 mm			
DMC-1.5/2.5-30	30.00	500	213263
DMC-1.5/2.5-10	10.00	1000	313644
DMC-1.5/2.5-12	12.00	1000	313645
DMC-1.5/2.5-23	23.00	500	313646
DMC-1.5/2.5-16	16.00	1000	313661
Wire Diameter: 2.00 mm to 4.00 mm			
DMC-2/4-30	30.00	500	213264
DMC-2/4-10	10.00	1000	313647
DMC-2/4-12	12.00	1000	313648
DMC-2/4-23	23.00	500	313649
DMC-2/4-16	16.00	1000	313662

Order Ref.	Width (mm)	Quantity	Article No.
Wire Diameter: 4.00 mm to 7.00 mm			
DMC-4/7-30	30.00	200	213265
DMC-4/7-10	10.00	500	313650
DMC-4/7-12	12.00	500	313651
DMC-4/7-23	23.00	500	313652
DMC-4/7-16	16.00	500	313663
Wire Diameter: 6.00 mm to 10.00 mm			
DMC-6/10-30	30.00	200	213266
DMC-6/10-10	10.00	500	313653
DMC-6/10-12	12.00	500	313654
DMC-6/10-23	23.00	200	313655
DMC-6/10-16	16.00	500	313664

Order Ref.	Width (mm)	Quantity	Article No.
Wire Diameter: 10.00 mm to 14.00 mm			
DMC-10/14-16	16.00	200	313656
DMC-10/14-30	30.00	200	313657
DMC-10/14-10	10.00	200	313658
DMC-10/14-12	12.00	200	313659
DMC-10/14-23	23.00	200	313660

ELECTRICAL, VOICE/DATACOM IDENTIFICATION : COMPONENT & EQUIPMENT MARKING



EPREP: Engraved Plate REplacement Labels

- Brady EPREP labels are innovative labels specifically designed to replace engraved and plotted plates for identification of electrical components, electrical cabinets, push buttons, patch panels etc.



Roll mounted



Fanfolded



Bulk roll




Diagram	Order Reference	Colour	Label Width A (mm)	Label Height B (mm)	Hole Diameter C (mm)	Vertical Repeat D (mm)	Labels per Roll	Layout	Printer Ribbon Series	Printer Compatibility
B-7593: Polyethylene Foam Laminate Polyester										
▲	M6-01-7593-YL	Yellow	27.00	7.95	-	11.17	250	Individual on a Roll	R4400, R6000HF	M610, M611
▲	M6-01-7593-WT	White	27.00	7.95	-	11.17	250	Individual on a Roll	R4400, R6000HF	M610, M611
▲	M6-01-7593-SL	Silver	27.00	7.95	-	11.17	250	Individual on a Roll	R4400, R6000HF	M610, M611
▲	M6-01-7593-RD	Red	27.00	7.95	-	11.17	250	Individual on a Roll	R4400, R6000HF	M610, M611
▲	M6-01-7593-GN	Green	27.00	7.95	-	11.17	250	Individual on a Roll	R4400, R6000HF	M610, M611
▲	M6-01-7593-BK	Black	27.00	7.95	-	11.17	250	Individual on a Roll	R4400	M610, M611
▲	M6-02-7593-YL	Yellow	27.00	12.45	-	15.67	250	Individual on a Roll	R4400, R6000HF	M610, M611
▲	M6-02-7593-WT	White	27.00	12.45	-	15.67	250	Individual on a Roll	R4400, R6000HF	M610, M611
▲	M6-02-7593-SL	Silver	27.00	12.45	-	15.67	250	Individual on a Roll	R4400, R6000HF	M610, M611
▲	M6-02-7593-RD	Red	27.00	12.45	-	15.67	250	Individual on a Roll	R4400, R6000HF	M610, M611
▲	M6-02-7593-GN	Green	27.00	12.45	-	15.67	250	Individual on a Roll	R4400, R6000HF	M610, M611
▲	M6-02-7593-BK	Black	27.00	12.45	-	15.67	250	Individual on a Roll	R4400	M610, M611
▲	M6-03-7593-YL	Yellow	27.00	15.00	-	18.17	150	Individual on a Roll	R4400, R6000HF	M610, M611
▲	M6-03-7593-WT	White	27.00	15.00	-	18.17	150	Individual on a Roll	R4400, R6000HF	M610, M611
▲	M6-03-7593-SL	Silver	27.00	15.00	-	18.17	150	Individual on a Roll	R4400, R6000HF	M610, M611
▲	M6-03-7593-RD	Red	27.00	15.00	-	18.17	150	Individual on a Roll	R4400, R6000HF	M610, M611
▲	M6-03-7593-BK	Black	27.00	15.00	-	18.17	150	Individual on a Roll	R4400	M610, M611
▲	M6-04-7593-YL	Yellow	27.00	18.00	-	21.17	150	Individual on a Roll	R4400, R6000HF	M610, M611
▲	M6-04-7593-WT	White	27.00	18.00	-	21.17	150	Individual on a Roll	R4400, R6000HF	M610, M611
▲	M6-04-7593-SL	Silver	27.00	18.00	-	21.17	150	Individual on a Roll	R4400, R6000HF	M610, M611
▲	M6-04-7593-RD	Red	27.00	18.00	-	21.17	150	Individual on a Roll	R4400, R6000HF	M610, M611
▲	M6-04-7593-BK	Black	27.00	18.00	-	21.17	150	Individual on a Roll	R4400	M610, M611
▲	M6-05-7593-YL	Yellow	30.00	40.00	24.00	43.17	100	Fan-folded	R4400, R6000HF	M610, M611
▲	M6-05-7593-WT	White	30.00	40.00	24.00	43.17	100	Fan-folded	R4400, R6000HF	M610, M611
▲	M6-05-7593-SL	Silver	30.00	40.00	24.00	43.17	100	Fan-folded	R4400, R6000HF	M610, M611
▲	M6-05-7593-RD	Red	30.00	40.00	24.00	43.17	100	Fan-folded	R4400, R6000HF	M610, M611
▲	M6-05-7593-GN	Green	30.00	40.00	24.00	43.17	100	Fan-folded	R4400, R6000HF	M610, M611
▲	M6-05-7593-BK	Black	30.00	40.00	24.00	43.17	100	Fan-folded	R4400	M610, M611
▲	M6-06-7593-YL	Yellow	15.00	45.00	-	68.26	300	Fan-folded	R4400, R6000HF	M610, M611
▲	M6-06-7593-RD	Red	15.00	45.00	-	68.26	300	Fan-folded	R4400, R6000HF	M610, M611
▲	M6-06-7593-BK	Black	15.00	45.00	-	68.26	300	Fan-folded	R4400	M610, M611
▲	M6-07-7593-YL	Yellow	18.00	35.00	-	45.00	300	Fan-folded	R4400, R6000HF	M610, M611
▲	M6-07-7593-WT	White	18.00	35.00	-	45.00	300	Fan-folded	R4400, R6000HF	M610, M611
▲	M6-07-7593-SL	Silver	18.00	35.00	-	45.00	300	Fan-folded	R4400, R6000HF	M610, M611
▲	M6-07-7593-BK	Black	18.00	35.00	-	45.00	300	Fan-folded	R4400	M610, M611
▲	M6-08-7593-YL	Yellow	19.00	48.00	-	71.00	300	Fan-folded	R4400, R6000HF	M610, M611
▲	M6-08-7593-WT	White	19.00	48.00	-	71.00	300	Fan-folded	R4400, R6000HF	M610, M611
▲	M6-08-7593-SL	Silver	19.00	48.00	-	71.00	300	Fan-folded	R4400, R6000HF	M610, M611
▲	M6-08-7593-BK	Black	19.00	48.00	-	71.00	300	Fan-folded	R4400	M610, M611
▲	M6-09-7593-YL	Yellow	25.00	75.00	-	78.17	100	Fan-folded	R4400, R6000HF	M610, M611
▲	M6-09-7593-WT	White	25.00	75.00	-	78.17	100	Fan-folded	R4400, R6000HF	M610, M611
▲	M6-10-7593-YL	Yellow	25.00	100.00	-	103.17	100	Fan-folded	R6000HF, R4400	M610, M611
▲	M6-10-7593-WT	White	25.00	100.00	-	103.17	100	Fan-folded	R6000HF, R4400	M610, M611
▲	M6-11-7593	White	30.00	48.00	24.00	58.42	100	Fan-folded	R4400, R6000HF	M611, M610
▲	BM-06-7593-WT	White	45.00	15.00	-	18.26	450	Individual on a Roll	R4400, R6000HF	M610, M611, M710
▲	BM-06-7593-SL	Silver	45.00	15.00	-	18.26	450	Individual on a Roll	R4400, R6000HF	M610, M611, M710

Order references beginning with "B" indicate bulk rolls. The M710 printer works with a different set of dedicated ribbons. For more information, visit www.bradyeurope.com/M710

ELECTRICAL, VOICE/DATACOM IDENTIFICATION : COMPONENT & EQUIPMENT MARKING



General electrical component marking

- Nylon cloth marker with a firm adhesive offering excellent holding power in harsh environments.




Diagram	Order Reference	Colour	Label Width A (mm)	Label Height B (mm)	Diameter C (mm)	Vertical Repeat D (mm)	Max. Characters per Line	Max. Lines of Text	Labels per Roll	Printer Ribbon Series	Printer Compatibility
B-499: Nylon Cloth											
✕	M6-83-499	White	-	-	12.70	15.88	11	1	500	R4300, R6200	M610, M611
✕	M6-82-499	White	-	-	9.53	12.70	8	3	500	R4300, R6200	M610, M611
✕	M6-82-499-YL	Yellow	-	-	9.53	12.70	8	3	500	R4300, R6200	M610, M611
✕	M6-83-499-YL	Yellow	-	-	12.70	15.88	11	1	500	R4300, R6200	M610, M611
▲	M6-67-499-YL	Yellow	15.00	9.00	-	12.17	13	2	750	R4300, R6200	M610, M611
▲	BM-67-499-YL	Yellow	15.00	9.00	-	12.17	13	2	7500	R4300, R6200	M610, M611, M710
▲	M6-153-499-YL	Yellow	16.00	5.08	-	8.17	15	1	750	R4300, R6200	M610, M611
●	M6-236-499-WT	White	20.00	8.00	-	12.70	-	-	1500	R4300, R6200	M610, M611
▲	M6-47-499-YL	Yellow	20.00	7.95	-	11.18	18	2	750	R4300, R6200	M610, M611
●	M6-236-499-YL	Yellow	20.00	8.00	-	12.70	-	-	1500	R4300, R6200	M610, M611

Order references beginning with "B" indicate bulk rolls. The M710 printer works with a different set of dedicated ribbons. For more information, visit www.bradyeurope.com/M710



Terminal block markers

- Print clear terminal identification to avoid system failures, reduce wiring errors and improve safety
- Use the Terminal Block app in Brady Workstation or Express Labels Mobile App to easily design & print




Diagram	Order Reference	Colour	Label Width A (mm)	Label Length B (m)	Labels per Roll	Printer Ribbon Series	Printer Compatibility
B-422: Polyester							
⊙	M6C-8-422-TB	White	8.00	15.00	1	R4400, R6000HF, R6200	M610, M611
⊙	M6C-375-422	White	9.53	15.24	1	R4400, R6000HF, R6200	M610, M611
B-430: Polyester							
⊙	M6C-375-430	Transparent	9.53	15.24	1	R4400, R6000HF, R6200	M610, M611
B-432: Polyester							
∞	M6C-250-432	Transparent	6.35	15.24	1	R4400, R6000HF, R6200	M610, M611
B-483A: Polyester							
∞	M6C-250-483	White	6.35	15.24	1	R4300, R6000HF	M610, M611
B-489A: Polyester							
∞	M6C-250-489	White	6.35	15.24	1	R4300, R6200	M610, M611
B-498: Vinyl Cloth							
⊙	M6C-240-498	White	6.10	9.14	1	R4300, R6200, R6600	M610, M611
⊙	M6C-318-498	White	8.08	9.14	1	R4300, R6200, R6600	M610, M611
⊙	M6C-375-498	White	9.53	9.14	1	R4300, R6200, R6600	M610, M611
∞	BMC-375-498	White	9.53	83.82	1	R4300, R6200, R6600	M610, M611, M710
B-499: Nylon Cloth							
⊙	M6C-375-499	White	9.53	9.14	1	R4300, R6200	M610, M611
B-7551: Polyester							
⊙	M6C-5-7551-TB	Transparent	4.50	15.00	1	R6200	M610, M611
B-7696: Vinyl							
∞	M6C-433-7696	White	11.00	10.00	1	R6000HF, R6200	M610, M611

Order references beginning with "B" indicate bulk rolls. The M710 printer works with a different set of dedicated ribbons. For more information, visit www.bradyeurope.com/M710

Easily document any cable

See pages 70-71 for more information on RFID kits.



ELECTRICAL, VOICE/DATACOM IDENTIFICATION : COMPONENT & EQUIPMENT MARKING



Circuit breaker marking

- Polyester labels that neatly fit the most commonly used circuit
- Use the Breaker Box app in Brady Workstation or Express Labels Mobile App to easily design & print




Diagram	Order Reference	Colour	Label Width A (mm)	Label Height B (mm)	Vertical Repeat D (mm)	Labels per Roll	Printer Ribbon Series	Printer Compatibility
B-423: Polyester								
▲	M6-220-423	White	15.00	6.00	9.20	750	R4400, R6000HF, R6200	M610, M611
▲	M6-220-423-YL	Yellow	15.00	6.00	9.20	750	R6000HF	M610, M611
▲	M6-219-423	White	17.00	6.00	9.20	750	R4400, R6000HF, R6200	M610, M611
▲	M6-219-423-YL	Yellow	17.00	6.00	9.20	750	R6000HF	M610, M611
B-499: Nylon Cloth								
▲	M6-220-499	White	15.00	6.00	9.20	750	R4300, R6200	M610, M611
▲	M6-220-499-YL	Yellow	15.00	6.00	9.20	750	R4300, R6200	M610, M611
▲	M6-219-499	White	17.00	6.00	9.20	750	R4300, R6200	M610, M611
▲	M6-219-499-YL	Yellow	17.00	6.00	9.20	750	R4300, R6200	M610, M611



Face plate labels

- A variety of durable and resistant materials to label your workstation.




Diagram	Order Reference	Colour	Label Width A (mm)	Label Height B (mm)	Vertical Repeat D (mm)	Labels per Roll	Printer Ribbon Series	Printer Compatibility
B-412: Polypropylene								
⊗	BM-40-412	White	49.23	9.53	9.53	5000	R4300, R6200	M610, M611, M710
⊗	M6-40-412	White	49.23	9.53	9.53	750	R4300, R6200	M610, M611
B-422: Polyester								
⊗	M6-39-422	White	9.53	15.24	15.24	750	R4400, R6000HF, R6200	M610, M611
▲	M6-44-422	White	12.70	9.53	12.70	500	R4400, R6000HF, R6200	M610, M611
▲	M6-7-422	White	12.70	12.70	15.88	500	R4400, R6000HF, R6200	M610, M611
▲	M6-16-422	White	25.40	9.53	12.70	500	R4400, R6000HF, R6200	M610, M611
▲	M6-17-422	White	25.40	12.70	15.88	500	R4400, R6000HF, R6200	M610, M611
▲	M6-29-422	White	38.10	12.70	15.88	500	R4400, R6000HF, R6200	M610, M611
B-430: Polyester								
▲	M6-71-430	Transparent	8.89	5.08	8.28	750	R4400, R6000HF, R6200	M610, M611
⊗	M6-39-430	Transparent	9.53	15.24	15.24	750	R4400, R6000HF, R6200	M610, M611
▲	M6-44-430	Transparent	12.70	9.53	12.70	500	R4400, R6000HF, R6200	M610, M611
▲	M6-7-430	Transparent	12.70	12.70	15.88	500	R4400, R6000HF, R6200	M610, M611
▲	M6-16-430	Transparent	25.40	9.53	12.70	500	R4400, R6000HF, R6200	M610, M611
▲	M6-17-430	Transparent	25.40	12.70	15.88	500	R4400, R6000HF, R6200	M610, M611
▲	M6-29-430	Transparent	38.10	12.70	15.88	500	R4400, R6000HF, R6200	M610, M611
▲	M6-45-430	Transparent	38.10	9.53	12.70	500	R4400, R6000HF, R6200	M610, M611

Order references beginning with "B" indicate bulk rolls.

The M710 printer works with a different set of dedicated ribbons. For more information, visit www.bradyeurope.com/M710



Easily document any cable

See pages 70-71 for more information on RFID kits.



ELECTRICAL, VOICE/DATACOM IDENTIFICATION : ASSET & COMPONENT MARKING



Patch panel labels

- Create a fully-formatted serialised punch block label to fit your equipment.
- Label your ports, jack and outlets with adhesive labels or slide-in strips.
- Use the Patch Panel app in Brady Workstation or Express Labels Mobile App to easily design & print




Diagram	Order Reference	Colour	Label Width A (mm)	Label Length B (m)	Labels per Roll	Printer Ribbon Series	Printer Compatibility
B-412: Polypropylene							
∞	M6C-23-412	White	5.84	15.24	1	R4300, R6200	M610, M611
∞	M6C-375-412	White	9.53	15.24	1	R4300, R6200	M610, M611
∞	M6C-500-412	White	12.70	15.24	1	R4300, R6200	M610, M611
∞	M6C-535-412	White	13.59	15.24	1	R4300, R6200	M610, M611
∞	M6C-785-412	White	19.94	15.24	1	R4300, R6200	M610, M611



Racks, panels & general datacom identification

- Durable materials with permanent adhesive in a variety of sizes for marking racks, bays, frames, slots and other voice/data equipment.




Diagram	Order Reference	Colour	Label Width A (mm)	Label Height B (mm)	Label Length B (m)	Vertical Repeat D (mm)	Labels per Roll	Printer Ribbon Series	Printer Compatibility
B-422: Polyester									
▲	M6-20-422	White	25.40	50.80	-	53.98	100	R4400, R6000HF, R6200	M610, M611
▲	BM-20-422	White	50.80	25.40	-	53.98	1000	R4400, R6000HF, R6200	M610, M611, M710
⊙	M6C-375-422	White	9.53	-	15.24	-	1	R4400, R6000HF, R6200	M610, M611
⊙	M6C-475-422	White	12.07	-	15.24	-	1	R4400, R6000HF, R6200	M610, M611
⊙	M6C-500-422	White	12.70	-	15.24	-	1	R4400, R6000HF, R6200	M610, M611
⊙	M6C-625-422	White	15.88	-	15.24	-	1	R4400, R6000HF, R6200	M610, M611
∞	M6C-1000-422	White	25.40	-	15.24	-	1	R4400, R6000HF, R6200	M610, M611
B-423: Polyester									
▲	M6-10-423	White	19.05	6.35	-	9.53	750	R4400, R6000HF, R6200	M610, M611
▲	M6-30-423	White	38.10	19.05	-	22.23	250	R4400, R6000HF, R6200	M610, M611
▲	M6-52-423	White	48.26	15.24	-	18.42 w	250	R4400, R6000HF, R6200	M610, M611
⊙	M6C-500-423	White	12.70	-	15.24	-	1	R4400, R6000HF, R6200	M610, M611
B-428: Metallised Polyester									
⊙	M6C-500-428	Light Grey	12.70	-	15.24	-	1	R4300	M610, M611
B-430: Polyester									
▲	M6-22-430	Transparent	25.40	76.20	-	79.38	100	R4400, R6000HF, R6200	M610, M611
▲	M6-30-430	Transparent	38.10	19.05	-	22.23	250	R4400, R6000HF, R6200	M610, M611
▲	M6-28-430	Transparent	38.10	6.35	-	9.53	750	R4400, R6000HF, R6200	M610, M611
▲	M6-52-430	Transparent	48.26	15.24	-	18.42	250	R4400, R6000HF, R6200	M610, M611
▲	M6-78-430	Transparent	48.26	25.40	-	28.58	250	R4400, R6000HF, R6200	M610, M611
▲	M6-37-430	Transparent	76.20	48.26	-	79.38	100	R4400, R6000HF, R6200	M610, M611
⊙	M6C-375-430	Transparent	9.53	-	15.24	-	1	R4400, R6000HF, R6200	M610, M611
⊙	M6C-500-430	Transparent	12.70	-	15.24	-	1	R4400, R6000HF, R6200	M610, M611
∞	M6C-1000-430	Transparent	25.40	-	15.24	-	1	R4400, R6000HF, R6200	M610, M611
∞	M6C-1900-430	Transparent	48.26	-	15.24	-	1	R4400, R6000HF, R6200	M610, M611
B-432: Polyester									
▲	M6-11-432	Transparent	19.05	12.70	-	15.88	500	R4400, R6000HF, R6200	M610, M611
∞	M6C-500-432	Transparent	12.70	-	9.14	-	1	R4400, R6000HF, R6200	M610, M611
∞	M6C-250-432	Transparent	6.35	-	15.24	-	1	R4400, R6000HF, R6200	M610, M611
∞	M6C-1000-432	Transparent	25.40	-	15.24	-	1	R4400, R6000HF, R6200	M610, M611
∞	M6C-1900-432	Transparent	48.26	-	15.24	-	1	R4400, R6000HF, R6200	M610, M611
B-483A: Polyester									
∞	M6C-250-483	White	6.35	-	15.24	-	1	R4300, R6000HF	M610, M611
⊙	M6C-500-483	White	12.70	-	15.24	-	1	R4300, R6000HF	M610, M611
∞	M6C-1000-483	White	25.40	-	15.24	-	1	R4300, R6000HF	M610, M611
∞	M6C-1900-483	White	48.26	-	15.24	-	1	R4300, R6000HF	M610, M611

Order references beginning with "B" indicate bulk rolls.

The M710 printer works with a different set of dedicated ribbons. For more information, visit www.bradyeurope.com/M710

GENERAL & INDUSTRIAL IDENTIFICATION : ASSET & COMPONENT MARKING



Asset & equipment labels

- Ideal for use in pipe marking, warehouse and safety identification, arc flash and visual workplace labels in both indoor and outdoor use.




Diagram	Order Reference	Colour	Label Width A (mm)	Label Height B (mm)	Label Length B (m)	Vertical Repeat D (mm)	Labels per Roll	Printer Ribbon Series	Printer Compatibility
B-422: Polyester									
⊙	M6C-375-422	White	9.53	-	15.24	-	1	R4400, R6000HF, R6200	M610, M611
⊙	M6C-475-422	White	12.07	-	15.24	-	1	R4400, R6000HF, R6200	M610, M611
⊙	M6C-500-422	White	12.70	-	15.24	-	1	R4400, R6000HF, R6200	M610, M611
⊙	M6C-625-422	White	15.88	-	15.24	-	1	R4400, R6000HF, R6200	M610, M611
∞	M6C-1000-422	White	25.40	-	15.24	-	1	R4400, R6000HF, R6200	M610, M611
▲	M6-17-422	White	25.40	12.70	-	15.88	500	R4400, R6000HF, R6200	M610, M611
▲	M6-19-422	White	25.40	25.40	-	28.58	250	R4400, R6000HF, R6200	M610, M611
▲	M6-20-422	White	25.40	50.80	-	53.98	100	R4400, R6000HF, R6200	M610, M611
▲	M6-29-422	White	38.10	12.70	-	15.88	500	R4400, R6000HF, R6200	M610, M611
▲	M6-30-422	White	38.10	19.05	-	22.23	250	R4400, R6000HF, R6200	M610, M611
▲	M6-32-422	White	38.10	38.10	-	41.28	250	R4400, R6000HF, R6200	M610, M611
∞	M6C-1900-422	White	48.26	-	15.24	-	1	R4400, R6000HF, R6200	M610, M611
▲	M6-22-422	White	76.20	25.40	-	79.38	100	R4400, R6000HF, R6200	M610, M611
▲	M6-37-422	White	76.20	48.26	-	79.38	100	R4400, R6000HF, R6200	M610, M611
▲	M6-23-422	White	101.60	25.40	-	104.78	100	R4400, R6000HF, R6200	M610, M611
▲	M6-38-422	White	101.60	48.26	-	104.78	100	R4400, R6000HF, R6200	M610, M611
B-423: Polyester									
⊙	M6C-500-423	White	12.70	-	15.24	-	1	R4400, R6000HF, R6200	M610, M611
▲	M6-7-423	White	12.70	12.70	-	15.88	500	R4400, R6000HF, R6200	M610, M611
▲	BM-7-423	White	12.70	12.70	-	15.88	5000	R4400, R6000HF, R6200	M610, M611, M710
▲	BM-17-423	White	25.40	12.70	-	15.88	5000	R4400, R6000HF, R6200	M610, M611, M710
▲	M6-17-423	White	25.40	12.70	-	15.88	500	R4400, R6000HF, R6200	M610, M611
▲	M6-19-423	White	25.40	25.40	-	28.58	250	R4400, R6000HF, R6200	M610, M611
▲	BM-19-423	White	25.40	25.40	-	28.58	2500	R4400, R6000HF, R6200	M610, M611, M710
▲	BM-20-423	White	25.40	50.80	-	53.98	1000	R4400, R6000HF, R6200	M610, M611, M710
▲	M6-20-423	White	25.40	50.80	-	53.98	100	R4400, R6000HF, R6200	M610, M611
▲	M6-24-423-BK	White	28.70	12.70	-	15.88	500	R4400, R6000HF	M610, M611
▲	M6-26-423	White	31.75	69.85	-	73.03	100	R4400, R6000HF, R6200	M610, M611
▲	M6-29-423	White	38.10	12.70	-	15.88	500	R4400, R6000HF, R6200	M610, M611
▲	BM-29-423	White	38.10	12.70	-	15.88	5000	R4400, R6000HF, R6200	M610, M611, M710
▲	M6-31-423	White	38.10	25.40	-	28.58	250	R4400, R6000HF, R6200	M610, M611
▲	M6-32-423	White	38.10	38.10	-	41.28	250	R4400, R6000HF, R6200	M610, M611
▲	M6-221-423-UHF*	White	45.00	18.00	-	22.23	100	R4400, R6000HF, R6200	M610, M611, M710
▲	M6-22-423	White	76.20	25.40	-	79.38	100	R4400, R6000HF, R6200	M610, M611
▲	M6-37-423	White	76.20	48.26	-	79.38	100	R4400, R6000HF, R6200	M610, M611
▲	M6-23-423	White	101.60	25.40	-	104.78	100	R4400, R6000HF, R6200	M610, M611
▲	M6-38-423	White	101.60	48.26	-	104.78	100	R4400, R6000HF, R6200	M610, M611
B-428: Metallised Polyester									
▲	M6-17-428	Light Grey	25.40	12.70	-	15.88	500	R4300	M610, M611
B-432: Polyester									
∞	M6C-250-432	Transparent	6.35	-	15.24	-	1	R4400, R6000HF, R6200	M610, M611
∞	M6C-500-432	Transparent	12.70	-	9.14	-	1	R4400, R6000HF, R6200	M610, M611
▲	M6-10-432	Transparent	19.05	6.35	-	9.53	750	R4400, R6000HF, R6200	M610, M611
▲	M6-11-432	Transparent	19.05	12.70	-	15.88	500	R4400, R6000HF, R6200	M610, M611
∞	M6C-1000-432	Transparent	25.40	-	15.24	-	1	R4400, R6000HF, R6200	M610, M611
▲	M6-17-432	Transparent	25.40	12.70	-	15.88	500	R4400, R6000HF, R6200	M610, M611
∞	M6C-1900-432	Transparent	48.26	-	15.24	-	1	R4400, R6000HF, R6200	M610, M611
B-459: Polyester									
▲	M6-20-459	White	25.40	50.80	-	53.98	100	R6000HF	M610, M611
▲	M6-29-459	White	38.10	12.70	-	15.88	500	R6000HF	M610, M611
▲	M6-30-459	White	38.10	19.05	-	22.23	250	R6000HF	M610, M611

The M710 printer works with a different set of dedicated ribbons. For more information, visit www.bradyeurope.com/M710

* Asset Tracking UHF RFID Labels for M710, M610 and M611 printers

>>

GENERAL & INDUSTRIAL IDENTIFICATION : ASSET & COMPONENT MARKING



Asset & equipment labels (continued)




Diagram	Order Reference	Colour	Label Width A (mm)	Label Height B (mm)	Label Length B (m)	Vertical Repeat D (mm)	Labels per Roll	Printer Ribbon Series	Printer Compatibility
B-473: Static Dissipative Polyester									
▲	M6-17-473	White	25.40	12.70	-	15.88	500	R6000HF	M610, M611
B-483A: Polyester									
⊙	M6C-500-483	White	12.70	-	15.24	-	1	R4300, R6000HF	M610, M611
▲	M6-61-483	White	12.70	50.80	-	53.98	100	R4300, R6000HF	M610, M611
▲	M6-62-483	White	19.05	101.60	-	104.78	50	R4300, R6000HF	M610, M611
▲	M6-63-483	White	19.05	203.20	-	206.38	50	R4300, R6000HF	M610, M611
▲	M6-16-483	White	25.40	9.53	-	12.70	500	R4300, R6000HF	M610, M611
▲	M6-17-483	White	25.40	12.70	-	15.88	500	R4300, R6000HF	M610, M611
▲	M6-19-483	White	25.40	25.40	-	28.58	250	R4300, R6000HF	M610, M611
▲	M6-20-483	White	25.40	50.80	-	53.98	100	R4300, R6000HF	M610, M611
◐	M6-24-483-BK	White	28.70	12.70	-	15.88	500	R4300, R6000HF	M610, M611
∞	M6C-1300-483	White	33.02	-	15.24	-	1	R4300, R6000HF	M610, M611
▲	M6-65-483	White	34.93	25.40	-	28.58	250	R4300, R6000HF	M610, M611
▲	M6-29-483	White	38.10	12.70	-	15.88	500	R4300, R6000HF	M610, M611
▲	M6-30-483	White	38.10	19.05	-	22.23	250	R4300, R6000HF	M610, M611
▲	M6-31-483	White	38.10	25.40	-	28.58	250	R4300, R6000HF	M610, M611
▲	M6-32-483	White	38.10	38.10	-	41.28	250	R4300, R6000HF	M610, M611
▲	M6-37-483	White	76.20	48.26	-	79.38	100	R4300, R6000HF	M610, M611
▲	M6-23-483	White	101.60	25.40	-	104.78	100	R4300, R6000HF	M610, M611
▲	M6-38-483	White	101.60	48.26	-	104.78	100	R4300, R6000HF	M610, M611
B-488: Polyester									
▲	M6-80-488	White	19.05	22.86	-	28.58	250	R4300	M610, M611
▲	M6-97-488	White	22.86	22.86	-	28.58	250	R4300	M610, M611
▲	M6-78-488	White	48.26	25.40	-	28.58	250	R4300	M610, M611
B-489A: Polyester									
∞	M6C-250-489	White	6.35	-	15.24	-	1	R4300, R6200	M610, M611
∞	M6C-500-489	White	12.70	-	9.14	-	1	R4300, R6200	M610, M611
∞	M6C-1000-489	White	25.40	-	15.24	-	1	R4300, R6200	M610, M611
▲	M6-16-489	White	25.40	9.53	-	12.70	500	R4300, R6200	M610, M611
▲	M6-17-489	White	25.40	12.70	-	15.88	500	R4300, R6200	M610, M611
▲	M6-19-489	White	25.40	25.40	-	28.58	250	R4300, R6200	M610, M611
▲	M6-20-489	White	25.40	50.80	-	53.98	100	R4300, R6200	M610, M611
∞	M6C-1300-489	White	33.02	-	15.24	-	1	R4300, R6200	M610, M611
▲	M6-29-489	White	38.10	12.70	-	15.88	500	R4300, R6200	M610, M611
▲	M6-30-489	White	38.10	19.05	-	22.23	250	R4300, R6200	M610, M611
▲	M6-31-489	White	38.10	25.40	-	28.58	250	R4300, R6200	M610, M611
▲	M6-32-489	White	38.10	38.10	-	41.28	250	R4300, R6200	M610, M611
∞	M6C-1900-489	White	48.26	-	15.24	-	1	R4300, R6200	M610, M611
▲	M6-37-489	White	76.20	48.26	-	79.38	100	R4300, R6200	M610, M611
▲	M6-38-489	White	101.60	48.26	-	104.78	100	R4300, R6200	M610, M611
B-499: Nylon Cloth									
▲	M6-81-499	White	48.26	6.35	-	9.53	750	R4300, R6200	M610, M611
▲	M6-78-499	White	48.26	25.40	-	28.58	250	R4300, R6200	M610, M611
B-595: Vinyl									
∞	M6C-375-595-BL	Blue	9.53	-	15.24	-	1	R4400, R6000HF, R10000	M610, M611
∞	M6C-375-595-GN	Green	9.53	-	15.24	-	1	R4400, R6000HF, R10000	M610, M611
∞	M6C-375-595-OR	Orange	9.53	-	15.24	-	1	R4400, R6000HF, R10000	M610, M611
∞	M6C-375-595-RD	Red	9.53	-	15.24	-	1	R4400, R6000HF, R10000	M610, M611
∞	M6C-375-595-WT	White	9.53	-	15.24	-	1	R4400, R6000HF, R10000	M610, M611
∞	M6C-375-595-YL	Yellow	9.53	-	15.24	-	1	R4400, R10000	M610, M611
∞	M6C-750-595-BL	Blue	19.05	-	15.24	-	1	R4400, R6000HF, R10000	M610, M611
∞	M6C-750-595-GN	Green	19.05	-	15.24	-	1	R4400, R6000HF, R10000	M610, M611
∞	M6C-750-595-OR	Orange	19.05	-	15.24	-	1	R4400, R6000HF, R10000	M610, M611
∞	M6C-750-595-RD	Red	19.05	-	15.24	-	1	R4400, R6000HF, R10000	M610, M611
∞	M6C-750-595-WT	White	19.05	-	15.24	-	1	R4400, R6000HF, R10000	M610, M611
∞	M6C-750-595-YL	Yellow	19.05	-	15.24	-	1	R4400, R10000	M610, M611

GENERAL & INDUSTRIAL IDENTIFICATION : ASSET & COMPONENT MARKING



Rating and name plate labels

- Choose from several materials with aggressive adhesives for use in commercial/ industrial applications, including low surface energy and textured surfaces.




Diagram	Order Reference	Colour	Label Width A (mm)	Label Height B (mm)	Label Length B (m)	Vertical Repeat D (mm)	Labels per Roll	Printer	Ribbon Series	Printer Compatibility
B-428: Metallised Polyester										
⊙	M6C-500-428	Light Grey	12.70	-	15.24	-	1	R4300		M610, M611
▲	M6-15-428	Light Grey	25.40	6.99	-	10.16	750	R4300		M610, M611
▲	M6-17-428	Light Grey	25.40	12.70	-	15.88	500	R4300		M610, M611
▲	BM-17-428	Light Grey	25.40	12.70	-	15.88	5000	R4300		M610, M611, M710
▲	M6-20-428	Light Grey	25.40	50.80	-	53.98	100	R4300		M610, M611
◐	M6-24-428-BK	Light Grey	28.70	12.70	-	15.88	500	R4300		M610, M611
▲	M6-26-428	Light Grey	31.75	69.85	-	73.03	100	R4300		M610, M611
▲	M6-29-428	Light Grey	38.10	12.70	-	15.88	500	R4300		M610, M611
▲	BM-20-428	Light Grey	50.80	25.40	-	53.98	1000	R4300		M610, M611, M710
▲	M6-22-428	Light Grey	76.20	25.40	-	79.38	100	R4300		M610, M611
▲	M6-37-428	Light Grey	76.20	48.26	-	79.38	100	R4300		M610, M611
▲	M6-38-428	Light Grey	101.60	48.26	-	104.78	100	R4300		M610, M611
B-435: Metallised Polyester										
∞	M6C-1900-435	Silver	48.26	-	15.24	-	1	R6000HF		M610, M611, M710
B-435A: Metallised Polyester										
▲	M6-16-435	Silver	25.40	9.53	-	12.70	500	R6000HF		M610, M611
▲	M6-17-435	Silver	25.40	12.70	-	15.88	500	R6000HF		M610, M611
▲	M6-20-435	Silver	25.40	50.80	-	53.98	100	R6000HF		M610, M611
▲	M6-29-435	Silver	38.10	12.70	-	15.88	500	R6000HF		M610, M611
▲	M6-30-435	Silver	38.10	19.05	-	22.23	250	R6000HF		M610, M611
▲	M6-31-435	Silver	38.10	25.40	-	28.58	250	R6000HF		M610, M611
▲	M6-32-435	Silver	38.10	38.10	-	41.28	250	R6000HF		M610, M611
▲	M6-37-435	Silver	76.20	48.26	-	79.38	100	R6000HF		M610, M611
▲	M6-38-435	Silver	101.60	48.26	-	104.78	100	R6000HF		M610, M611
B-486: Metallised Polyester										
∞	M6C-1900-486	Light Grey	48.26	-	15.24	-	1	R4300		M610, M611
B-486B: Metallised Polyester										
▲	M6-16-486	Light Grey	25.40	9.53	-	12.70	500	R4300		M610, M611
▲	M6-17-486	Light Grey	25.40	12.70	-	15.88	500	R4300		M610, M611
▲	M6-19-486	Light Grey	25.40	25.40	-	28.58	250	R4300		M610, M611
▲	M6-20-486	Light Grey	25.40	50.80	-	53.98	100	R4300		M610, M611
◐	M6-24-486-BK	Light Grey	28.70	12.70	-	15.88	500	R4300		M610, M611
▲	M6-29-486	Light Grey	38.10	12.70	-	15.88	500	R4300		M610, M611
▲	M6-30-486	Light Grey	38.10	19.05	-	22.23	250	R4300		M610, M611
▲	M6-31-486	Light Grey	38.10	25.40	-	28.58	250	R4300		M610, M611
▲	M6-32-486	Light Grey	38.10	38.10	-	41.28	250	R4300		M610, M611
▲	M6-37-486	Light Grey	76.20	48.26	-	79.38	100	R4300		M610, M611
▲	M6-38-486	Light Grey	101.60	48.26	-	104.78	100	R4300		M610, M611

The M710 printer works with a different set of dedicated ribbons. For more information, visit www.bradyeurope.com/M710

▶ See pages 55-59 for a detailed material index.

GENERAL & INDUSTRIAL IDENTIFICATION : ASSET & COMPONENT MARKING



General industrial identification

- Pliable vinyl that conforms well to smooth or rough surfaces such as walls, doors, panels, shelving and equipment. Excellent resistance to oils, detergents, dirt, grime and many solvents.




Diagram	Order Reference	Colour	Label Width A (mm)	Label Length B (m)	Labels per Roll	Printer Ribbon Series	Printer Compatibility
B-439: Vinyl							
∞	M6C-500-439-BK	Black	12.70	15.24	1	R4400	M610, M611
∞	M6C-500-439-BL	Blue	12.70	15.24	1	R4400, R6000HF	M610, M611
∞	M6C-500-439-GR	Green	12.70	15.24	1	R4400, R6000HF	M610, M611
∞	M6C-500-439-OR	Orange	12.70	15.24	1	R4400, R6000HF	M610, M611
∞	M6C-500-439-RD	Red	12.70	15.24	1	R4400, R6000HF	M610, M611
∞	M6C-500-439	White	12.70	15.24	1	R4400, R6000HF	M610, M611
∞	M6C-500-439-YL	Yellow	12.70	15.24	1	R4400, R6000HF	M610, M611
∞	M6C-1000-439-BK	Black	25.40	15.24	1	R4400	M610, M611
∞	M6C-1000-439-BL	Blue	25.40	15.24	1	R4400, R6000HF	M610, M611
∞	M6C-1000-439-GR	Green	25.40	15.24	1	R4400, R6000HF	M610, M611
∞	M6C-1000-439-OR	Orange	25.40	15.24	1	R4400, R6000HF	M610, M611
∞	M6C-1000-439-RD	Red	25.40	15.24	1	R4400, R6000HF	M610, M611
∞	M6C-1000-439	White	25.40	15.24	1	R4400, R6000HF	M610, M611
∞	M6C-1000-439-YL	Yellow	25.40	15.24	1	R4400, R6000HF	M610, M611
∞	M6C-1900-439-BK	Black	48.26	15.24	1	R4400	M610, M611
∞	M6C-1900-439-BL	Blue	48.26	15.24	1	R4400, R6000HF	M610, M611
∞	M6C-1900-439-GR	Green	48.26	15.24	1	R4400, R6000HF	M610, M611
∞	M6C-1900-439-OR	Orange	48.26	15.24	1	R4400, R6000HF	M610, M611
∞	M6C-1900-439-RD	Red	48.26	15.24	1	R4400, R6000HF	M610, M611
∞	M6C-1900-439	White	48.26	15.24	1	R4400, R6000HF	M610, M611
∞	M6C-1900-439-YL	Yellow	48.26	15.24	1	R4400, R6000HF	M610, M611



PermaShield Labels

- These labels come with a separate overlamine to be applied over the printed label.
- The label remains clear and easy-to-read, even in very harsh environments.
- The overlamine extends outside of the label on each side when applied.




Diagram	Order Reference	Colour	Label Width A (mm)	Label Height B (mm)	Overlamine Dimensions - Width (mm)	Overlamine Dimensions - Height (mm)	Vertical Repeat D (mm)	Labels per Roll	Printer Ribbon Series	Printer Compatibility
B-422/B-966B: Polyester										
◇	M6-17-422-PSL	White	25.40	12.70	31.75	19.05	22.23	500	R4400, R6000HF, R6200	M610, M611
◇	M6-20-422-PSL	White	50.80	25.40	57.15	31.75	60.33	100	R4400, R6000HF, R6200	M610, M611
◇	M6-26-422-PSL	White	69.85	31.75	76.20	38.10	79.38	100	R4400, R6000HF, R6200	M610, M611
◇	M6-50-422-PSL	White	76.20	41.91	82.55	48.26	85.73	100	R4400, R6000HF, R6200	M610, M611
B-424/B-966B: Paper with Polyester Overlamine										
◇	M6-17-424-PSL	White	25.40	12.70	31.75	19.05	22.23	500	R4300	M610, M611
◇	M6-20-424-PSL	White	50.80	25.40	57.15	31.75	60.33	100	R4300	M610, M611
B-428/B-966B: Metallised Polyester with Polyester Overlamine										
◇	M6-17-428-PSL	Light Grey	25.40	12.70	31.75	19.05	22.23	500	R4300	M610, M611
◇	M6-20-428-PSL	Light Grey	50.80	25.40	57.15	31.75	60.33	100	R4300	M610, M611
◇	M6-26-428-PSL	Light Grey	69.85	31.75	76.20	38.10	79.38	100	R4300	M610, M611
◇	M6-50-428-PSL	Light Grey	76.20	41.91	82.55	48.26	85.73	100	R4300	M610, M611

GENERAL & INDUSTRIAL IDENTIFICATION : ASSET & COMPONENT MARKING



Paper labels

- Economical choice for light duty general identification.
- White finish and matt topcoat.
- Excellent contrast and smear resistance for barcode printing.




Diagram	Order Reference	Colour	Label Width A (mm)	Label Height B (mm)	Vertical Repeat D (mm)	Labels per Roll	Printer Ribbon Series	Printer Compatibility
B-424: Paper								
	M6-80-424	White	19.05	22.86	28.58	250	R4300	M610, M611
	M6-20-424	White	25.40	50.80	53.98	100	R4300	M610, M611
	BM-20-424	White	25.40	50.80	53.98	1000	R4300, R6900	M610, M611, M710
	M6-22-424	White	76.20	25.40	79.38	100	R4300	M610, M611
	M6-37-424	White	76.20	48.26	79.38	100	R4300	M610, M611
	M6-38-424	White	101.60	48.26	104.78	100	R4300	M610, M611


The M710 printer works with a different set of dedicated ribbons. For more information, visit www.bradyeurope.com/M710

Order references beginning with "B" indicate bulk rolls.



Pre-printed labels

- Printable labels with pre-printed headers allow customers to print variable information next to highly visible titles.



Order Reference	Colour	Label Width A (mm)	Label Height B (mm)	Vertical Repeat D (mm)	Legend	Labels per Roll	Printer Ribbon Series	Printer Compatibility
B-422: Polyester								
M6-35-422-PROP	Black on White	41.40	19.05	22.23	PROPERTY TAG	250	R4400, R6000HF, R6200	M610, M611
B-423: Polyester								
M6-30-423-TEST	Green on White	19.05	38.10	22.23	TESTED	250	R4400, R6000HF, R6200	M610, M611
M6-30-423-INS	Black on White	38.10	19.05	22.23	INSPECTED	250	R4400, R6000HF, R6200	M610, M611
M6-30-423-CALI	Green on White	38.10	19.05	22.23	CALIBRATION	250	R4400, R6000HF, R6200	M610, M611
M6-35-423-PROP	Black on White	41.40	19.05	22.23	PROPERTY TAG	250	R4400, R6000HF, R6200	M610, M611
B-428: Metallised Polyester								
M6-30-428-CALI	Green on Grey	19.05	38.10	22.23	CALIBRATION	250	R4300	M610, M611
M6-35-428-PROP	Black on Light Grey	41.28	19.05	22.23	PROPERTY TAG	250	R4300	M610, M611

➤ Easily document any cable

See pages 70-71 for more information on RFID kits.





High performance indoor/outdoor vinyl

- Adheres to difficult low surface energy items, including: PVC piping, blow-molded equipment cases, ABS plastics, powder-coated surfaces and equipment made from recycled plastics.
- Excels at sticking to highly textured surfaces such as painted cinder block walls, finished uneven wood, textured plastics, rough-pipes and paper-jacketed pipes.
- 8 to 10** year outdoor durability average in temperatures from -40°C to 82°C, can be applied as low as -18 °C





Diagram	Order Reference	Colour	Label Width A (mm)	Label Length B (m)	Labels per Roll	Printer Ribbon Series	Printer Compatibility
B-595: Vinyl							
∞	M6C-375-595-BL	Blue	9.53	15.24	1	R4400, R6000HF, R10000	M610, M611
∞	M6C-375-595-GN	Green	9.53	15.24	1	R4400, R6000HF, R10000	M610, M611
∞	M6C-375-595-OR	Orange	9.53	15.24	1	R4400, R6000HF, R10000	M610, M611
∞	M6C-375-595-RD	Red	9.53	15.24	1	R4400, R6000HF, R10000	M610, M611
∞	M6C-375-595-WT	White	9.53	15.24	1	R4400, R6000HF, R10000	M610, M611
∞	M6C-375-595-YL	Yellow	9.53	15.24	1	R4400, R10000	M610, M611
∞	M6C-500-595-BK	Black	12.70	15.24	1	R4400, R10000	M610, M611
∞	M6C-500-595-BL	Blue	12.70	15.24	1	R4400, R6000HF, R10000	M610, M611
∞	M6C-500-595-GN	Green	12.70	15.24	1	R4400, R6000HF, R10000	M610, M611
∞	M6C-500-595-OR	Orange	12.70	15.24	1	R4400, R6000HF, R10000	M610, M611
∞	M6C-500-595-RD	Red	12.70	15.24	1	R4400, R6000HF, R10000	M610, M611
∞	M6C-500-595-CL	Transparent	12.70	15.24	1	R4400, R6000HF, R10000	M610, M611
∞	M6C-500-595-WT	White	12.70	15.24	1	R4400, R6000HF, R10000	M610, M611
∞	M6C-500-595-YL	Yellow	12.70	15.24	1	R4400, R10000	M610, M611
∞	M6C-750-595-BL	Blue	19.05	15.24	1	R4400, R6000HF, R10000	M610, M611
∞	M6C-750-595-GN	Green	19.05	15.24	1	R4400, R6000HF, R10000	M610, M611
∞	M6C-750-595-OR	Orange	19.05	15.24	1	R4400, R6000HF, R10000	M610, M611
∞	M6C-750-595-RD	Red	19.05	15.24	1	R4400, R6000HF, R10000	M610, M611
∞	M6C-750-595-WT	White	19.05	15.24	1	R4400, R6000HF, R10000	M610, M611
∞	M6C-750-595-YL	Yellow	19.05	15.24	1	R4400, R10000	M610, M611
∞	M6C-1000-595-BK	Black	25.40	15.24	1	R4400, R10000	M610, M611
∞	M6C-1000-595-BL	Blue	25.40	15.24	1	R4400, R6000HF, R10000	M610, M611
∞	M6C-1000-595-GN	Green	25.40	15.24	1	R4400, R6000HF, R10000	M610, M611
∞	M6C-1000-595-GY	Grey	25.40	15.24	1	R4400, R6000HF, R10000	M610, M611
∞	M6C-1000-595-OR	Orange	25.40	15.24	1	R4400, R6000HF, R10000	M610, M611
∞	M6C-1000-595-RD	Red	25.40	15.24	1	R4400, R6000HF, R10000	M610, M611
∞	M6C-1000-595-CL	Transparent	25.40	15.24	1	R4400, R6000HF, R10000	M610, M611
∞	M6C-1000-595-WT	White	25.40	15.24	1	R4400, R6000HF, R10000	M610, M611
∞	M6C-1000-595-YL	Yellow	25.40	15.24	1	R4400, R10000	M610, M611
∞	M6C-2000-595-BK	Black	50.80	15.24	1	R4400, R10000	M610, M611
∞	M6C-2000-595-BL	Blue	50.80	15.24	1	R4400, R6000HF, R10000	M610, M611
∞	M6C-2000-595-BR	Brown	50.80	15.24	1	R4400, R6000HF, R10000	M610, M611
∞	M6C-2000-595-GD	Gold	50.80	15.24	1	R4400, R6000HF, R10000	M610, M611
∞	M6C-2000-595-GN	Green	50.80	15.24	1	R4400, R6000HF, R10000	M610, M611
∞	M6C-2000-595-LB	Light Blue	50.80	15.24	1	R4400, R6000HF, R10000	M610, M611
∞	M6C-2000-595-OR	Orange	50.80	15.24	1	R4400, R6000HF, R10000	M610, M611
∞	M6C-2000-595-PL	Purple	50.80	15.24	1	R4400, R6000HF, R10000	M610, M611
∞	M6C-2000-595-RD	Red	50.80	15.24	1	R4400, R6000HF, R10000	M610, M611
∞	M6C-2000-595-CL	Transparent	50.80	15.24	1	R4400, R6000HF, R10000	M610, M611
∞	M6C-2000-595-WT	White	50.80	15.24	1	R4400, R6000HF, R10000	M610, M611
∞	M6C-2000-595-YL	Yellow	50.80	15.24	1	R4400, R10000	M610, M611

**Average expected outdoor life of product will depend on user definition of failure, climatic conditions, mounting techniques and material colour. The up to 8 to 10 year outdoor durability applies to the vinyl label stock only; ribbon durability will vary. A polyester overlaminate is recommended for harsh environments - long term exposure to wind and rain.

▶ See pages 55-59 for a detailed material index.

SAFETY & FACILITY IDENTIFICATION



All-weather vinyl labels

- This durable, low-shrink vinyl with ultra-aggressive adhesive is ideal for labelling pipes, equipment, shelves and nearly any other industrial surface.
- Pre-printed headers allow you to quickly create multicolour signs with a single print pass.




Diagram	Order Reference	Colour	Label Width A (mm)	Label Height B (mm)	Legend	Labels per Roll	Printer Ribbon Series	Printer Compatibility
B-595: Vinyl								
⊗	M6-38-595-ADV	Black, Orange on White	101.60	48.26	ADVERTENCIA	100	R4400, R6000HF, R10000	M610, M611, M710
⊗	M6-38-595-PRE	Black, Yellow on White	101.60	48.26	PRECAUCION	100	R4400, R6000HF, R10000	M610, M611, M710
⊗	M6-38-595-AVISO	Blue on White	101.60	48.26	AVISO	100	R4400, R6000HF, R10000	M610, M611, M710
⊗	M6-38-595-PEL	Red on White	101.60	48.26	PELIGRO	100	R4400, R6000HF, R10000	M610, M611, M710



Repositionable Multi-Purpose Vinyl Labels

- Special aggressive adhesive stays in place but removes cleanly without leaving adhesive residue making it ideal for applications like Lean 5S and inventory.
- Average outdoor lifespan is five years.




Diagram	Order Reference	Colour	Label Width A (mm)	Label Length B (m)	Labels per Roll	Printer Ribbon Series	Printer Compatibility
B-581: Vinyl							
∞	M6C-500-581-WT	White	12.70	15.24	1	R6000HF, R10000	M610, M611, M710
∞	M6C-500-581-YL	Yellow	12.70	15.24	1	R6000HF, R10000	M610, M611, M710
∞	M6C-1000-581-WT	White	25.40	15.24	1	R6000HF, R10000	M610, M611, M710
∞	M6C-1000-581-YL	Yellow	25.40	15.24	1	R6000HF, R10000	M610, M611, M710
∞	M6C-2000-581-WT	White	50.80	15.24	1	R6000HF, R10000	M610, M611, M710
∞	M6C-2000-581-YL	Yellow	50.80	15.24	1	R6000HF, R10000	M610, M611, M710



Reflective tapes

- The reflective quality of this material makes it ideal for reading labels in low light conditions (with flashlights).




Diagram	Order Reference	Colour	Label Width A (mm)	Label Length B (m)	Labels per Roll	Printer Ribbon Series	Printer Compatibility
B-584: Reflective Tape							
∞	M6C-750-584-OR	Orange	19.05	9.14	1	R6000HF, R10000	M610, M611
∞	M6C-750-584	White	19.05	9.14	1	R6000HF, R10000	M610, M611
∞	M6C-750-584-YL	Yellow	19.05	9.14	1	R6000HF, R10000	M610, M611
∞	M6C-1000-584-OR	Orange	25.40	9.14	1	R6000HF, R10000	M610, M611
∞	M6C-1000-584	White	25.40	9.14	1	R6000HF, R10000	M610, M611
∞	M6C-1000-584-YL	Yellow	25.40	9.14	1	R6000HF, R10000	M610, M611
∞	M6C-1500-584-OR	Orange	38.10	9.14	1	R6000HF, R10000	M610, M611
∞	M6C-1500-584	White	38.10	9.14	1	R6000HF, R10000	M610, M611
∞	M6C-1500-584-YL	Yellow	38.10	9.14	1	R6000HF, R10000	M610, M611
∞	M6C-2000-584-OR	Orange	50.80	9.14	1	R6000HF, R10000	M610, M611
∞	M6C-2000-584-SL	Silver	50.80	9.14	1	R6000HF, R10000	M610, M611
∞	M6C-2000-584	White	50.80	9.14	1	R6000HF, R10000	M610, M611
∞	M6C-2000-584-YL	Yellow	50.80	9.14	1	R6000HF, R10000	M610, M611

▶ See pages 55-59 for a detailed material index.

SAFETY & FACILITY IDENTIFICATION / ELECTRONICS IDENTIFICATION



Inspection date labels

- Print inspection and date labels when and how you need them
- Easy peel off for fast application
- Use the inspection label templates from Brady Workstation
- Available in different colours and sizes




Diagram	Order Reference	Colour	Diameter C (mm)	Vertical Repeat D (mm)	Labels per Roll	Printer Ribbon Series	Printer Compatibility
B-595: Vinyl							
✗	M6-225-595-BL	Blue	25.00	28.58	250	R4400, R6000HF, R10000	M610, M611
✗	M6-226-595-BL	Blue	35.00	38.55	250	R4400, R6000HF, R10000	M610, M611
✗	M6-225-595-BR	Brown	25.00	28.58	250	R4400, R6000HF, R10000	M610, M611
✗	M6-226-595-BR	Brown	35.00	38.55	250	R4400, R6000HF, R10000	M610, M611
✗	M6-225-595-GN	Green	25.00	28.58	250	R4400, R6000HF, R10000	M610, M611
✗	M6-226-595-GN	Green	35.00	38.55	250	R4400, R6000HF, R10000	M610, M611
✗	M6-225-595-GY	Grey	25.00	28.58	250	R4400, R6000HF, R10000	M610, M611
✗	M6-226-595-GY	Grey	35.00	38.55	250	R4400, R6000HF, R10000	M610, M611
✗	M6-225-595-OC	Ochre	25.00	28.58	250	R4400, R6000HF, R10000	M610, M611
✗	M6-226-595-OC	Ochre	35.00	38.55	250	R4400, R6000HF, R10000	M610, M611
✗	M6-225-595-OR	Orange	25.00	28.58	250	R4400, R6000HF, R10000	M610, M611
✗	M6-226-595-OR	Orange	35.00	38.55	250	R4400, R6000HF, R10000	M610, M611
✗	M6-225-595-PL	Purple	25.00	28.58	250	R4400, R6000HF, R10000	M610, M611
✗	M6-226-595-PL	Purple	35.00	38.55	250	R4400, R6000HF, R10000	M610, M611
✗	M6-225-595-RD	Red	25.00	28.58	250	R4400, R6000HF, R10000	M610, M611
✗	M6-226-595-RD	Red	35.00	38.55	250	R4400, R6000HF, R10000	M610, M611
✗	M6-225-595-WT	White	25.00	28.58	250	R4400, R6000HF, R10000	M610, M611
✗	M6-226-595-WT	White	35.00	38.55	250	R4400, R6000HF, R10000	M610, M611



Security identification labels

- Tamper-resistant tape destructs into tiny fragments when being removed, makes any attempts to remove the label very difficult and time consuming.






Diagram	Order Reference	Colour	Label Width A (mm)	Label Height B (mm)	Vertical Repeat D (mm)	Labels per Roll	Printer Ribbon Series	Printer Compatibility
B-351: Tamper-resistant Vinyl								
▲	M6-31-351	White	38.10	25.40	28.45	250	R6000HF, R6200	M610, M611
▲	M6-37-351	White	76.20	48.26	79.38	100	R6000HF, R6200	M610, M611
B-362: Tamper-resistant Metallised Vinyl								
▲	M6-17-362	Silver	25.40	12.70	15.88	500	R6000HF	M610, M611
▲	M6-20-362	Silver	25.40	50.80	53.98	100	R6000HF	M610, M611
▲	M6-31-362	Silver	38.10	25.40	28.58	250	R6000HF	M610, M611
▲	M6-37-362	Silver	76.20	48.26	79.38	100	R6000HF	M610, M611
B-7351: Tamper-resistant Vinyl								
▲	M6-17-7351	White	25.40	12.70	15.87	500	R6000HF, R6200	M610, M611
▲	M6-20-7351	White	25.40	50.80	53.98	100	R6000HF, R6200	M610, M611
B-7546: Tamper-evident Polyester								
▲	M6-17-7546	White	25.40	12.70	15.88	500	R6000HF	M610, M611
▲	M6-20-7546	White	25.40	50.80	53.98	100	R6000HF	M610, M611
▲	M6-31-7546	White	38.10	25.40	28.58	250	R6000HF	M610, M611
B-7576: Tamper-evident Metallised Polyester								
▲	M6-17-7576	Silver	25.40	12.70	15.88	500	R6000HF	M610, M611
▲	M6-20-7576	Silver	25.40	50.80	53.98	100	R6000HF	M610, M611
▲	M6-31-7576	Silver	38.10	25.40	28.58	250	R6000HF	M610, M611
▲	M6-37-7576	Silver	76.20	48.26	79.38	100	R6000HF	M610, M611

ELECTRONICS IDENTIFICATION : CIRCUIT BOARD MARKING

Thermal transfer printable products circuit board process chart



	Through Hole Technology		Surface Mount Technology (SMT)	After Process
	Top	Bottom	Top or Bottom	
B-717, B-718, B-719, B-724, B-727	Yes	Yes	Yes	Yes
B-422, B-423, B-430, B-437, B-459, B-473, B-488	Yes*	No	No	Yes

*In extreme high temperature, testing of these materials is recommended



Polyester labels

- Various types of high resistant polyester materials for relays, solenoids, PCB's, electronic components and more.




Diagram	Order Reference	Colour	Label Width A (mm)	Label Height B (mm)	Vertical Repeat D (mm)	Labels per Roll	Printer Ribbon Series	Printer Compatibility
B-422: Polyester								
	M6-39-422	White	9.53	15.24	15.24	750	R4400, R6000HF, R6200	M610, M611
	M6-44-422	White	12.70	9.53	12.70	500	R4400, R6000HF, R6200	M610, M611
	M6-5-422	White	12.70	5.08	8.26	750	R4400, R6000HF, R6200	M610, M611
	M6-7-422	White	12.70	12.70	15.88	500	R4400, R6000HF, R6200	M610, M611
	M6-16-422	White	25.40	9.53	12.70	500	R4400, R6000HF, R6200	M610, M611
	M6-45-422	White	38.10	9.53	12.70	500	R4400, R6000HF, R6200	M610, M611
B-423: Polyester								
	M6-1-423	White	6.35	6.35	9.53	750	R4400, R6000HF, R6200	M610, M611
	M6-3-423	White	9.53	9.53	12.70	500	R4400, R6000HF, R6200	M610, M611
	M6-4-423	White	10.16	10.16	13.34	500	R4400, R6000HF, R6200	M610, M611
	M6-5-423	White	12.70	5.08	8.26	750	R4400, R6000HF, R6200	M610, M611
	M6-6-423	White	12.70	6.99	10.16	750	R4400, R6000HF, R6200	M610, M611
	M6-9-423	White	16.51	5.08	8.26	750	R4400, R6000HF, R6200	M610, M611
	M6-10-423	White	19.05	6.35	9.53	750	R4400, R6000HF, R6200	M610, M611
	M6-13-423	White	22.86	6.35	9.53	750	R4400, R6000HF, R6200	M610, M611
	M6-14-423	White	25.40	4.75	8.26	750	R4400, R6000HF, R6200	M610, M611
	M6-15-423	White	25.40	6.99	10.16	750	R4400, R6000HF, R6200	M610, M611
	M6-16-423	White	25.40	9.53	12.70	500	R4400, R6000HF, R6200	M610, M611
	BM-16-423	White	25.40	9.53	12.70	5000	R4400, R6000HF, R6200	M610, M611, M710
	M6-25-423	White	31.75	6.35	9.53	750	R4400, R6000HF, R6200	M610, M611
	M6-27-423	White	38.10	3.18	6.35	750	R4400, R6000HF, R6200	M610, M611
	M6-28-423	White	38.10	6.35	9.53	750	R4400, R6000HF, R6200	M610, M611
	M6-2-423	White	50.80	6.35	53.98	100	R4400, R6000HF, R6200	M610, M611
B-430: Polyester								
	M6-71-430	Transparent	8.89	5.08	8.28	750	R4400, R6000HF, R6200	M610, M611
	M6-6-430	Transparent	12.70	6.99	10.16	750	R4400, R6000HF, R6200	M610, M611
	M6-44-430	Transparent	12.70	9.53	12.70	500	R4400, R6000HF, R6200	M610, M611
B-437: Polyvinylfluoride								
	M6-10-437	White	19.05	6.35	9.53	750	R4300, R6200	M610, M611
	M6-15-437	White	25.40	6.99	10.16	750	R4300, R6200	M610, M611
	M6-29-437	White	38.10	12.70	15.88	500	R4300, R6200	M610, M611
B-473: Static Dissipative Polyester								
	M6-1-473	White	6.35	6.35	9.53	750	R6000HF	M610, M611
	M6-5-473	White	12.70	5.08	8.26	750	R6000HF	M610, M611
	M6-6-473	White	12.70	6.99	10.16	750	R6000HF	M610, M611
	M6-9-473	White	16.51	5.08	8.26	750	R6000HF	M610, M611
	M6-10-473	White	19.05	6.35	9.53	750	R6000HF	M610, M611
	M6-16-473	White	25.40	9.53	12.70	500	R6000HF	M610, M611
	M6-17-473	White	25.40	12.70	15.88	500	R6000HF	M610, M611
	M6-28-473	White	38.10	6.35	9.53	750	R6000HF	M610, M611
B-488: Polyester								
	M6-80-488	White	19.05	22.86	28.58	250	R4300	M610, M611
	M6-97-488	White	22.86	22.86	28.58	250	R4300	M610, M611
	M6-78-488	White	48.26	25.40	28.58	250	R4300	M610, M611
	M6-81-488	White	48.26	6.35	9.53	750	R4300	M610, M611

The M710 printer works with a different set of dedicated ribbons. For more information, visit www.bradyeurope.com/M710

ELECTRONICS IDENTIFICATION : CIRCUIT BOARD MARKING



Polyimide labels

- Various types of high resistant polyimide materials for relays, solenoids, PCB's and electronic components.




Diagram	Order Reference	Colour	Label Width A (mm)	Label Height B (mm)	Vertical Repeat D (mm)	Labels per Roll	Printer Ribbon Series	Printer Compatibility
B-719: Polyimide								
▲	M6-10-719	White	6.35	19.05	9.53	750	R6000HF	M610, M611
▲	M6-4-719	White	10.16	10.16	13.34	500	R6000HF	M610, M611
▲	M6-6-719	White	12.70	6.99	10.16	750	R6000HF	M610, M611
▲	M6-9-719	White	16.51	5.08	8.26	750	R6000HF	M610, M611
▲	M6-13-719	White	22.86	6.35	9.53	750	R6000HF	M610, M611
▲	M6-16-719	White	25.40	9.53	12.70	500	R6000HF	M610, M611
▲	M6-17-719	White	25.40	12.70	15.88	500	R6000HF	M610, M611
▲	M6-28-719	White	38.10	6.35	9.53	750	R6000HF	M610, M611
B-724: Polyimide								
▲	M6-10-724	Amber	6.35	19.05	9.53	750	R4300	M610, M611
▲	M6-1-724	Amber	6.35	6.35	9.53	750	R4300	M610, M611
▲	M6-3-724	Amber	9.53	9.53	12.70	500	R4300	M610, M611
▲	M6-4-724	Amber	10.16	10.16	13.34	500	R4300	M610, M611
▲	M6-6-724	Amber	12.70	6.99	10.16	750	R4300	M610, M611
▲	M6-9-724	Amber	16.51	5.08	8.26	750	R4300	M610, M611
▲	M6-13-724	Amber	22.86	6.35	9.53	750	R4300	M610, M611
▲	M6-16-724	Amber	25.40	9.53	12.70	500	R4300	M610, M611
▲	M6-17-724	Amber	25.40	12.70	15.88	500	R4300	M610, M611
▲	M6-25-724	Amber	31.75	6.35	9.53	750	R4300	M610, M611
▲	M6-27-724	Amber	38.10	3.18	6.35	750	R4300	M610, M611
▲	M6-28-724	Amber	38.10	6.35	9.53	750	R4300	M610, M611
▲	M6-2-724	Amber	50.80	6.35	53.98	100	R4300	M610, M611
B-767: Static Dissipative Polyimide								
▲	M6-14-767	White	4.75	25.40	8.26	750	R6000HF, R6300	M610, M611
▲	M6-10-767	White	6.35	19.05	9.53	750	R6000HF, R6300	M610, M611
▲	M6-1-767	White	6.35	6.35	9.53	750	R6000HF, R6300	M610, M611
▲	M6-3-767	White	9.53	9.53	12.70	500	R6000HF, R6300	M610, M611
▲	M6-9-767	White	16.51	5.08	8.26	750	R6000HF, R6300	M610, M611
▲	M6-25-767	White	31.75	6.35	9.53	750	R6000HF, R6300	M610, M611
▲	M6-27-767	White	38.10	3.18	6.35	750	R6000HF, R6300	M610, M611
▲	M6-28-767	White	38.10	6.35	9.53	750	R6000HF, R6300	M610, M611
▲	M6-2-767	White	50.80	6.35	53.98	100	R6000HF, R6300	M610, M611
B-768: Static Dissipative Polyimide								
▲	M6-10-768	White	6.35	19.05	9.53	750	R6000HF, R6300	M610, M611
▲	M6-1-768	White	6.35	6.35	9.53	750	R6000HF, R6300	M610, M611
▲	M6-3-768	White	9.53	9.53	12.70	500	R6000HF, R6300	M610, M611
▲	M6-4-768	White	10.16	10.16	13.34	500	R6000HF, R6300	M610, M611
▲	M6-6-768	White	12.70	6.99	10.16	750	R6000HF, R6300	M610, M611
▲	M6-9-768	White	16.51	5.08	8.26	750	R6000HF, R6300	M610, M611
▲	M6-13-768	White	22.86	6.35	9.53	750	R6000HF, R6300	M610, M611
▲	M6-16-768	White	25.40	9.53	12.70	500	R6000HF, R6300	M610, M611
▲	M6-28-768	White	38.10	6.35	9.53	750	R6000HF, R6300	M610, M611
B-797: Polyimide								
▲	M6-10-797	White	6.35	19.05	9.53	750	R6000HF, R6300	M610, M611
▲	M6-1-797	White	6.35	6.35	9.53	750	R6000HF, R6300	M610, M611
▲	M6-3-797	White	9.53	9.53	12.70	500	R6000HF, R6300	M610, M611
▲	M6-4-797	White	10.16	10.16	13.34	500	R6000HF, R6300	M610, M611
▲	M6-6-797	White	12.70	6.99	10.16	750	R6000HF, R6300	M610, M611
▲	M6-9-797	White	16.51	5.08	8.26	750	R6000HF, R6300	M610, M611
▲	M6-13-797	White	22.86	6.35	9.53	750	R6000HF, R6300	M610, M611
▲	M6-14-797	White	25.40	4.75	8.26	750	R6000HF, R6300	M610, M611
▲	M6-16-797	White	25.40	9.53	12.70	500	R6000HF, R6300	M610, M611
▲	M6-28-797	White	38.10	6.35	9.53	750	R6000HF, R6300	M610, M611
▲	M6-2-797	White	50.80	6.35	53.98	100	R6000HF, R6300	M610, M611


LABORATORY IDENTIFICATION : SPECIMEN TRACKING IDENTIFICATION



Straw and rod labels

- Brady offers a range of labels designed to fit the small surface area of straws and rods and will withstand long-term storage.

- F** Freezer environment
- N** Liquid nitrogen environment
- A** Autoclave environment
- H** Hot water bath (100°C)
- S** Self-laminating label
- L** Low-profile label (extremely thin)
- R** Removable



Labels are shown per straw size and in order of label width.

The background colours in the Order Reference column represent the material colour.

Diagram	Material	Special Properties	Label Width A (mm)	Label Height B (mm)	Printable Area Width PW (mm)	Printable Area Height PH (mm)	Order Reference	Printer Compatibility	Printer Ribbon Series	Labels per Roll
0.25 mL Straw										
▶	B-427	F N S	25.40	25.40	25.40	9.53	BM-19-427	M610, M611, M710	R4300	2500
▶	B-427	F N S	25.40	25.40	25.40	9.53	M6-19-427-BL	M610, M611	R4300, R6700	250
▶	B-427	F N S	25.40	25.40	25.40	9.53	M6-19-427-BR	M610, M611	R4300, R6700	250
▶	B-427	F N S	25.40	25.40	25.40	9.53	M6-19-427-GR	M610, M611	R4300, R6700	250
▶	B-427	F N S	25.40	25.40	25.40	9.53	M6-19-427-GY	M610, M611	R4300, R6700	250
▶	B-427	F N S	25.40	25.40	25.40	9.53	M6-19-427-OR	M610, M611	R4300, R6700	250
▶	B-427	F N S	25.40	25.40	25.40	9.53	M6-19-427-PL	M610, M611	R4300, R6700	250
▶	B-427	F N S	25.40	25.40	25.40	9.53	M6-19-427-RD	M610, M611	R4300, R6700	250
▶	B-427	F N S	25.40	25.40	25.40	9.53	M6-19-427-YL	M610, M611	R4300, R6700	250
▶	B-427	F N S	25.40	25.40	25.40	9.53	M6-19-427	M610, M611	R4300	250
▲	B-427	F N	27.94	6.35	-	-	M6-105-427-AW*	M610, M611	R4300	750
0.50 mL										
▶	B-427	F N S	25.40	63.50	25.40	19.05	BM-21-427	M610, M611, M710	R4300	1000
▶	B-427	F N S	25.40	63.50	25.40	19.05	M6-21-427-BL	M610, M611	R4300, R6700	100
▶	B-427	F N S	25.40	63.50	25.40	19.05	M6-21-427-BR	M610, M611	R4300, R6700	100
▶	B-427	F N S	25.40	63.50	25.40	19.05	M6-21-427-GR	M610, M611	R4300, R6700	100
▶	B-427	F N S	25.40	63.50	25.40	19.05	M6-21-427-GY	M610, M611	R4300, R6700	100
▶	B-427	F N S	25.40	63.50	25.40	19.05	M6-21-427-OR	M610, M611	R4300, R6700	100
▶	B-427	F N S	25.40	63.50	25.40	19.05	M6-21-427-PL	M610, M611	R4300, R6700	100
▶	B-427	F N S	25.40	63.50	25.40	19.05	M6-21-427-RD	M610, M611	R4300, R6700	100
▶	B-427	F N S	25.40	63.50	25.40	19.05	M6-21-427-YL	M610, M611	R4300, R6700	100
▶	B-427	F N S	25.40	63.50	25.40	19.05	M6-21-427	M610, M611	R4300	100

*AW = All White / no transparent area.

The M710 printer works with a different set of dedicated ribbons. For more information, visit www.bradyeurope.com/M710


▶ See pages 55-59 for a detailed material index.

LABORATORY IDENTIFICATION : SPECIMEN TRACKING IDENTIFICATION



Vial / tube labels

- Brady's vial and test tube labels are designed to withstand extreme laboratory solvents like Xylene, Ethanol, Alcohol and DMSO, ensuring that the specimen identification is always legible - and will not smear, fade or fall off.



Labels are shown per vial / tube size and in order of label width.

The background colours in the Order Reference column represent the material colour.

Diagram	Material	Special Properties	Label Width A (mm)	Label Height B (mm)	Label Length B (m)	Diameter C (mm)	Printable Area Width PW (mm)	Printable Area Height PH (mm)	Order Reference	Printer Compatibility	Printer Ribbon Series	Labels per Roll
0.5 mL												
⊙	B-499	F N A	9.53	-	9.14	-	-	-	M6C-375-499	M610, M611	R4300, R6200	1
⊙	B-499	F N A	12.70	-	9.14	-	-	-	M6C-500-499	M610, M611	R4300, R6200	1
▲	B-499	F N A	12.70	25.40	-	-	-	-	M6-47-499	M610, M611	R4300, R6200	500
▲	B-498	F	19.05	12.70	-	-	-	-	BM-11-498	M610, M611, M710	R4300, R6200, R6600	5000
▲	B-499	F N A	20.96	9.53	-	-	-	-	M6-130-499	M610, M611	R4300, R6200	500
▲	B-499	F N A	22.86	12.70	-	-	-	-	M6-84-499	M610, M611	R4300, R6200	500
⌘	B-7425	F N A H	25.40	9.53	-	9.53	-	-	M6-98-7425	M610, M611	R4300, R6400	500
⌘	B-499	F A	25.40	9.53	-	9.53	-	-	M6-98-499	M610, M611	R4300, R6200	500
▲	B-7425	F N A H	25.40	12.70	-	-	-	-	M6-17-7425	M610, M611	R4300, R6400	500
⌘	B-499	F A	25.40	12.70	-	9.53	-	-	M6-120-499	M610, M611	R4300, R6200	250
▷	B-427	F N S	25.40	63.50	-	-	25.40	19.05	M6-21-427	M610, M611	R4300	100
1.5 mL												
×	B-499	F N A	-	-	-	9.53	-	-	M6-82-499-YL	M610, M611	R4300, R6200	500
▲	B-492	F N H L	-	-	-	9.53	-	-	M6-82-492	M610, M611	R4300, R6400	500
▲	B-499	F N A	-	-	-	9.53	-	-	M6-82-499-OR	M610, M611	R4300, R6200	500
▲	B-499	F N A	-	-	-	9.53	-	-	M6-82-499-RD	M610, M611	R4300, R6200	500
×	B-499	F N A	-	-	-	9.53	-	-	M6-82-499	M610, M611	R4300, R6200	500
⊙	B-499	F N A	19.05	-	9.14	-	-	-	M6C-750-499	M610, M611	R4300, R6200	1
▲	B-7425	F N A H	25.40	19.05	-	-	-	-	M6-18-7425	M610, M611	R4300, R6400	250
▷	B-461	F N A H S L	95.25	19.05	-	-	25.40	25.40	M6-79-461	M610, M611	R4300, R6200	100
2.0 mL												
×	B-499	F N A	-	-	-	12.70	-	-	M6-83-499	M610, M611	R4300, R6200	500
×	B-499	F N A	-	-	-	12.70	-	-	M6-83-499-YL	M610, M611	R4300, R6200	500
▲	B-492	F N H L	-	-	-	12.70	-	-	M6-83-492	M610, M611	R4300, R6400	500
▲	B-499	F N A	-	-	-	12.70	-	-	M6-83-499-OR	M610, M611	R4300, R6200	500
▲	B-499	F N A	-	-	-	12.70	-	-	M6-83-499-RD	M610, M611	R4300, R6200	500
⊙	B-499	F N A	25.40	-	9.14	-	-	-	M6C-1000-499	M610, M611	R4300, R6200	1
▲	B-7425	F N A H	33.02	15.24	-	-	-	-	M6-199-7425	M610, M611	R4300, R6400	250
4.0 mL												
▲	B-449	A	38.10	19.05	-	-	-	-	M6-30-449	M610, M611	R4300, R6200	250
▲	B-7425	F N A H	38.10	25.40	-	-	-	-	M6-31-7425	M610, M611	R4300, R6400	250
▲	B-499	F N A	38.10	31.75	-	-	-	-	M6-132-499	M610, M611	R4300, R6200	250
▲	B-7425	F N A H	48.26	38.10	-	-	-	-	M6-121-7425	M610, M611	R4300, R6400	100
▷	B-461	F N A H S L	66.68	25.40	-	-	25.40	25.40	M6-75-461-YL	M610, M611	R4300, R6200	100
▷	B-461	F N A H S L	66.68	25.40	-	-	25.40	25.40	M6-75-461	M610, M611	R4300, R6200	100

The M710 printer works with a different set of dedicated ribbons. For more information, visit www.bradyeurope.com/M710


>>

LABORATORY IDENTIFICATION : SPECIMEN TRACKING IDENTIFICATION



Vial / tube labels (continued)

- F** Freezer environment
- N** Liquid nitrogen environment
- A** Autoclave environment
- H** Hot water bath (100°C)
- S** Self-laminating label
- L** Low-profile label (extremely thin)
- R** Removable



Labels are shown per vial / tube size and in order of label width.

The background colours in the Order Reference column represent the material colour.

Diagram	Material	Special Properties	Label Width A (mm)	Label Height B (mm)	Label Length C (mm)	Diameter D (mm)	Print-able Area Width PW (mm)	Print-able Area Height PH (mm)	Order Reference	Printer Compatibility	Printer Ribbon Series	Labels per Roll
0.5 mL												
	B-461	F N A H S L	66.68	25.40	-	-	25.40	25.40	BM-75-461	M610, M611, M710	R4300, R6200	1000
8.0 mL												
	B-498	F	19.05	25.40	-	-	-	-	BM-18-498	M610, M611, M710	R4300, R6200, R6600	2500
	B-494	F N H	25.40	9.53	-	9.53	25.40	6.35	M6-98-494-BL	M610, M611	R6400	500
	B-494	F N H	25.40	9.53	-	9.53	25.40	6.35	M6-98-494-GN	M610, M611	R6400	500
	B-494	F N H	25.40	9.53	-	9.53	25.40	6.35	M6-98-494-OR	M610, M611	R6400	500
	B-494	F N H	25.40	9.53	-	9.53	25.40	6.35	M6-98-494-PK	M610, M611	R6400	500
	B-494	F N H	25.40	9.53	-	9.53	25.40	6.35	M6-98-494-RD	M610, M611	R6400	500
	B-494	F N H	25.40	9.53	-	9.53	25.40	6.35	M6-98-494-YL	M610, M611	R6400	500
	B-494	F N H	25.40	12.70	-	-	25.40	9.53	M6-17-494-BL	M610, M611	R6400	500
	B-494	F N H	25.40	12.70	-	-	25.40	9.53	M6-17-494-GN	M610, M611	R6400	500
	B-494	F N H	25.40	12.70	-	-	25.40	9.53	M6-17-494-OR	M610, M611	R6400	500
	B-494	F N H	25.40	12.70	-	-	25.40	9.53	M6-17-494-PK	M610, M611	R6400	500
	B-494	F N H	25.40	12.70	-	-	25.40	9.53	M6-17-494-RD	M610, M611	R6400	500
	B-494	F N H	25.40	12.70	-	-	25.40	9.53	M6-17-494-YL	M610, M611	R6400	500
	B-494	F N H	25.40	25.40	-	-	25.40	22.23	M6-19-494-BL	M610, M611	R6400	250
	B-494	F N H	25.40	25.40	-	-	25.40	22.23	M6-19-494-GN	M610, M611	R6400	250
	B-494	F N H	25.40	25.40	-	-	25.40	22.23	M6-19-494-OR	M610, M611	R6400	250
	B-494	F N H	25.40	25.40	-	-	25.40	22.23	M6-19-494-PK	M610, M611	R6400	250
	B-494	F N H	25.40	25.40	-	-	25.40	22.23	M6-19-494-RD	M610, M611	R6400	250
	B-494	F N H	25.40	25.40	-	-	25.40	22.23	M6-19-494-YL	M610, M611	R6400	250
	B-427	F N S	25.40	66.68	-	-	25.40	25.40	M6-75-427	M610, M611	R4300	100
	B-490	F N H L	48.26	25.40	-	-	-	-	M6-78-490	M610, M611	R4300	250
15.0 mL												
	B-449	A	25.40	50.80	-	-	-	-	M6-20-449	M610, M611	R4300, R6200	100
	B-449	A	76.20	25.40	-	-	-	-	M6-22-449	M610, M611	R4300, R6200	100
25.0 mL												
	B-498	F	12.70	38.10	-	-	-	-	BM-29-498	M610, M611, M710	R4300, R6200, R6600	5000

The M710 printer works with a different set of dedicated ribbons. For more information, visit www.bradyeurope.com/M710

▶ See pages 55-59 for a detailed material index.


LABORATORY IDENTIFICATION : SPECIMEN TRACKING IDENTIFICATION



Conical / large tube labels

- Brady offers several sample identification labels which are perfect to identify conicals. They are easy to handle, have great flexibility and easily wrap around curved sample containers. Your sample identification label will remain attached and legible, even when the sample is stored in a freezer, in liquid nitrogen or heated in an autoclave.

- F** Freezer environment
- N** Liquid nitrogen environment
- A** Autoclave environment
- H** Hot water bath (100°C)
- S** Self-laminating label
- L** Low-profile label (extremely thin)
- R** Removable



Labels are shown per vial / tube size and in order of label width.

The background colours in the Order Reference column represent the material colour.

Diagram	Material	Special Properties	Label Width A (mm)	Label Height B (mm)	Label Length B (m)	Printable Area Width PW (mm)	Printable Area Height PH (mm)	Order Reference	Printer Compatibility	Printer Ribbon Series	Labels per Roll
0.5 mL											
▲	B-423	F A	12.70	12.70	-	-	-	M6-7-423	M610, M611	R4400, R6000HF, R6200	500
▲	B-423	F A H	12.70	12.70	-	-	-	BM-7-423	M610, M611, M710	R4400, R6000HF, R6200	5000
▲	B-499	F N A	22.86	12.70	-	-	-	M6-84-499	M610, M611	R4300, R6200	500
▲	B-423	F A	25.40	12.70	-	-	-	M6-17-423	M610, M611	R4400, R6000HF, R6200	500
▶	B-427	F N S	25.40	63.50	-	25.40	19.05	M6-21-427	M610, M611	R4300	100
1.5 mL											
○	B-430	F A H	12.70	-	15.24	-	-	M6C-500-430	M610, M611	R4400, R6000HF, R6200	1
▲	B-423	F A	25.40	4.75	-	-	-	M6-14-423	M610, M611	R4400, R6000HF, R6200	750
▲	B-423	F A	25.40	6.99	-	-	-	M6-15-423	M610, M611	R4400, R6000HF, R6200	750
▶	B-461	F N A H S L	41.28	15.24	-	25.40	15.24	M6-76-461	M610, M611	R4300, R6200	250
4.0 mL											
▲	B-499	F N A	12.70	38.10	-	-	-	M6-29-499	M610, M611	R4300, R6200	500
▲	B-499	F N A	38.10	19.05	-	-	-	M6-30-499	M610, M611	R4300, R6200	250
▲	B-423	F A	38.10	25.40	-	-	-	M6-31-423	M610, M611	R4400, R6000HF, R6200	250
▲	B-499	F N A	38.10	25.40	-	-	-	M6-31-499	M610, M611	R4300, R6200	250
▶	B-461	F N A H S L	66.68	25.40	-	25.40	25.40	BM-75-461	M610, M611, M710	R4300, R6200	1000
8.0 mL											
▲	B-423	F A H	25.40	50.80	-	-	-	BM-20-423	M610, M611, M710	R4400, R6000HF, R6200	1000
▲	B-488	F A	48.26	25.40	-	-	-	M6-78-488	M610, M611	R4300	250
▲	B-499	F N A	48.26	25.40	-	-	-	M6-78-499	M610, M611	R4300, R6200	250
15.0 mL											
▲	B-423	F A	25.40	50.80	-	-	-	M6-20-423	M610, M611	R4400, R6000HF, R6200	100
▲	B-490	F N H L	38.10	55.88	-	-	-	M6-113-490	M610, M611	R4300	100
▲	B-423	F A	76.20	25.40	-	-	-	M6-22-423	M610, M611	R4400, R6000HF, R6200	100
25.0 mL											
▲	B-498	F R	12.70	38.10	-	-	-	BM-29-498	M610, M611, M710	R4300, R6200, R6600	5000
▲	B-498	F R	38.10	12.70	-	-	-	M6-29-498	M610, M611	R4300, R6200, R6600	500
▶	B-461	F N A H S L	88.90	38.10	-	25.40	15.24	M6-77-461	M610, M611	R4300, R6200	100
50.0 mL											
▶	B-427	F N S	19.05	38.10	-	19.05	12.70	BM-30-427	M610, M611, M710	R4300	2500
∞	B-439	F	25.40	-	15.24	-	-	M6C-1000-439-OR	M610, M611	R4400, R6000HF	1
∞	B-439	F	25.40	-	15.24	-	-	M6C-1000-439-RD	M610, M611	R4400, R6000HF	1
∞	B-439	F	25.40	-	15.24	-	-	M6C-1000-439-YL	M610, M611	R4400, R6000HF	1
▲	B-430	F A H	25.40	12.70	-	-	-	M6-17-430	M610, M611	R4400, R6000HF, R6200	500
▶	B-427	F N S	25.40	38.10	-	25.40	12.70	BM-31-427	M610, M611, M710	R4300	2500
▲	B-427	F N	38.10	19.05	-	-	-	M6-30-427-AW	M610, M611	R4300	250
▲	B-498	F R	38.10	25.40	-	-	-	M6-31-498	M610, M611	R4300, R6200, R6600	250
▲	B-490	F N H L	38.10	98.43	-	-	-	M6-114-490	M610, M611	R4300	100
▲	B-427	F N	48.26	25.40	-	-	-	M6-78-427-AW	M610, M611	R4300	250

*AW = All White / no transparent area.

The M710 printer works with a different set of dedicated ribbons. For more information, visit www.bradyeurope.com/M710


LABORATORY IDENTIFICATION : SPECIMEN TRACKING IDENTIFICATION

Centrifuge / microcentrifuge labels



- Brady offers a wide range of Centrifuge, Eppendorf and PCR Labels. When applying a self-laminating label, we recommend you avoid touching the adhesive side of the label when wrapping it around a vial or tube, to ensure maximum adhesion.

F Freezer environment
N Liquid nitrogen environment
A Autoclave environment
H Hot water bath (100°C)
S Self-laminating label
L Low-profile label (extremely thin)
R Removable



Labels are shown per vial / tube size and in order of label width.

The background colours in the Order Reference column represent the material colour.

Diagram	Material	Special Properties	Label Width A (mm)	Label Height B (mm)	Label Length C (mm)	Diameter D (mm)	Printable Area PW (mm)	Printable Area PH (mm)	Order Reference	Printer Compatibility	Printer Ribbon Series	Labels per Roll
0.5 mL												
⊙	B-461	FNAHSL	9.53	-	15.24	-	-	-	M6C-375-461	M610, M611	R4300, R6200	1
⊙	B-461	FNAHSL	12.70	-	15.24	-	-	-	M6C-500-461	M610, M611	R4300, R6200	1
⊙	B-492	FNHL	12.70	-	15.24	-	-	-	M6C-500-492	M610, M611	R4300, R6400	1
▲	B-499	FNA	19.05	12.70	-	-	-	-	BM-11-499	M610, M611, M710	R4300, R6200	5000
▲	B-498	F	19.05	12.70	-	-	-	-	M6-11-498	M610, M611	R4300, R6200, R6600	500
▲	B-499	FNA	19.05	12.70	-	-	-	-	M6-11-499	M610, M611	R4300, R6200	500
▲	B-498	F	19.05	12.70	-	-	-	-	BM-11-498	M610, M611, M710	R4300, R6200, R6600	5000
▲	B-492	FNHL	20.96	9.53	-	-	-	-	M6-130-492	M610, M611	R4300, R6400	500
⊗	B-492	FHL	22.86	12.70	-	12.70	-	-	M6-117-492	M610, M611	R4300, R6400	500
⊗	B-499	FA	22.86	12.70	-	12.70	-	-	M6-117-499	M610, M611	R4300, R6200	500
▲	B-498	F	25.40	9.53	-	-	-	-	M6-16-498	M610, M611	R4300, R6200, R6600	500
▲	B-499	FNA	25.40	9.53	-	-	-	-	M6-16-499	M610, M611	R4300, R6200	500
⊗	B-492	FHL	25.40	9.53	-	9.53	-	-	M6-98-492	M610, M611	R4300, R6400	500
⊗	B-499	FA	25.40	9.53	-	9.53	-	-	M6-98-499	M610, M611	R4300, R6200	500
▲	B-492	FNHL	25.40	12.70	-	-	-	-	M6-17-492	M610, M611	R4300, R6400	500
⊗	B-492	FHL	25.40	12.70	-	9.53	-	-	M6-120-492	M610, M611	R4300, R6400	250
▷	B-427	FN S	25.40	63.50	-	-	25.40	19.05	M6-21-427	M611, M610	R4300	100
▷	B-461	FNAHSL	28.58	12.70	-	-	19.05	12.70	M6-122-461	M610, M611	R4300, R6200	500
▷	B-461	FNAHSL	38.10	4.75	-	-	17.78	4.75	M6-108-461	M610, M611	R4300, R6200	750
▷	B-461	FNAHSL	41.91	12.70	-	-	19.05	12.70	M6-202-461	M610, M611	R4300, R6200	100
▷	B-461	FNAHSL	45.72	12.70	-	-	19.05	12.70	M6-72-461	M610, M611	R4300, R6200	500
▷	B-461	FNAHSL	55.88	12.70	-	-	19.05	12.70	M6-74-461	M610, M611	R4300, R6200	100
1.5 mL												
▷	B-461	FNAHSL	28.58	9.53	-	-	19.05	9.53	M6-123-461	M610, M611	R4300, R6200	500
▲	B-490	FNHL	31.75	9.53	-	-	-	-	M6-112-490	M610, M611	R4300	500
▷	B-461	FNAHSL	41.28	15.24	-	-	25.40	15.24	M6-76-461	M610, M611	R4300, R6200	250
▷	B-461	FNAHSL	45.72	9.53	-	-	19.05	9.53	M6-73-461	M610, M611	R4300, R6200	500
▷	B-461	FNAHSL	45.72	15.24	-	-	25.40	15.24	M6-201-461	M610, M611	R4300, R6200	100
2.0 mL												
▷	B-427	FN S	12.70	55.88	-	-	12.70	19.05	M6-74-427	M610, M611	R4300	100
▲	B-492	FNHL	22.86	25.40	-	-	-	-	M6-156-492	M610, M611	R4300, R6400	250
▲	B-492	FNHL	25.40	25.40	-	-	-	-	M6-19-492	M610, M611	R4300, R6400	250
▷	B-461	FNAHSL	44.45	25.40	-	-	25.40	25.40	M6-203-461	M610, M611	R4300, R6200	100

The M710 printer works with a different set of dedicated ribbons. For more information, visit www.bradyeurope.com/M710


>>

LABORATORY IDENTIFICATION : SPECIMEN TRACKING IDENTIFICATION



Centrifuge / microcentrifuge labels (continued)

- F** Freezer environment
- N** Liquid nitrogen environment
- A** Autoclave environment
- H** Hot water bath (100°C)
- S** Self-laminating label
- L** Low-profile label (extremely thin)
- R** Removable



Labels are shown per vial / tube size and in order of label width.

The background colours in the Order Reference column represent the material colour.

Diagram	Material	Special Properties	Label Width A (mm)	Label Height B (mm)	Label Length C (mm)	Diameter D (mm)	Printable Area Width PW (mm)	Printable Area Height PH (mm)	Order Reference	Printer Compatibility	Printer Ribbon Series	Labels per Roll
4.0 mL												
▲	B-492	F N H L	12.70	41.91	-	-	-	-	M6-124-492	M610, M611	R4300, R6400	500
✦	B-492	F H L	15.24	41.28	-	9.53	-	-	M6-205-492	M610, M611	R4300, R6400	250
▲	B-490	F N H L	41.28	15.24	-	-	-	-	M6-76-490	M610, M611	R4300	250
8.0 mL												
▶	B-461	F N A H S L	15.24	66.68	-	-	25.40	15.24	M6-86-461	M610, M611	R4300, R6200	100
▲	B-492	F N H L	25.40	44.45	-	-	-	-	M6-203-492	M610, M611	R4300, R6400	250
15.0 mL												
▲	B-492	F N H L	25.40	48.26	-	-	-	-	M6-204-492	M610, M611	R4300, R6400	250
▶	B-461	F N A H S L	63.50	38.10	-	-	19.05	38.10	M6-157-461	M610, M611	R4300, R6200	100



Slide labels

- Brady offers labels specifically designed to identify slides and to resist exposure to harsh chemicals during the slide staining process. They perform well in the hematoxylin and eosin slide staining process and offer superior chemical resistance also useful in other laboratory contexts.

Labels are shown in order of label width.

The background colours in the Order Reference column represent the material colour.




Diagram	Material	Special Properties	Label Width A (mm)	Label Height B (mm)	Order Reference	Printer Compatibility	Printer Ribbon Series	Labels per Roll
▲	B-488	F A	19.05	22.86	M6-80-488	M610, M611	R4300	250
▲	B-481	F H	22.86	9.53	M6-195-481	M610, M611	R6400	500
▲	B-481	F H	22.86	19.05	M6-194-481	M610, M611	R6400	250
▲	B-481	F H	22.86	22.86	M6-97-481	M610, M611	R6400	250
▲	B-488	F A	22.86	22.86	M6-97-488	M610, M611	R4300	250


LABORATORY IDENTIFICATION : SPECIMEN TRACKING IDENTIFICATION



Cryo tubes & vials

- Brady offers a range of labels designed specifically to identify laboratory samples for cryo storage. These labels can be applied to room temperature or to already frozen samples, albeit with a small overlap. The label will remain legible and will stick to the sample container during processing, even when exposed to extreme heat or chemicals like DMSO, Xylene and Ethanol, ensuring secure sample identification in the most challenging laboratory conditions.

- F** Freezer environment
- N** Liquid nitrogen environment
- A** Autoclave environment
- H** Hot water bath (100°C)
- S** Self-laminating label
- L** Low-profile label (extremely thin)
- R** Removable



Labels are shown per vial / tube size and in order of label width.

The background colours in the Order Reference column represent the material colour.

Diagram	Material	Special Properties	Label Width A (mm)	Label Height B (mm)	Diameter C (mm)	Printable Area Width PW (mm)	Printable Area Height PH (mm)	Order Reference	Printer Compatibility	Printer Ribbon Series	Labels per Roll
0.5 mL											
▲	B-499	F N A	19.05	12.70	-	-	-	BM-11-499	M610, M611, M710	R4300, R6200	5000
▲	B-499	F N A	19.05	12.70	-	-	-	M6-11-499	M610, M611	R4300, R6200	500
✖	B-499	F A	22.86	12.70	12.70	-	-	M6-117-499	M610, M611	R4300, R6200	500
✖	B-499	F A	25.40	9.53	9.53	-	-	M6-98-499	M610, M611	R4300, R6200	500
▷	B-461	F N A H S L	55.88	12.70	-	19.05	12.70	M6-74-461	M610, M611	R4300, R6200	100
1.5 mL											
▷	B-461	F N A H S L	41.28	15.24	-	25.40	15.24	M6-76-461	M610, M611	R4300, R6200	250
▷	B-461	F N A H S L	95.25	19.05	-	25.40	25.40	M6-79-461	M610, M611	R4300, R6200	100
2.0 mL											
▷	B-427	F N S	12.70	55.88	-	12.70	19.05	M6-74-427	M610, M611	R4300	100
4.0 mL											
▲	B-490	F N H L	41.28	15.24	-	-	-	M6-76-490	M610, M611	R4300	250
▷	B-461	F N A H S L	66.68	25.40	-	25.40	25.40	M6-75-461-YL	M610, M611	R4300, R6200	100
▷	B-461	F N A H S L	66.68	25.40	-	25.40	25.40	M6-75-461	M610, M611	R4300, R6200	100

The M710 printer works with a different set of dedicated ribbons. For more information, visit www.bradyeurope.com/M710


>>

LABORATORY IDENTIFICATION : SPECIMEN TRACKING IDENTIFICATION

Cryo tubes & vials (continued)



- F** Freezer environment
- N** Liquid nitrogen environment
- A** Autoclave environment
- H** Hot water bath (100°C)
- S** Self-laminating label
- L** Low-profile label (extremely thin)
- R** Removable



Labels are shown per vial / tube size and in order of label width.

The background colours in the Order Reference column represent the material colour.

Diagram	Material	Special Properties	Label Width A (mm)	Label Height B (mm)	Diameter C (mm)	Printable Area Width PW (mm)	Printable Area Height PH (mm)	Order Reference	Printer Compat- ibility	Printer Ribbon Series	Labels per Roll
0.5 mL											
8.0 mL											
	B-461	F N A H S L	15.24	66.68	-	25.40	15.24	M6-86-461	M610, M611	R4300, R6200	100
	B-494	F N H	25.40	9.53	9.53	25.40	6.35	M6-98-494-BL	M610, M611	R6400	500
	B-494	F N H	25.40	9.53	9.53	25.40	6.35	M6-98-494-GN	M610, M611	R6400	500
	B-494	F N H	25.40	9.53	9.53	25.40	6.35	M6-98-494-OR	M610, M611	R6400	500
	B-494	F N H	25.40	9.53	9.53	25.40	6.35	M6-98-494-PK	M610, M611	R6400	500
	B-494	F N H	25.40	9.53	9.53	25.40	6.35	M6-98-494-RD	M610, M611	R6400	500
	B-494	F N H	25.40	9.53	9.53	25.40	6.35	M6-98-494-YL	M610, M611	R6400	500
	B-494	F N H	25.40	12.70	-	25.40	9.53	M6-17-494-BL	M610, M611	R6400	500
	B-494	F N H	25.40	12.70	-	25.40	9.53	M6-17-494-GN	M610, M611	R6400	500
	B-494	F N H	25.40	12.70	-	25.40	9.53	M6-17-494-OR	M610, M611	R6400	500
	B-494	F N H	25.40	12.70	-	25.40	9.53	M6-17-494-PK	M610, M611	R6400	500
	B-494	F N H	25.40	12.70	-	25.40	9.53	M6-17-494-RD	M610, M611	R6400	500
	B-494	F N H	25.40	12.70	-	25.40	9.53	M6-17-494-YL	M610, M611	R6400	500
	B-494	F N H	25.40	25.40	-	25.40	22.23	M6-19-494-BL	M610, M611	R6400	250
	B-494	F N H	25.40	25.40	-	25.40	22.23	M6-19-494-GN	M610, M611	R6400	250
	B-494	F N H	25.40	25.40	-	25.40	22.23	M6-19-494-OR	M610, M611	R6400	250
	B-494	F N H	25.40	25.40	-	25.40	22.23	M6-19-494-PK	M610, M611	R6400	250
	B-494	F N H	25.40	25.40	-	25.40	22.23	M6-19-494-RD	M610, M611	R6400	250
	B-494	F N H	25.40	25.40	-	25.40	22.23	M6-19-494-YL	M610, M611	R6400	250
	B-427	F N S	25.40	66.68	-	25.40	25.40	M6-75-427	M610, M611	R4300	100
	B-490	F N H L	48.26	25.40	-	-	-	M6-78-490	M610, M611	R4300	250
25.0 mL											
	B-498	F	12.70	38.10	-	-	-	BM-29-498	M610, M611, M710	R4300, R6200, R6600	5000
	B-498	F	38.10	12.70	-	-	-	M6-29-498	M610, M611	R4300, R6200, R6600	500
	B-461	F N A H S L	88.90	38.10	-	25.40	15.24	M6-77-461	M610, M611	R4300, R6200	100

The M710 printer works with a different set of dedicated ribbons. For more information, visit www.bradyeurope.com/M710

▶ See pages 55-59 for a detailed material index.


LABORATORY IDENTIFICATION : SPECIMEN TRACKING IDENTIFICATION



Well plate labels

- When total tracking of all sample collections is required then Brady has a solution for Well plate identification. Our well plate labels guarantee crystal clear text and barcoding for most lab environments.

- F** Freezer environment
- N** Liquid nitrogen environment
- A** Autoclave environment
- H** Hot water bath (100°C)
- S** Self-laminating label
- L** Low-profile label (extremely thin)
- R** Removable



Labels are shown in order of label width.

The background colours in the Order Reference column represent the material colour.

Diagram	Material	Special Properties	Label Width A (mm)	Label Height B (mm)	Label Length B (m)	Order Reference	Printer Compatibility	Printer Ribbon Series	Labels per Roll
▲	B-7425	F N A H	6.35	50.80	-	M6-2-7425	M610, M611	R4300, R6400	100
⊙	B-430	F A H	12.70	-	15.24	M6C-500-430	M610, M611	R4400, R6000HF, R6200	1
▲	B-423	F A	12.70	12.70	-	M6-7-423	M610, M611	R4400, R6000HF, R6200	500
▲	B-423	F A H	12.70	12.70	-	BM-7-423	M610, M611, M710	R4400, R6000HF, R6200	5000
▲	B-499	F N A	12.70	38.10	-	M6-29-499	M610, M611	R4300, R6200	500
▲	B-498	F R	12.70	38.10	-	BM-29-498	M610, M611, M710	R4300, R6200, R6600	5000
∞	B-439	F	25.40	-	15.24	M6C-1000-439	M610, M611	R4400, R6000HF	1
∞	B-439	F	25.40	-	15.24	M6C-1000-439-OR	M610, M611	R4400, R6000HF	1
∞	B-439	F	25.40	-	15.24	M6C-1000-439-RD	M610, M611	R4400, R6000HF	1
∞	B-439	F	25.40	-	15.24	M6C-1000-439-YL	M610, M611	R4400, R6000HF	1
▲	B-423	F A	25.40	4.75	-	M6-14-423	M610, M611	R4400, R6000HF, R6200	750
▲	B-423	F A	25.40	6.99	-	M6-15-423	M610, M611	R4400, R6000HF, R6200	750
▲	B-423	F A	25.40	12.70	-	M6-17-423	M610, M611	R4400, R6000HF, R6200	500
▲	B-430	F A H	25.40	12.70	-	M6-17-430	M610, M611	R4400, R6000HF, R6200	500
▲	B-498	F R	25.40	12.70	-	M6-17-498	M610, M611	R4300, R6200, R6600	500
▲	B-490	F N H L	25.40	44.45	-	M6-203-490	M610, M611	R4300	250
▲	B-423	F A	25.40	50.80	-	M6-20-423	M610, M611	R4400, R6000HF, R6200	100
▲	B-498	F R	38.10	12.70	-	M6-29-498	M610, M611	R4300, R6200, R6600	500
▲	B-427	F N	38.10	19.05	-	M6-30-427-AW	M610, M611	R4300	250
▲	B-499	F N A	38.10	19.05	-	M6-30-499	M610, M611	R4300, R6200	250
▲	B-423	F A	38.10	25.40	-	M6-31-423	M610, M611	R4400, R6000HF, R6200	250
▲	B-498	F R	38.10	25.40	-	M6-31-498	M610, M611	R4300, R6200, R6600	250
▲	B-499	F N A	38.10	25.40	-	M6-31-499	M610, M611	R4300, R6200	250
▲	B-490	F N H L	38.10	55.88	-	M6-113-490	M610, M611	R4300	100
▲	B-490	F N H L	38.10	98.43	-	M6-114-490	M610, M611	R4300	100
▲	B-488	F A	48.26	6.35	-	M6-81-488	M610, M611	R4300	750
▲	B-499	F N A	48.26	6.35	-	M6-81-499	M610, M611	R4300, R6200	750
▲	B-427	F N	48.26	25.40	-	M6-78-427-AW	M610, M611	R4300	250
▲	B-488	F A	48.26	25.40	-	M6-78-488	M610, M611	R4300	250
▲	B-499	F N A	48.26	25.40	-	M6-78-499	M610, M611	R4300, R6200	250
▲	B-423	F A	50.80	6.35	-	M6-2-423	M610, M611	R4400, R6000HF, R6200	100
▲	B-423	F A	76.20	25.40	-	M6-22-423	M610, M611	R4400, R6000HF, R6200	100

*AW = All White / no transparent area.

The M710 printer works with a different set of dedicated ribbons. For more information, visit www.bradyeurope.com/M710


LABORATORY IDENTIFICATION : LEAN LAB IDENTIFICATION



Bottles / flasks & dishes

- Brady's labels for bottles, flasks and dishes are easy to handle and flexible. This enables the labels to be placed on curved containers and remain attached and legible, even after being subjected to freezing, liquid nitrogen and heat.

- F** Freezer environment
- N** Liquid nitrogen environment
- A** Autoclave environment
- H** Hot water bath (100°C)
- S** Self-laminating label
- L** Low-profile label (extremely thin)
- R** Removable



Labels are shown in order of label width.

The background colours in the Order Reference column represent the material colour.

Diagram	Material	Special Properties	Label Width A (mm)	Label Height B (mm)	Label Length B (m)	Order Reference	Printer Compatibility	Printer Ribbon Series	Labels per Roll
⊙	B-430	F A H	12.70	-	15.24	M6C-500-430	M610, M611	R4400, R6000HF, R6200	1
▲	B-423	F A	12.70	12.70	-	M6-7-423	M610, M611	R4400, R6000HF, R6200	500
▲	B-498	F R	12.70	12.70	-	M6-7-498	M610, M611	R4300, R6200, R6600	500
▲	B-499	F N A	12.70	12.70	-	M6-7-499	M610, M611	R4300, R6200	500
▲	B-423	F A H	12.70	12.70	-	BM-7-423	M610, M611, M710	R4400, R6000HF, R6200	5000
▲	B-499	F N A	12.70	38.10	-	M6-29-499	M610, M611	R4300, R6200	500
▲	B-490	F N H L	15.24	45.72	-	M6-126-490	M610, M611	R4300	250
▲	B-432	F A	19.05	12.70	-	M6-11-432	M610, M611	R4400, R6000HF, R6200	500
▲	B-499	F N A	22.86	12.70	-	M6-84-499	M610, M611	R4300, R6200	500
∞	B-439	F	25.40	-	15.24	M6C-1000-439	M610, M611	R4400, R6000HF	1
∞	B-439	F	25.40	-	15.24	M6C-1000-439-OR	M610, M611	R4400, R6000HF	1
∞	B-439	F	25.40	-	15.24	M6C-1000-439-RD	M610, M611	R4400, R6000HF	1
∞	B-439	F	25.40	-	15.24	M6C-1000-439-YL	M610, M611	R4400, R6000HF	1
▲	B-423	F A	25.40	4.75	-	M6-14-423	M610, M611	R4400, R6000HF, R6200	750
▲	B-423	F A	25.40	6.99	-	M6-15-423	M610, M611	R4400, R6000HF, R6200	750
▲	B-432	F A	25.40	12.70	-	M6-17-432	M610, M611	R4400, R6000HF, R6200	500
▲	B-423	F A	25.40	12.70	-	M6-17-423	M610, M611	R4400, R6000HF, R6200	500
▲	B-430	F A H	25.40	12.70	-	M6-17-430	M610, M611	R4400, R6000HF, R6200	500
▲	B-498	F R	25.40	12.70	-	M6-17-498	M610, M611	R4300, R6200, R6600	500
▲	B-7351	F	25.40	12.70	-	M6-17-7351	M611, M610	R4400, R6000HF, R6200	500
▲	B-498	F R	25.40	31.75	-	M6-103-498	M610, M611	R4300, R6200, R6600	250
▲	B-423	F A H	25.40	50.80	-	BM-20-423	M610, M611, M710	R4400, R6000HF, R6200	1000
▲	B-423	F A	25.40	50.80	-	M6-20-423	M610, M611	R4400, R6000HF, R6200	100
▲	B-7351	F	25.40	50.80	-	M6-20-7351	M611, M610	R4400, R6000HF, R6200	100
▲	B-498	F R	38.10	12.70	-	M6-29-498	M610, M611	R4300, R6200, R6600	500
▲	B-427	F N	38.10	19.05	-	M6-30-427-AW	M610, M611	R4300	250
▲	B-499	F N A	38.10	19.05	-	M6-30-499	M610, M611	R4300, R6200	250
▲	B-490	F N H L	38.10	55.88	-	M6-113-490	M610, M611	R4300	100
▲	B-490	F N H L	38.10	98.43	-	M6-114-490	M610, M611	R4300	100
▲	B-427	F N	48.26	25.40	-	M6-78-427-AW	M610, M611	R4300	250
▲	B-488	F A	48.26	25.40	-	M6-78-488	M610, M611	R4300	250
▲	B-499	F N A	48.26	25.40	-	M6-78-499	M610, M611	R4300, R6200	250
▲	B-423	F A	76.20	25.40	-	M6-22-423	M610, M611	R4400, R6000HF, R6200	100
▲	B-351	F	76.20	48.26	-	M6-37-351	M611, M610	R6000HF, R6200	100

*AW = All White / no transparent area.


The M710 printer works with a different set of dedicated ribbons. For more information, visit www.bradyeurope.com/M710

LABORATORY IDENTIFICATION : LEAN LAB IDENTIFICATION

Water dissolvable labels

The B-403 water dissolvable paper label is self-adhesive and extremely easy to apply. Exposing the label to warm water will completely dissolve it within 30 seconds, without damage to the surface it was applied to, and without leaving any residue. The water dissolvable label adheres well to most surfaces, including glass, stainless steel, aluminium, plastic and others. This makes the label a great solution to enable short term identification for containers, crates and glassware with a minimum of waste.

- F** Freezer environment
- N** Liquid nitrogen environment
- A** Autoclave environment
- H** Hot water bath (100°C)
- S** Self-laminating label
- L** Low-profile label (extremely thin)
- R** Removable




The background colours in the Order Reference column represent the material colour.

Diagram	Material	Special Properties	Label Width A (mm)	Label Length B (m)	Order Reference	Printer Compatibility	Printer Ribbon Series	Labels per Roll
⦿	B-403	R	19.05	15.24	M6C-750-403	M610, M611	R4300	1
⦿	B-403	R	38.10	15.24	M6C-1500-403	M610, M611	R4300	1

Printable, removable polypropylene labels



These B-449 thermal transfer labels do not leave any adhesive residue behind when they are removed. Engineered for mid- to long-term stability, this label guarantees a residue-free removal whether it's peeled off in 2 minutes, 2 months or 2 years.



The background colours in the Order Reference column represent the material colour.

Diagram	Material	Special Properties	Label Width A (mm)	Label Height B (mm)	Order Reference	Printer Compatibility	Printer Ribbon Series	Labels per Roll
▲	B-449	A	R 25.40	50.80	M6-20-449	M610, M611	R4300, R6200	100
▲	B-449	A	R 38.10	19.05	M6-30-449	M610, M611	R4300, R6200	250
▲	B-449	A	R 76.20	25.40	M6-22-449	M610, M611	R4300, R6200	100



▶ Watch the video!

MASTER MATERIAL INDEX

This section provides a quick reference to Brady materials listed throughout this catalogue, including basic attributes, applications and regulatory compliance where applicable. For more detailed material attribute and performance information, please refer to the material's Technical Data Sheet, listed at www.bradyeurope.com/tds.

Brady Material No.	Material	Finish	Colour	Temp (°C) (Tested for 30 days)		Properties & Applications	Approval/Compliance
				Min.	Max.		
B-109	Polyethylene	Matt	White	-40 °C	49 °C	White polyethylene tag material with matt finish. Excellent multi-purpose tag for identifying multiconductor cables, inventory, safety warning repair and work-in-processing manufacturing. Good weatherability, humidity resistance and legibility after solvent exposure.	
B-342	Heat-shrink Polyolefin	Matt	White	-55 °C	130.6 °C	3:1 ratio heat shrinkable wire marking sleeve that fits snugly around wires for identification and protection. Fade-resistant and flame retardant. Also available in yellow and black.	UL Recognised to UL224, SAE-AMS-DTL-23053/5 C (Class 1), SAE AS-81531
B-345	High Temperature Heat-shrink Polyvinylidene Fluoride	Matt	White	-70 °C	130.6 °C	2:1 ratio heat shrinkable wire marking sleeve specifically designed for high temperature and low vacuum outgassing applications. These heat shrinkable wire marking sleeves are made from irradiated high temperature PVDF. Also available in black.	NASA SP-R-0022A Outgassing Performance, SAE-AMS-DTL-23053/18 (Class 2), SAE AS-81531, MIL-STD-202G Method 215K
B-348	Polyolefin	Matt	White	-55 °C	105 °C	Brady's B-348 High Performance material complies with the minimal smoke and halogen emission requirements of the most stringent underground standards for high-performance vehicles. The material is printable on-site and in the field, making it a practical solution for identifying thick cables and cable bundles. B-348 has proven to be highly durable, exhibiting excellent UV resistance. Available in white and yellow colours.	EN-45545-2, requirement 24, Vehicle Category HL3
B-362	Tamper-resistant Metallised Vinyl	Gloss	Silver	-70 °C	80 °C	Designed to fracture easily in order to show signs of product tampering and to prevent one-piece label removal. Use caution when removing from liner as material is fragile.	
B-390	Rigid Insert	Matt	White	-40 °C	100 °C	Designed to be printed and affixed to a wire using extruded, clear PVC Brady Wire Marking Carriers.	Halogen Free (DIN VDE 0472/part 815)
B-403	Water Soluble Paper	Matt	Black on White	-70 °C	100 °C	White dissolvable paper. Dissolves completely in water leaving no adhesive residue, ideal for temporary labelling applications	
B-412	Polypropylene	Matt	White	-40 °C	100 °C	White polypropylene tag material with matt finish. Offers high print legibility and high tensile strength.	
B-414	Polyester	Matt	White	-40 °C	50 °C	Get a grip on your wire and cable identification – Brady and VELCRO® Brand have partnered to bring you BradyGrip™ Print-on Hook Material, an exclusive print-and-place material that can be easily applied, repositioned or removed.	
B-417	Self-laminating Vinyl	Matt	White	-40 °C	70 °C	Keep your wire identification secure with this self-laminating marker with extra-strong adhesive. The extra-strong adhesive makes these markers ideal for small-diameter wires. Features a white printable area and a clear tail that wraps around the marker.	UL Recognised to UL969 Labelling and Marking Standard when printed with the Brady Series R4300 and R7950 ribbons. See UL files MH62024 for specific details. Brady customers should specify at purchase if they require UL Recognised B-417 labels. Brady sells both UL Recognised B-417 labels and non-approved labels depending on customer requirements
B-422	Polyester	Gloss	White	-40 °C	100 °C	Designed to withstand solvent exposure. Used for component identification, barcoding, asset and inventory tracking.	UL Recognised, CSA Accepted

MASTER MATERIAL INDEX

Brady Material No.	Material	Finish	Colour	Temp (°C) (Tested for 30 days)		Properties & Applications	Approval/Compliance
				Min.	Max.		
B-422/B-966B	Polyester	Gloss	White	-40 °C	100 °C	Supplied with a separate overlaminate mounted onto the liner underneath the label to allow for the label to be printed first.	
B-423	Polyester	Gloss	White	-70 °C	110 °C	Widely used for component identification, barcoding, asset and inventory tracking.	UL Recognised, CSA Accepted, Halogen Free (DIN VDE 0472/part 815) Approvals are for White material only
B-424	Paper	Matt	White	-40 °C	50 °C	White paper material with matt finish and smooth top coat finish for thermal transfer printing. Good contrast and smear resistance for thermal barcode printing. Used for general purpose labelling applications	
B-424/B-966B	Paper with Polyester Overlaminate	Gloss	White		50 °C	Supplied with a separate overlaminate mounted onto the liner underneath the label to allow for the label to be printed first.	
B-425A	Polypropylene	Matt	White	-70 °C	80 °C	White polypropylene material stock with matt finish for thermal transfer printing or write-on applications. Excellent solvent resistance and print performance; not recommended for long-term outdoor use.	UL Recognised, CSA Accepted, Halogen Free (DIN VDE 0472/part 815)
B-427	Self-laminating Vinyl	Matt	White	-40 °C	60 °C	Thermal transfer printable, self-laminating material. These labels have a printable area with a clear "tail" that wraps around the marker. The "tail" serves as overlaminate to protect the print. Superior resistance to abrasion, solvents, water, oil and dirt. Also available in grey, brown, green, yellow, blue, red, purple, orange.	UL Recognised to UL969 Labelling and Marking Standard when printed with the Brady Series R4300 and R6200 ribbons. See UL files MH17154 for specific details. Brady customers should specify at purchase if they require UL Recognised B-427 labels. Brady sells both UL Recognised B-427 labels and non-approved labels depending on customer requirements.
B-428	Metallised Polyester	Matt	Light Grey	-70 °C	120 °C	Thermal transfer printable metallised polyester with matt finish. Withstands solvents and variable temperatures. Excellent for serial and rating plate applications with name-plate quality and a metal-looking finish.	UL Recognised, CSA Accepted, AGA Approved, Halogen Free (DIN VDE 0472/part 815)
B-428/B-966B	Metallised Polyester with Polyester Overlaminate	Gloss	Light Grey	-70 °C	120 °C	A Metallised polyester label that comes with a separate overlaminate to be applied over the label once printed. This way the label remains clear and easy-to-read, even in harsh environments. Overlaminate is a clear polyester (B-966B) that extends outside of label on each side when applied.	
B-430	Polyester	Gloss	Transparent	-70 °C	100 °C	Translucent, high performance polyester material with a glossy finish. Thermal transfer printable.	UL Recognised, CSA Accepted
B-432	Polyester	Gloss	Transparent	-40 °C	100 °C	Translucent, high performance polyester material with a glossy finish. Thermal transfer printable. Very similar to B-430, but has a thicker layer of acrylic adhesive for better adherence to rough surface applications.	UL Recognised, CSA Accepted
B-435A	Metallised Polyester	Gloss	Silver	-40 °C	90 °C	Printable metallised polyester withstands numerous solvents and variable temperatures. Ideal for serial and rating plate applications with name-plate quality and a metal looking finish.	UL Recognised, CSA Accepted
B-437	Polyvinylfluoride	Matt	White	-70 °C	135 °C	Polyvinylfluoride label material with matt finish. Used in wire and cable identification applications where self-extinguishing features are required. This label material utilises an adhesive for heavy-duty applications and is available in continuous or die-cut formats. Excellent resistance to water, oil and other common fluids. Also available in yellow.	MIL-M-87958 Pressure Sensitive Adhesive Wire or Cable Marker and Identification specification

MASTER MATERIAL INDEX

Brady Material No.	Material	Finish	Colour	Temp (°C) (Tested for 30 days)		Properties & Applications	Approval/Compliance
				Min.	Max.		
B-439	Vinyl	Gloss	Green	-70 °C	40 °C	Available in Blue, Green, Orange, Red, White and Yellow	
B-449	Polypropylene	Matt	White	-70 °C	90 °C	Ideal for temporary labelling applications. Removable from flat surfaces; write-on capabilities; Tested 3 cycles of 1 hour in 121 °C at 15 psi for autoclave process.	
B-459	Polyester	Matt	White	-40 °C	100 °C	White polyester thermal transfer printable material with matt finish. Designed for applications such as topside of printed circuit boards and rating plates that utilise high quality/density alphanumerics, barcodes and graphics.	UL Recognised
B-461	Self-laminating Polyester	Matt	White, Transparent	-196 °C	110 °C	Permanent adhesive; suitable for liquid nitrogen application if material is wrapped around itself, as in self-lamination; write-on capabilities. Temperature range increases to 121 °C when used in autoclave process	
B-473	Static Dissipative Polyester	Gloss	White	-40 °C	120 °C	This material is constructed with a static dissipative adhesive, it is designed for printed circuit board and electronic component post-process labelling.	UL Recognised, CSA Accepted, Meets surface resistivity values in the recommended range for dissipative ESD packaging materials as defined by ANSI/ESD S541-2008 (between 10 and 10 ohms)
B-481	StainerBondz™ Polyester	Matt	White	-80 °C	130 °C	White polyester will remain resistant when exposed to xylene and other chemicals that are commonly used in the slide staining process	
B-483A	Polyester	Gloss	White	-40 °C	120 °C	White polyester thermal transfer printable material with glossy finish and aggressive adhesive specifically designed for powder coated surfaces.	UL Recognised, CSA Accepted
B-486B	Metallised Polyester	Matt	Light Grey	-40 °C	120 °C	Metallised polyester thermal transfer printable material, ideal for indoor product labelling, asset tracking and general ID on very rough surfaces.	UL Recognised, CSA Accepted
B-488	Polyester	Matt	White	-40 °C	145 °C	White polyester thermal transfer printable material, similar to B-423, but with matt finish. Widely used for component identification, barcoding, asset and inventory tracking.	
B-489A	Polyester	Matt	White	-40 °C	120 °C	White polyester thermal transfer printable material, similar to B-483, but with matt finish. Aggressive adhesive specifically designed for powder coated surfaces.	UL Recognised, CSA Accepted
B-490	FreezerBondz™ Polyester	Matt	White	-196 °C	130 °C	Can be applied to frozen surfaces including glass and polypropylene stored in liquid nitrogen, except for Vial Tops. Material must slightly overlap itself.	
B-492	FreezerBondz™ Polyester	Matt	White	-196 °C	110 °C	Ultra thin; can label frosted/frozen (with overlap) or room temperature labels and lasts in liquid nitrogen and hot water baths	
B-494	Polyester	Gloss	White, Yellow	-196 °C	70 °C	Our B-494 polyester label is a reliable sample identification and traceability solution. The label will stay attached and remain legible, even when exposed to chemicals or stored in liquid nitrogen. Thanks to subsurface printing, the label's colour code will not fade, smear or smudge and will continue to offer fast sample recognition long after it was printed.	
B-498	Vinyl Cloth	Semi-gloss	White	-40 °C	80 °C	White vinyl cloth label material with glossy finish. The adhesive and cloth backing give excellent holding power, while being repositionable and removing cleanly.	UL Recognised

MASTER MATERIAL INDEX

Brady Material No.	Material	Finish	Colour	Temp (°C) (Tested for 30 days)		Properties & Applications	Approval/Compliance
				Min.	Max.		
B-499	Nylon Cloth	Matt	Black on White	-40 °C	90 °C	Nylon cloth material with matt finish. The adhesive allows labelling in environments with heat, cold, oil and dirt. Also available in yellow.	UL Recognised, CSA Accepted, Halogen Free (DIN VDE 0472/part 815) Approvals are for White material only
B-581	Vinyl	Gloss	White	-40 °C	82 °C	Repositionable vinyl film is a durable, flexible, high-gloss material ideal for indoor marking where frequent repositioning is required.	
B-595	Vinyl	Gloss	White	-40 °C	82 °C	Durable, low-shrink vinyl with our most aggressive adhesive. Conforms to irregular, curved, rough and highly textured surfaces (painted cinder blocks, uneven wood, textured plastics, paper-jacketed pipes, powder-coated surfaces). Adheres to "difficult" low-surface energy items (PVC piping, blow-moulded equipment cases, ABS plastics, recycled plastics). Available in a wide range of colours.	BS 5609:1986 Section 2 and section 3
B-642	Polyvinylfluoride	Matt	White, Transparent	-70 °C	120 °C	Applications requiring self-extinguishing identification. Self-laminating, wire, cable and laboratory vial marking. Excellent abrasion and smudge resistance.	
B-717	Polyimide	Gloss	White	-70 °C	300 °C	White polyimide material with glossy finish and ultra-durable adhesive. Used in printed circuit board and electronic component pre-process labelling. Designed for use with extreme wash protocol and cleaning chemicals. Surface resistivity values in the recommended range for dissipative ESD packing materials.	UL Recognised, ANSI/ESD S541-2008 (between 10 and 10 ohms) for dissipative ESD packaging materials, MIL-STD-202G Method 215K
B-718	Polyimide	Gloss	White	-70 °C	300 °C	White polyimide material, low profile (1 mil thickness), with glossy finish and ultra-durable adhesive. Used in printed circuit board and electronic component pre-process labelling. Designed for use with extreme wash protocol and cleaning chemicals. Surface resistivity values in the recommended range for dissipative ESD packing materials.	UL Recognised, ANSI/ESD S541-2008 (between 10 and 10 ohms) for dissipative ESD packaging materials, MIL-STD-202G Method 215K
B-719	Static Dissipative Polyimide	Matt	White	-70 °C	300 °C		UL Recognised, ANSI/ESD S541-2008 (between 10 and 10 ohms) for dissipative ESD packaging materials, MIL-STD-202G Method 215K
B-724	Polyimide	Matt	Amber	-70 °C	300 °C	Amber polyimide material with matt finish and ultra-durable adhesive. Used in printed circuit board and electronic component pre-process labelling. Designed for use with extreme wash protocol and cleaning chemicals.	MIL-STD-202G, Notice 12, Method 215K, SAE AS81531 Marking of Electrical Insulating Material
B-727	Polyimide	Gloss	White	-70 °C	300 °C	White polyimide material with glossy finish and ultra-durable adhesive. Used in printed circuit board and electronic component pre-process labelling. Designed for use with extreme wash protocol and cleaning chemicals.	UL Recognised, MIL-STD-202G, Notice 12, Method 215K, Dibutyltin and Dioctyltin free
B-7351	Tamper-resistant Vinyl	Satin	White	-40 °C	80 °C	Fractures Easily, Prevents One-Piece Removal	
B-7425	Polypropylene	Matt	Black on White	-80 °C	70 °C	White Polypropylene material. Ideal for laboratory identification such as vials, centrifuge tubes and test tubes. For freezer or liquid nitrogen applications, B-7425 must be applied prior to being frozen.	
B-7546	Tamper-evident Polyester	Gloss	White	-20 °C	100 °C	White polyester material with glossy finish. Leaves a "VOID" footprint on the surface. The adhesive does not allow for repositioning to prevent it from being reused.	CSA Accepted

MASTER MATERIAL INDEX

Brady Material No.	Material	Finish	Colour	Temp (°C) (Tested for 30 days)		Properties & Applications	Approval/Compliance
				Min.	Max.		
B-7551	Polyester	Matt	Transparent	-20 °C	70 °C	Terminal block markers for the BMP61 Thermal Transfer Portable Printers. Please Note: This material is UL approved with its respective ribbon. See the Recommended Ribbon Series for the appropriate ribbon to use. These parts can also be printed on the BMP™71 Label Printer provided the roll adapter (M71-ADAPT) is used.	
B-7576	Tamper-evident Metallised Polyester	Matt	Silver	-70 °C	100 °C	Metallised polyester material with matt finish. Leaves a "VOID" footprint on the surface when removed; the pattern also appears on the top of the label to prevent it from being reused.	UL Recognised
B-7593	Polyethylene Foam Laminate Polyester	Gloss	White, Yellow, Red, Green, Silver, Black	-40 °C	100 °C	EPREP (Engraved Panel REplacement labels) are designed for patch panel identification in identifying external push-buttons, switches and internal connection points. Also available in black, green, red, silver and yellow.	
B-7597	Polyethylene	Matt	White	-40 °C	100 °C	Polyethylene tag material. Resists tearing and the topcoat resists smudging and abrasion. Halogen free material.	Halogen Free (DIN VDE 0472/part 815)
B-7598	Polyester	Gloss	White, Yellow, Red, Green, Silver, Black, Blue	-40 °C	100 °C	A general identification polyester tag for cables exposed to extreme conditions. Up to 10 years outdoor durability. Also available in black, blue, green, red, silver and yellow.	Parts supplied in White, Black or Silver are Halogen Free as per IEC 61249-2-21 (2003-11)
B-7599	Polyethylene	Matt	Yellow	-40 °C	50 °C	White polyethylene tag material. Rapido™ Wiremarking Sleeves are fast and easy to apply. Simply squeeze the edges of the material together, thread your wire through the holes and pull away the wire to release the marker.	
B-7643	Thermoplastic Polyether Polyurethane	Matt	White, Yellow	-40 °C	90 °C	Thermal transfer and dot matrix printable wire and cable bundle tag for harsh environments. Low halogen material. Also available in black, orange, red and yellow.	Halogen requirements of IEC 61249-2-21 (2003-11)
B-7644	Polypropylene with Polyester Overlaminate	Gloss	Yellow	-70 °C	150 °C	Laminate carrier for cable identification with strip to laminate text label. The carrier is to be fixed with 2 cable ties directly on the cables and wires.	
B-7649	Metal Detectable Polyethylene		Blue	-40 °C	60 °C	Brady's B-7649 metal-detectable cable and wire tag is a durable, on-demand printing solution ideal for identifying cables and bundles in even the most demanding environments where metal detectability is crucial.	HACCP/ISO 22000
B-7696	Vinyl	Gloss	White, Yellow	-40 °C	70 °C	Brady DuraSleeve® printable inserts create a durable legend. The rigid construction of the DuraSleeve wire marking system provides inserts that can easily be inserted into a clean carrier. The legend can be changed before or after termination. Also available in yellow.	UL94 V0

Software Solutions

that make your job easier



Our software options move productivity forward by reducing manual input, and automating and simplifying processes. Whether you need to create labels on your desktop computer or complete an inspection using your mobile device, Brady has the software solution that meets your needs.

KEY FEATURES



SOFTWARE SUITES

Choose from thoughtfully selected, job-specific labelling suites




PREMADE TEMPLATES

Get customisation tools, graphic libraries and intuitive label guides



LABEL ANYWHERE

Go mobile and label on demand where and when you need it



MAXIMISE EFFICIENCY

Fast, accurate label creation – plus bundling discounts – is time and money back



Brady Workstation Desktop Software

All you need to create the right label fast


- ▶ Automation, importing, templates, customisation tools and dedicated customer care all in one software suite
- ▶ The Premade Editable Labels feature lets you print common labels custom-worded to your needs quickly
- ▶ Streamline workflows between any PC with BWS, making it easier to print pre-created templates



▶ **Eplan Connectivity:** Seamlessly import data directly from Eplan electrical design software into Brady Workstation for accurate panel and wire identification.



▶ Try it today! Download Brady Workstation or learn more:
www.bradyeurope.com/workstation



Express Labels Mobile App

Create and customise labels for any job, anywhere.

- ▶ Preview labels before printing, ensuring no labels are wasted
- ▶ Visual design guides simplify advanced label creation for wraps, flags, breaker boxes, patch panels, safety labels and more
- ▶ Save and share labels to eliminate time creating new labels from scratch
- ▶ Faster data entry with advanced features like Image-to-Text and BradyVoice*



Fluke Networks LinkWare™ Live Integration: Import cable test data directly from the LinkWare Live cloud to view, edit, and print labels on demand.



▶ To download the app or learn more, visit
bradyeurope.com/expresslabels

*BradyVoice only available in English


Express Labels Mobile App & Brady Workstation Software

Shared features and capabilities

- ▶ 30+ barcode types
- ▶ 85+ fonts
- ▶ 1,400+ symbols
- ▶ Image to text
- ▶ BradyVoice (only in English)
- ▶ Microsoft Excel data imports, CSV etc.
- ▶ Label sequencing
- ▶ Label saving and sharing
- ▶ Label layouts
- ▶ Accurate print preview
- ▶ Real-time printer status

Office-to-field connected workflow

Bridge the gap between the office and the jobsite. Design complex labels in Brady Workstation, push files via the cloud or email, and access them instantly in the Express Labels app. Field engineers stay fully equipped with seamless mobile connectivity, whether using 1-to-1 pairing on the M610 or connecting up to 5 devices simultaneously on the M611.





Brady Software Development Kit

One simple integration to print from your software

- ▶ Employees can use their own Android, iOS or web-based software apps to print labels for a seamless way to get data to a Brady printer
- ▶ The SDK Library connects, retrieves, monitors and supports data for faster and more efficient workflows
- ▶ A versatile technology that can be used with select Brady Bluetooth-enabled printers



▶ Scan or click to see how Brady can help



Brady ZPL* Solutions

Ideal for upgrading legacy systems

Use your existing ZPL* scripts to print on highly reliable labels without rewriting a single line of code. Available as a built-in feature or a fast, easy-to-use add-on, you can seamlessly integrate Brady printers without changing your current label software.



▶ Learn more at bradyeurope.com/ZPL



BradyScan

Scan. Generate. Print.

Scan any code with your phone to instantly generate and print labels on your Brady printer with the free BradyScan app.

▶ Download the free app!



Android



iOS

* ZPL is a registered trademark of Zebra Technologies Corporation. Brady is not affiliated, associated, authorized, endorsed by, or in any way officially connected with Zebra Technologies Corporation

M610 LABEL PRINTER SPECIFICATIONS

PRINTER	
Description	M610 Label Printer - QWERTY UK
Includes	This printer ships in a hard case holding a USB cable, a quick start guide, a Li-ION Rechargeable Battery, an AC Adapter, a product USB (with product info and Windows driver), a Brady Workstation Software, a roll of M6-11-427 and an M61-R4310 ribbon.
Applications	Asset tracking Circuit board labelling Component and equipment labelling Data and telecommunications labelling Electrical labelling Facility identification General identification Healthcare and Hospital labelling Inventory and inspection labelling Laboratory Lean and 5S labelling Warehouse marking Wire and cable labelling Safety identification
Print Speed (mm/sec)	50.80 mm/s
Internal Memory Capacity	512 MB RAM, 256 MB Flash
Cutter	Manual cut
Keyboard Type	QWERTY, QWERTZ, AZERTY, CYRILLIC
Colour Capability	Monocolour
Language Support	Arabic (Egypt), Bulgarian, Croatian, Czech, Danish, Dutch, English (US), Estonian, Finnish, French, German, Greek, Hebrew, Hungarian, Italian, Norwegian (Bokmål), Polish, Portuguese, Romanian, Russian, Slovak, Slovenian, Spanish, Swedish, Turkish
Weight	1.41 kg
Dimensions	107.19 mm (W) x 328.42 mm (H) x 106.42 mm (D)
Drop Test	Resistant to military-grade shocks (MIL-STD-810G) Resistant to 1.8 metre drops
Operating Temperature	-18°C - 46°C
Operating Humidity	10%-90% (non-condensing)
Storage Temperature	-40°C - 70°C
Storage Humidity	10%-90% (non-condensing)
Warranty	2 years
Battery Type	Rechargeable Lithium-ion Battery
Power Supply	AC Adaptor, Rechargeable Battery
DISPLAY	
Display	Colour LCD Screen LCD backlit graphics display
Display Resolution	320 x 240 pixels
FONTS/GRAPHICS/SYMBOLOGIES	
Text Sizes (pt)	4 - 170 pt
Built-in Fonts	Brady Alpine Brady Fixed Width
Built-in Symbols	480



MEDIA SUPPORTED	
Materials Supported	FreezerBondz™ Polyester Heat-shrink Polyolefin High Temperature Heat-shrink Polyvinylidene Fluoride Sleeve Metallised Polyester Metallised Polyester with Polyester Overlamine Nylon Cloth Paper Polyester Polyethylene Polyethylene Foam Laminate Polyester Polyimide Polyolefin Polypropylene Polyvinylfluoride Reflective Tape Self-laminating Polyester Self-laminating Vinyl StainerBondz™ Polyester Static Dissipative Polyester Tamper-evident Metallised Polyester Tamper-evident Polyester Tamper-resistant Metallised Vinyl Tamper-resistant Vinyl Vinyl Vinyl Cloth
Continuous vs Die-cut Labels	Continuous Die-cut Custom Bulk
Custom Labels	Yes
Smart Cell	Yes
Max. Label Width	50.80 mm
Min. Label Width	6.40 mm
Min. Label Height	5.99 mm
Max. Liner Width	57.00
Min. Liner Width	20.62
Recommended Usage per Day	750
POWER SUPPLY	
Auto Shut Off	User Configurable
Bar Code Type	Code 128, Code 39, Interleaved 2 of 5, UPC-A, UPC-E, EAN-8, EAN-13, More through Brady WorkStation, QR code, Data Matrix
PRINTING FUNCTIONS	
Serialisation	Multiple & Linked
Print Resolution (dpi)	300 dpi
SOFTWARE & CONNECTIVITY	
Connectivity Options	USB 2.0, Standalone Use, Bluetooth (optional)
Software Compatibility	Brady Workstation Express Labels Mobile App Windows based driver for 3rd party software use Software development kit
Programming Language	Brady Script Emulator for ZPL (Accessory required) Brady Custom ZPL Emulation Software Solution
COMPLIANCE	
Approval/Compliance	UL, FCC, cUL, IC/ISED, UL MEX, CofC, RCM



For videos and more information, scan or click the QR code.



M611 LABEL PRINTER SPECIFICATIONS

Printer	
Description	M611 Label Printer - EU
Includes	This printer ships in a cardboard box holding a USB cable, a quick start guide, an AC powercord, a USB stick holding product info and Windows driver, a Brady Workstation Basic Design Suite, a roll of M6-11-427 and an M61-R4310 ribbon.
Applications	Asset tracking Circuit board labelling Component and equipment labelling Data and telecommunications labelling Electrical labelling Facility identification General identification Healthcare and Hospital labelling Inventory and inspection labelling Laboratory labelling Laboratory Lean and 5S labelling Safety identification Warehouse marking Wire and cable labelling
Print Speed (mm/sec)	50.80 mm/s
Cutter	Auto Cutter With label retention
Keyboard Type	None
Colour Capability	Monocolour
Language Support	Arabic (Egypt), Bahasa (Indonesian), Bahasa Malay, Bulgarian, Chinese (Simplified), Chinese (Traditional), Croatian, Czech, Danish, Dutch, English (US), Estonian, Finnish, French, German Greek, Hebrew, Hungarian, Italian, Japanese, Korean, Norwegian (Bokmål), Polish, Portuguese, Romanian, Russian, Slovak, Slovenian, Spanish (Universal), Swedish, Turkish, Thai, Vietnamese, Hindi
Weight (kg)	1.6 kg
Width x Height x Depth (mm)	113.28 x 115.66 x 278.75
Drop Test	Resistant to 1.8 metre drops Resistant to military-grade shocks (MIL-STD-810G)
Operating Temperature	5°C - 49°C
Operating Humidity	10%-90% (non-condensing)
Calibration	Automated through Smart Cell
Warranty	2 years
Power supply	
Auto Shut Off	User Configurable
Battery Type	Rechargeable Lithium-ion Battery
Power Supply	AC Adaptor Rechargeable Battery
Display	
Display	Colour Touchscreen LCD backlit graphics display
On Screen Indicators	Battery Life Ribbon and label part number recognition Supply Remaining Bluetooth Status Error Messaging WiFi
Display Resolution	320 x 240 pixels
Fonts/graphics/symbolologies	
Built-in Fonts	Determined by software
Bar Code Type	Code 128, Code 128A, Code 128B, Code 128C, Code 39, Code 39 Full ASCII, Code 93, Code 93 Full ASCII, EAN-13, EAN-13 Extension 2, EAN-13 Extension 5, EAN-8, EAN-8 Extension 2, EAN-8 Extension 5, GS1-128, HIBC, Interleaved 2 of 5, JAN-13, JAN-8, UPC-A, UPC-E

Printing functions	
Print Resolution (dpi)	300 dpi
Media supported	
Materials Supported	FreezerBondz™ Polyester Heat-shrink Polyolefin High Temperature Heat-shrink Polyvinylidene Fluoride Sleeve Metallised Polyester Metallised Polyester with Polyester Overlaminate Nylon Cloth Paper Polyester Polyethylene Polyethylene Foam Laminate Polyester Polyimide Polyolefin Polypropylene Polyvinylfluoride Reflective Tape Self-laminating Polyester Self-laminating Vinyl StainerBondz™ Polyester Static Dissipative Polyester Tamper-evident Metallised Polyester Tamper-evident Polyester Tamper-resistant Metallised Vinyl Tamper-resistant Vinyl Vinyl Vinyl Cloth
Compatible Media	M6- M6C- BM- BMC-
Continuous vs Die-cut Labels	Continuous Die-cut
Custom Labels	Yes
Smart Cell	Yes
Label Dimensions	
Max. Label Width	50.80 mm
Min. Label Width	6.40 mm
Min. Label Height	5.99 mm
Max. Liner Width	57.00 mm
Min. Liner Width	20.62 mm
Recommended Usage per Day	750
Compliance	
Approval/Compliance	CE 2014/53/EU RED CE 2014/35/EU LVD CE 2014/30/EU EMC CE 2011/65/EU RoHS UL 60950-1, 2nd Edition EN \ IEC 60950-1:2006 + A11:2009 + A1:2010 + A12:2011 + A2:2013 WEEE
Software & connectivity	
Connectivity Options	Bluetooth® 5 Low Energy (class II) USB USB 2.0 Wi-Fi
Software Compatibility	Brady Workstation Express Labels Mobile App Windows based driver for 3rd party software use



▶ For videos and more information, scan or click the QR code.



▶ For more information on the Express Labels app, see page 61.



M610 LABEL PRINTER, KITS AND ACCESSORIES

M610 Label Printer Kit

Article No.	Description
317790	M610 Label Printer - QWERTY UK
317791	M610 Label Printer - QWERTY UK with Bluetooth
317792	M610 Label Printer - AZERTY
317793	M610 Label Printer - AZERTY with Bluetooth
317794	M610 Label Printer - QWERTY US
317795	M610 Label Printer - QWERTZ with Bluetooth
317796	M610 Label Printer - QWERTY US with Bluetooth
317797	M610 Label Printer - QWERTY EU
317798	M610 Label Printer - QWERTY EU with Bluetooth
317799	M610 Label Printer - CYRILLIC with Bluetooth
317800	M610 Label Printer - AZERTY with Bluetooth + BWS Suite
317801	M610 Label Printer - AZERTY + BWS Suite
317802	M610 Label Printer - CYRILLIC with Bluetooth + BWS Suite
317803	M610 Label Printer - QWERTY EU with Bluetooth + BWS Suite
317804	M610 Label Printer - QWERTY EU + BWS Suite
317805	M610 Label Printer - QWERTY UK with Bluetooth + BWS Suite
317806	M610 Label Printer - QWERTY UK + BWS Suite
317807	M610 Label Printer - QWERTY US with Bluetooth + BWS Suite
317808	M610 Label Printer - QWERTY US + BWS Suite
317809	M610 Label Printer - QWERTZ EU with Bluetooth + BWS Suite

This printer ships in a hard case holding a USB cable, a quick start guide, a Li-ION Rechargeable Battery, an AC Adapter, a product USB (with product info and Windows driver), a Brady Workstation Design Software, a roll of M6-11-427 and an M61-R4310 ribbon.



Accessories

Article No.	Description
018556	Printer cleaning kit
150618	Protective softbag for portable printers
175671	Hard Case for M610 Label Printer
175672	Magnet for M610 Label Printer
175673	Rechargeable Lithium-ion Battery for M510/M610/M710 printer
175674	Rechargeable NiMH Battery for M510/M610/M710 printers
178993	Brady Script Emulator for ZPL
710612	AC Adaptor, Europe 220V

Brady Script Emulator for ZPL



Hard Case



Protective softbag



Magnet



Rechargeable Lithium-ion Battery



M611 LABEL PRINTER, KITS AND ACCESSORIES

M611 Label Printer Kit

Article No.	Description
317836	M611 Label Printer - UK
317843	M611 Label Printer - US
317844	M611 Label Printer - EU
322920	M611 Label Printer - EU + Brady Workstation Suite
322921	M611 Label Printer - UK + Brady Workstation Suite
322922	M611 Label Printer - US + Brady Workstation Suite

This printer ships in a cardboard box holding a USB cable, a quick start guide, an AC powercord, a product USB (with product info and Windows driver), a Brady Workstation Design Suite, a roll of M6-11-427 and an M61-R4310 ribbon.

Accessories

Article No.	Description
175603	Hard Case for M611 Label Printer
175604	Magnet for M611 Label Printer
175605	Sling Pack for M611 Printer
178993	Brady Script Emulator for ZPL
710612	AC Adaptor, Europe 220V



Brady Script Emulator for ZPL



Sling Bag



Hard Case



Magnet



AC Adaptor



Create high speed asset tracking

Locate the right asset faster than ever before.



Set up high speed asset tracking.

- ▶ Easily design labels on your phone, or on the printer
- ▶ Swiftly program UHF RFID labels with the RFID reader
- ▶ Fully portable solution for fast asset identification
- ▶ Read all tags within 2 metres with the RFID reader
- ▶ Select your asset's digital identity on-screen
- ▶ Home in on your asset with sound and visuals



▶ Learn more at
bradyeurope.com/RFIDkits

Find without searching



Fast, seamless
label printing



Easy to program



Home in from a distance



FAST PRINTING



RESILIENT LABELS



EASY TO PROGRAM

Tired of searching every nook and cranny to find a wayward asset?

What if you could scan all assets at once, and automate entire room inventories? Use our portable RFID Kit to quickly set up any asset for extremely fast localisation.

M610 RFID Track & Trace kits

This kit includes an M610 label printer kit, an HH85 RFID reader, a roll of M6-221-423-UHF and an M61-R6010 ribbon. The RFID encoding Toolbox app and Express labels app are free of charge downloadable onto the HH85.

Article No.	Order Reference	Description
321829	M610-QY-EU-T&T KIT	M610 RFID Track & Trace kit QY EU
321830	M610-QZ-T&T KIT	M610 RFID Track & Trace kit QZ
321831	M610-QY-UK-T&T KIT	M610 RFID Track & Trace kit QY UK
321832	M610-AZ-T&T KIT	M610 RFID Track & Trace kit AZ
321833	M610-QY-US-T&T KIT	M610 RFID Track & Trace kit QY US
321834	M610-CY-T&T KIT	M610 RFID Track & Trace kit CY



M611 RFID Track & Trace kits

This kit includes an M611 label printer kit, an HH85 RFID reader, a roll of M6-221-423-UHF and an M61-R6010 ribbon. The RFID encoding Toolbox app and Express labels app are free of charge downloadable onto the HH85.

Article No.	Order Reference	Description
321835	M611-EU-T&T KIT	M611 RFID Track & Trace kit EU
321836	M611-UK-T&T KIT	M611 RFID Track & Trace kit UK
321837	M611-US-T&T KIT	M611 RFID Track & Trace kit EU



Additional rolls of selected RFID labels available individually

Article No.	Order Reference	Description	Width (mm)	Height (mm)
321277	M6-221-423-UHF	Glossy White Polyester RFID Asset Tracking Labels	45.00	18.00



▶ RFID Mobile Kit product overview & demo video:



Easily document any cable

Enable swift and accurate cable interventions



Give every cable a unique digital identity.

- ▶ Easily design labels on your phone, or on the printer
- ▶ Swiftly add data with a smartphone or RFID reader
- ▶ Fully portable solution for fast cable identification
- ▶ Confirm cables with a smartphone or RFID reader
- ▶ Access relevant intervention documentation
- ▶ Easily update cable maintenance history



▶ Learn more at
bradyeurope.com/RFIDkits

Accurate interventions



Fast, seamless
label printing



Easily add data



Access all info



FAST PRINTING



RESILIENT LABELS



EASY TO PROGRAM

Tired of searching for intervention information before jumping in?

What if you could access all relevant cable documentation where the action is, on the cable itself? Use our portable RFID Kit to easily write and access data on NFC-enabled cable flags. These NFC flags are limited to short range use for security reasons.

M610 HF QuickFlag kits

This kit includes an M610 label printer kit, an HH85 RFID reader, a roll of M6-218-483-HF and an M61-R6010 ribbon. The RFID encoding Toolbox app and Express labels app are free of charge downloadable onto the HH85.

Article No.	Order Reference	Description
321838	M610-QY-EU-QF KIT	M610 HF QuickFlag kit QY EU
321839	M610-QZ-QF KIT	M610 HF QuickFlag kit QZ
321840	M610-QY-UK-QF KIT	M610 HF QuickFlag kit QY UK
321841	M610-AZ-QF KIT	M610 HF QuickFlag kit AZ
321842	M610-QY-US-QF KIT	M610 HF QuickFlag kit QY US
321843	M610-CY-QF KIT	M610 HF QuickFlag kit CY



M611 HF QuickFlag kits

This kit includes an M611 label printer kit, an HH85 RFID reader, a roll of M6-218-483-HF and an M61-R6010 ribbon. The RFID encoding Toolbox app and Express labels app are free of charge downloadable onto the HH85.

Article No.	Order Reference	Description
321844	M611-EU-QF KIT	M611 HF QuickFlag kit EU
321845	M611-UK-QF KIT	M611 HF QuickFlag kit UK
321846	M611-US-QF KIT	M611 HF QuickFlag kit US



Additional rolls of selected RFID labels available individually

Article No.	Order Reference	Description	Width (mm)	Height (mm)
319493	M6-218-483-HF	HF QuickFlag™ Tapered Wire and Cable Flag for M610, M611, M710	25.40	50.80



**Belgium & Luxembourg**

+32 (0) 52 45 78 11
benelux@bradycorp.com

Czech Republic

+420 776 302 229
czechrepublic@bradycorp.com

Denmark

+45 66 14 44 00
denmark@bradycorp.com

France

+33 (0) 3 20 76 94 48
france@bradycorp.com

Germany, Austria & Switzerland

+49 (0) 6103 7598 660
germany@bradycorp.com

Hungary

+36 23 500 275
hungary@bradycorp.com

Italy

+39 02 26 00 00 22
italy@bradycorp.com

Netherlands

+31 (0)70 323 62 98
benelux@bradycorp.com

Norway

+47 70 13 40 00
norway@bradycorp.com

Poland

+48 22 104 6262
poland@bradycorp.com

Qatar, Saudi Arabia & UAE

+971 4881 2524
me@bradycorp.com

Slovakia

+421 902 939 406
slovakia@bradycorp.com

South Africa

+27 11 704 3295
africa@bradycorp.com

Spain & Portugal

+34 900 902 993
spain@bradycorp.com
portugal@bradycorp.com

**Sweden, Finland, Estonia, Latvia,
Lithuania**

+46 (0) 8 590 057 30
sweden@bradycorp.com

Turkey

+90 212 264 02 20
turkey@bradycorp.com

UK & Ireland

+44 (0) 1295 228 288
uk@bradycorp.com

We make products that make the world a safer and smarter place. From the depths of the ocean to outer space, from the factory floor to the delivery room - **we're just about everywhere you look.**



To help minimise our impact on the environment, Brady limits its number of reprints.

Updated versions are always available for download on www.bradyeurope.com.



Search for: EUR-M-318-EN



Y5184187

Your distributor